

Oncology Research (December 2002) including tests:

Brief Symptom Inventory (BSI®)
Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

Brief Symptom Inventory (BSI) Test

- Baider, L. & De Nour, A.K. (1997). Psychological distress and intrusive thoughts in cancer patients. *Journal of Nervous & Mental Disease*, 185(5), 346-348.
- Baider, L., Koch, U., Esacson, R. & De Nour, A.K. (1998). Prospective study of cancer patients and their spouses: the weakness of marital strength. *Psycho-Oncology*, 7(1), 49-56.
- Baider, L., Peretz, T. & De Nour, A.K. (1993). Holocaust cancer patients: A comparative study. *Psychiatry: Interpersonal & Biological Processes*, 56(4), 349-355.
- Baider, L., Peretz, T. & De Nour, A.K. (1992). Effect of the Holocaust on coping with cancer. *Social Science & Medicine*, 34(1), 11-15.
- Baider, L., Peretz, T. & De Nour, A.K. (1997). The effect of behavioral intervention on the psychological distress of Holocaust survivors with cancer. *Psychotherapy & Psychosomatics*, 66(1), 44-49.
- Baider, L., Peretz, T., Hadani, P.E., Perry, S., Avramov, R. & De Nour, A. K. (2000). Transmission of response to trauma? Second-generation Holocaust survivors' reaction to cancer. *American Journal of Psychiatry*, 157(6), 904-910.
- Baider, L., Peretz, T., Hadani, P.E. & Koch, U. (2001). Psychological intervention in cancer patients: a randomized study. *General Hospital Psychiatry*, 23(5), 272-277.
- Baider, L., Perez, T. & De Nour, A.K. (1989). Gender and adjustment to chronic disease: A study of couples with colon cancer. *General Hospital Psychiatry*, 11(1), 1-8.
- Baider, L., Perry, S., Sison, A., Holland, J. & Uziely, B. (1997). The role of psychological variables in a group of melanoma patients: An Israeli sample. *Psychosomatics: Journal of Consultation Liaison Psychiatry*, 38(1) 45-53.
- Baider, L., Uziely, B. & De Nour, A.K. (1994). Progressive muscle relaxation and guided imagery in cancer patients. *General Hospital Psychiatry*, 16(5), 340-347.
- Baider, L., Walach, N., Perry, S. & De Nour, A.K. (1998). Cancer in married couples: higher or lower distress? *Journal of Psychosomatic Research*, 45(3), 239-248.
- Ben Zur, H., Gilbar, O. & Lev, S. (2001). Coping with breast cancer: patient, spouse, and dyad models. *Psychosomatic Medicine*, 63(1), 32-39.
- Cassileth, B.R., Lusk, E.J., Walsh, W.P., Doyle, B., et al. (1989). The satisfaction and psychosocial status of patients during treatment for cancer. *Journal of Psychosocial Oncology*, 7(4), 47-57.
- Cassileth, B.R. & Egan, T.A. (1979). Modification of medical student perceptions of the cancer experience. *Journal of Medical Education*, 54(10), 797-802.

**Oncology Research (December 2002) including tests:
Brief Symptom Inventory (BSI®) Bibliography**

- Cohen, L., de Moor, C., Devine, D., Baum, A. & Amato, R.J. (2001). Endocrine levels at the start of treatment are associated with subsequent psychological adjustment in cancer patients with metastatic disease. *Psychosomatic Medicine*, 63(6), 951-958.
- DeKeyser, F., Wainstock, J., Rose, L., Converse, P. & Dooley, W. (1998). Distress, symptom distress, and immune function in women with suspected breast cancer. *Oncology Nursing Forum*, 25(8), 1415-1422.
- Franco, K., Belinson, J., Casey, G., Plummer, S., Tamburrino, M. & Tung, E. (2000). Adjustment to perceived ovarian cancer risk. *Psycho-Oncology*, 9(5), 411-417.
- Gagnon, P., Massie, M.J. & Kash, K. (1996). Perception of breast cancer risk and psychological distress in women attending a surveillance program. *Psycho-Oncology*, 5(3), 259.
- Gilbar, O. & Florian, V. (1991). Do women with inoperable breast cancer have a psychological profile? *Omega - Journal of Death & Dying*, 23(3), 217.
- Gilbar, O. (1991). The quality of life of cancer patients who refuse chemotherapy. *Social Science & Medicine*, 32(12), 1337-1340.
- Gilbar, O. (1995). Coping with loss: Differences between widows and widowers of deceased cancer patients. *Omega - Journal of Death & Dying*, 31(3), 207.
- Gilbar, O. (1997). Women with high risk for breast cancer: psychological symptoms. *Psychological Reports*, 80(3), 802.
- Gilbar, O. (1998). Coping with threat: Implications for women with a family history of breast cancer. *Psychosomatics*, 39(4), 329-339.
- Gilbar, O. (1998). Length of cancer patients' stay at a hospice: does it affect psychological adjustment to the loss of the spouse? *Journal of Palliative Care*, 14(4), 16-20.
- Gilbar, O. & Refaeli, R. (2000). The relationship between adult cancer patients' adjustment to the illness and that of their parents. *Families, Systems & Health*, 18(1), 5-17.
- Gilbar, O., Iron, G. & Goren, A. (2001). Adjustment to illness of cancer patients treated by complementary therapy along with conventional therapy. *Patient Education and Counseling*, 44(3), 243-249.
- Gilbar, O. (1989). Who refuses chemotherapy? A profile. *Psychological Reports*, 64(3), 1297.
- Gilbar, O. (2002). Parent caregiver adjustment to cancer of an adult child. *Journal of Psychosomatic Research*, 52(5), 295-302.
- Gilbar, O. & Ben-Zur, H. (2002). Bereavement of spouse caregivers of cancer patients. *American Journal of Orthopsychiatry*, 72(3), 422-432.
- Gilbar, O. & De Nour, A.K. (1989). Adjustment to illness and dropout of chemotherapy. *Journal of Psychosomatic Research*, 33(1), 1-5.

Oncology Research (December 2002) including tests: Brief Symptom Inventory (BSI®) Bibliography

- Glajchen, M. (1995). Evaluating process, outcome, and satisfaction in community-based cancer support groups. *Social Work with Groups*, 18(1), 27-40.
- Green, B. L., Krupnick, J. L., Rowland, J. H., Epstein, S. A., Stockton, P., Spertus, I. & Stern, N. (2000). Trauma history as a predictor of psychologic symptoms in women with breast cancer. *Journal of Clinical Oncology*, 18(5), 1084-1093.
- Greenberg, D.B., Kornblith, A.B., Herndon, J.E., et al. (1997). Quality of life for adult leukemia survivors treated on clinical trials of Cancer and Leukemia Group B during the period 1971-1988: predictors for later psychologic distress. *Cancer*, 80(10), 1936-1944.
- Hanson, F. M., Suman, V. J., Rummans, T. A., et al. (2000). Physical, psychological and social well-being of women with breast cancer: the influence of disease phase. *Psycho-Oncology*, 9(3), 221-231.
- Hollen, P.J., Gralla, R.J., Kris, M.G., Cox, C., et al. (1994). Measurement of quality of life in patients with lung cancer in multicenter trials of new therapies. Psychometric assessment of the Lung Cancer Symptom Scale. *Cancer*, 73 (8), 2087-2098.
- Kornblith, A.B., Herndon, J.E., Zuckerman, E., et al. (1998). Comparison of psychosocial adaptation of advanced stage Hodgkin's disease and acute leukemia survivors. *Cancer and Leukemia Group B. Annals of Oncology*, 9(3), 297-306.
- Levin, M., Mermelstein, H. & Rigberg, C. (1999). Factors associated with acceptance or rejection of recommendation for chemotherapy in a community cancer center. *Cancer Nursing*, 22(3), 246-250.
- Magen, R.H. & Glajchen, M. (1999). Cancer support groups: Client outcome and the context of group process. *Research on Social Work Practice*, 9(5), 541-554.
- Meeske, K.A., Ruccione, K., Globe, D.R. & Stuber, M.L. (2001). Posttraumatic stress, quality of life, and psychological distress in young adult survivors of childhood cancer. *Oncology Nursing Forum*, 28(3), 481-489.
- Mireault, G.C. & Compas, B.E. (1996). A prospective study of coping and adjustment before and after a parent's death from cancer. *Journal of Psychosocial Oncology*, 14(4), 1-18.
- Mohide, E.A., Whelan, T.J., Rath, D., et al. (1996). A randomised trial of two information packages distributed to new cancer patients before their initial appointment at a regional cancer centre. *British Journal of Cancer*, 73(12), 1588-1593.
- Neville, K. (1996). Psychological distress in adolescents with cancer. *Journal of Pediatric Nursing*, 11(4), 243-251.
- Noll, R.B. (1995). Comparing parental distress for families with children who have cancer and matched comparison families without children with cancer. *Family Systems Medicine*, 13(1), 11-27.
- Northouse, L. (1989). A longitudinal study of the adjustment of patients and husbands to breast cancer. *Oncology Nursing Forum*, 16(4), 511-516.

**Oncology Research (December 2002) including tests:
Brief Symptom Inventory (BSI®) Bibliography**

- Northouse, L.L. & Swain, M.A. (1987). Adjustment of patients and husbands to the initial impact of breast cancer. *Nursing Research*, 36(4), 221-225.
- Northouse, L.L. (1988). Social support in patients' and husbands' adjustment to breast cancer. *Nursing Research*, 37(2), 91.
- Northouse, L.L., Dorris, G. & Charron-Moore, C. (1995). Factors affecting couples' adjustment to recurrent breast cancer. *Social Science & Medicine*, 41(1), 69-76.
- Northouse, L.L., Mood, D., Templin, T., Mellon, S. & George, T. (2000). Couples' patterns of adjustment to colon cancer. *Social Science & Medicine*, 50(2), 271-284.
- Northouse, L.L., Templin, T., Mood, D. & Oberst, M. (1998). Couples' adjustment to breast cancer and benign breast disease: a longitudinal analysis. *Psycho-Oncology*, 7(1), 37-48.
- Oberst, M.T. & Scott, D.W. (1988). Postdischarge distress in surgically treated cancer patients and their spouses. *Research in Nursing & Health*, 11(4), 223-233.
- Payne, D.K., Hoffman, R.G., Theodoulou, M., Dosik, M. & Massie, M.J. (1999). Screening for anxiety and depression in women with breast cancer. *Psychiatry and medical oncology gear up for managed care. Psychosomatics*, 40(1), 64-69.
- Peretz, T., Baider, L., Ever-Hadani, P. & De Nour, A.K. (1994). Psychological distress in female cancer patients with Holocaust experience. *General Hospital Psychiatry*, 16(6), 413-418.
- Plass, A. & Koch, U. (2001). Participation of oncological outpatients in psychosocial support. *Psycho-Oncology*, 10(6), 511-520.
- Remick, S.C., McSharry, J.J., Wolf, B.C., et al. (1993). Novel oral combination chemotherapy in the treatment of intermediate-grade and high-grade AIDS-related non-Hodgkin's lymphoma. *Journal of Clinical Oncology*, 11(9), 1691-1702.
- Remick, S.C., Sedransk, N., Haase, R.F., et al. (2001). Oral combination chemotherapy in conjunction with filgrastim (G-CSF) in the treatment of AIDS-related non-Hodgkin's lymphoma: evaluation of the role of G-CSF; quality-of-life analysis and long-term follow-up. *American Journal of Hematology*, 66(3), 178-188.
- Roberts, C.S., Severinsen, C., Carraway, C., Clark, D., Freeman, M. & Daniel, P. (1997). Life changes and problems experienced by young adults with cancer. *Journal of Psychosocial Oncology*, 15(1), 15-25.
- Rummans, T.A., Frost, M., Suman, V.J., Taylor, M., Novotny, P., Gendron, T., et al. (1998). Quality of life and pain in patients with recurrent breast and gynecologic cancer. *Psychosomatics*, 39(5), 437.
- Shanfield, S.B., Benjamin, A.H. & Swain, B.J. (1984). Parents' reactions to the death of an adult child from cancer. *American Journal of Psychiatry*, 141(9), 1092-1094.
- Siegel, K., Karus, D.G., Raveis, V.H., Christ, G.H. & Mesagno, F.P. (1996). Depressive distress among the spouses of terminally ill cancer patients. *Cancer Practice*, 4(1), 25-30.

Oncology Research (December 2002) including tests: Brief Symptom Inventory (BSI®) Bibliography

- Smith, E.D., Stefanek, M.E., Joseph, M.V., Verdieck, M.J., et al. (1993). Spiritual awareness, personal perspective on death, and psychosocial distress among cancer patients: An initial investigation. *Journal of Psychosocial Oncology*, 11(3), 89-103.
- Sneed, N.V., Edlund, B. & Dias, J.K. (1992). Adjustment of gynecological and breast cancer patients to the cancer diagnosis: comparisons with males and females having other cancer sites. *Health Care for Women International*, 13(1), 11-22.
- Stefanek, M.E., Derogatis, L.P. & Shaw, A. (537). Psychological distress among oncology outpatients. Prevalence and severity as measured with the Brief Symptom Inventory. *Psychosomatics*, 28(10), 530-532.
- Syrjala, K.L., Cummings, C. & Donaldson, G.W. (1992). Hypnosis or cognitive behavioral training for the reduction of pain and nausea during cancer treatment: a controlled clinical trial. *Pain*, 48(2), 137-146.
- Wellisch, D.K., Gritz, E.R., Schain, W., Wang, H., et al. (1992). Psychological functioning of daughters of breast cancer patients: II. Characterizing the distressed daughter of the breast cancer patient. *Psychosomatics*, 33(2), 171-179.
- Wells, K.E., Roberts, C., Daniels, S.M., et al. (1997). Comparison of psychological symptoms of women requesting removal of breast implants with those of breast cancer patients and healthy controls. *Plastic & Reconstructive Surgery*, 99(3), 680-685.
- Zabora, J., Blanchard, C.G., Smith, E.D., Roberts, C.S., Glajchen, M., Sharp, J.W., et al. (1997). Prevalence of psychological distress among cancer patients across the disease continuum. *Journal of Psychosocial Oncology*, 15(2), 73-87.
- Zabora, J., BrintzenhofeSzoc, K., Curbow, B., Hooker, C. & Piantadosi, S. (2001). The prevalence of psychological distress by cancer site. *Psycho-Oncology*, 10(1), 19-28.
- Zabora, J., BrintzenhofeSzoc, K., Jacobsen, P., Curbow, B., Piantadosi, S., Hooker, C., Owens, A. & Derogatis, L. (2001). A new psychosocial screening instrument for use with cancer patients. *Psychosomatics*, 42(3), 241-246.
- Zabora, J.R., Smith-Wilson, R., Fetting, J.H. & Enterline, J.P. (1990). An efficient method for psychosocial screening of cancer patients. *Psychosomatics*, 31(2), 192-196.
- Zimmerman, L., Story, K.T., Gaston-Johansson, F. & Rowles, J.R. (1996). Psychological variables and cancer pain. *Cancer Nursing*, 19(1), 44-53.

**Oncology Research (December 2002) including tests:
Symptom Checklist-90-Revised (SCL-90-R®)**

Symptom Checklist-90-Revised (SCL-90-R)

- Bruera, E., Brenneis, C., Michaud, M., et al. (1989). Association between asthenia and nutritional status, lean body mass, anemia, psychological status, and tumor mass in patients with advanced breast cancer. *Journal of Pain and Symptom Management*, 4(2), 59-63.
- Dimeo, F., Stieglitz, R.D., Novelli-Fischer, U., et al. (1997). Correlation between physical performance and fatigue in cancer patients. *Annals of Oncology*, 8(12), 1251-1255.
- Erbil, P., Razavi, D., Farvacques, C., Bilge, N., Paesmans, M. & Van Houtte, P. (1996). Cancer patients psychological adjustment and perception of illness: cultural differences between Belgium and Turkey. *Supportive Care in Cancer*, 4(6), 455-461.
- Fitch, M.I., Osoba, D., Iscoe, N. & Szalai, J.P. (1995). Predicting psychological distress in patients with cancer: conceptual basis and reliability evaluation of a self-report questionnaire. *Anticancer Research*, 15(4), 1533-1542.
- Gilliss, C.L., Moore, I.M. & Martinson, I.M. (1997). Measuring parental grief after childhood cancer: Potential use of the SCL-90-R. *Death Studies*, 21(3), 277-287.
- Grassi, L. & Rosti, G. (1996). Psychiatric and psychosocial concomitants of abnormal illness behaviour in patients with cancer. *Psychotherapy and Psychosomatics*, 65(5), 246-252.
- Lees-Haley, P.R. (1989). Malingering emotional distress on the SCL-90-R: toxic exposure and cancerphobia. *Psychological Reports*, 65(3), 1203-1208.
- Lemonde, M. & Coutu-Wakulczyk, G. (1993). Mental health and support of women treated for breast cancer. *Canadian Nurse*, 89(9), 45-47.
- Razavi, D., Delvaux, N., Farvacques, C., et al. (1993). Prevention of adjustment disorders and anticipatory nausea secondary to adjuvant chemotherapy: a double-blind, placebo-controlled study assessing the usefulness of alprazolam. *Journal of Clinical Oncology*, 11(7), 1384-1390.
- Sandin, B., Chorot, P., Valiente, R.M., Lostao, L. & Santed, M.A. (2002). Adverse psychological effects in women attending a second-stage breast cancer screening. *Journal of Psychosomatic Research*, 52(5), 303-309.
- Schag, C.C., Heinrich, R.L. & Ganz, P.A. (1983). Cancer Inventory of Problem Situations: An instrument for assessing cancer patients' rehabilitation needs. *Journal of Psychosocial Oncology*, 1(4), 11-24.
- Simpson, J., Carlson, L.E., Beck, C.A. & Patten, S. (2002). Effects of a brief intervention on social support and psychiatric morbidity in breast cancer patients. *Psycho-Oncology*, 11(4), 282-294.
- Tross, S., Herndon, J., Korzun, A., et al. (1996). Psychological symptoms and disease-free and overall survival in women with stage II breast cancer. *Cancer and Leukemia Group B. Journal of the National Cancer Institute*, 88(10), 661-667.

"BSI" and "SCL-90-R" are registered trademarks of Leonard R. Derogatis, PhD.