



---

## School Interpretive Report

---

MMPI-A™

The Minnesota Report™: Adolescent Interpretive System, 2<sup>nd</sup> Edition  
*James N. Butcher, PhD, & Carolyn L. Williams, PhD*

---

Name: Tyler SampleCase  
ID Number: 1111  
Age: 15  
Gender: Male  
Date Assessed: 05/28/2007


**PEARSON**

Copyright © 1992, 2007 by the Regents of the University of Minnesota. All rights reserved. Portions reproduced from the MMPI-A test booklet. Copyright © 1942, 1943, (renewed 1970), 1992 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the *MMPI-A Manual for Administration, Scoring, and Interpretation*. Copyright © 1992 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the *Supplement to the MMPI-A Manual for Administration, Scoring, and Interpretation: The Content Component Scales, The Personality Psychopathology Five (PSY-5) Scales, The Critical Items*. Copyright © 2006 by the Regents of the University of Minnesota. All rights reserved. Distributed exclusively under license from the University of Minnesota by NCS Pearson, Inc. **MMPI-A, Minnesota Multiphasic Personality Inventory-Adolescent, and The Minnesota Report** are trademarks of the University of Minnesota.

### **TRADE SECRET INFORMATION**

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.


### MMPI-A VALIDITY SCALES PROFILE



Raw Score:	6	9	6	4	10	3	13
T Score:	54	51	55	48	51	50	51
Response %:	100	100	100	100	100	100	100

Cannot Say (Raw): 2  
 Percent True: 46  
 Percent False: 54

MMPI-A CLINICAL AND SUPPLEMENTARY SCALES PROFILE




Raw Score:	11	27	20	29	19	13	19	26	26	27	30	7	16	13	13	12
T Score:	55	65	48	70	44	50	50	52	59	51	70	63	49	49	48	47
Response %:	100	100	100	100	98	100	100	99	98	100	100	100	100	100	100	100

Welsh Code: 4'2+-918067/35: FKL/


Mean Profile Elevation: 56.1

MMPI-A CONTENT SCALES PROFILE



Raw Score:	8	9	8	10	6	4	10	17	7	1	6	7	8	7	11
T Score:	49	54	51	53	49	50	54	60	43	39	49	47	44	50	52
Response %:	100	100	100	100	100	100	100	100	100	100	100	100	97	100	100

### MMPI-A PSY-5 SCALES PROFILE



Raw Score:	11	7	13	14	3
T Score:	53	55	59	60	41
Response %:	100	100	100	100	100

## VALIDITY CONSIDERATIONS

This adolescent's approach to the MMPI-A was open and cooperative. The resulting MMPI-A is valid and is probably a good indication of his present level of personality functioning. This may be viewed as a positive indication of his involvement with the evaluation.

## SYMPTOMATIC BEHAVIOR

This adolescent's MMPI-A clinical profile indicates multiple serious behavior problems including school maladjustment, family discord, and authority conflicts. He can be moody, resentful, and attention-seeking. At times he may appear rebellious, impulsive, and argumentative. His poor judgment may get him into trouble. He can be self-centered and may show little remorse for his bad behavior. He may run away or lie to avoid punishment.

His two highest MMPI-A clinical scales, D and Pd, which are clearly elevated above other scales, occur as a high-point pair in less than 1% of the normative sample.

In a large archival sample of MMPI-A cases scored by Pearson Assessments (n = 19,048), this high-point pair of scale elevations (Pd and D) was found for 2.9% of the boys, using well-defined peak scores of 65 or above, and more than 5 points separation from the third highest scale.

An examination of the adolescent's underlying personality factors with the PSY-5 scales might help explain any behavioral problems he might be presently experiencing. He tends to view the world in a negative manner as shown by his moderate score on the Negative Emotionality/Neuroticism scale. Adolescents with moderate scorers may develop the worst-case scenario to events affecting him. There is some suggestion that he tends to worry to excess and may view even neutral events as problematic. His characteristic self-critical nature may prevent him from viewing relationships in a positive manner.

## INTERPERSONAL RELATIONS

Initially, he may seem likable and may make a good impression on others; however, his relationships tend to be very troubled. His behavior is primarily hedonistic and self-centered, and he is quite insensitive to the needs of other people, exploiting them and feeling no guilt about it.

The MMPI-A Content Scales profile provides some additional information about his interpersonal relationships. He reported some misanthropic attitudes, indicating distrust of others and their motivations. He may be on guard when people seem friendlier than he thinks they should be.

## **BEHAVIORAL STABILITY**

The relative scale elevation of the highest scale (Pd) in his clinical profile reflects high profile definition. If he is retested at a later date, the peak score on this test is likely to retain its relative salience in his profile pattern. Adolescents with this clinical profile may have a history of acting-out behaviors and relationship problems.

## **DIAGNOSTIC CONSIDERATIONS**

More information is needed about his behavior problems before a definitive diagnosis can be made. His Pd elevation suggests that behavior problems should be considered.

His extremely high score on the MAC-R scale suggests substantial problems with alcohol or other drugs. He probably engages in risk-taking behaviors and tends towards exhibitionism. Further evaluation of his alcohol or other drug use is strongly recommended.

He has endorsed items that confirm his increasing involvement with alcohol or other drugs. He acknowledges that his use is problematic and reports being criticized for it. He may feel that alcohol or other drugs facilitate social interactions, thus serving as a coping strategy.

## **TREATMENT CONSIDERATIONS**

His conduct disturbance should figure prominently in any treatment planning. His clinical scales profile suggests that he is a poor candidate for traditional, insight-oriented psychotherapy. A behavioral strategy is suggested. Clearly stated contingencies that are consistently followed are important for shaping more appropriate behaviors.

His very high potential for developing alcohol or drug problems requires attention in therapy if important life changes are to be made. He has acknowledged some problems in this area, which is a valuable first step for intervention.

He should be evaluated for the presence of suicidal thoughts and any possible suicidal behaviors. If he is at risk, appropriate precautions should be taken.

He did endorse content suggesting a desire to succeed in life. There may be some positive aspects about school that could be reinforced. This could be an asset to build on during treatment.

## ADDITIONAL SCALES

A subscale or content component scale should be interpreted only when its corresponding parent scale has an elevated T score of 60 or above. Subscales and content component scales printed below in bold meet that criterion for interpretation.

	Raw Score	T Score	Resp %
<u>Harris-Lingoes Subscales</u>			
Depression Subscales			
Subjective Depression (D <sub>1</sub> )	11	56	100
Psychomotor Retardation (D <sub>2</sub> )	6	56	100
<b>Physical Malfunctioning (D<sub>3</sub>)</b>	<b>7</b>	<b>75</b>	<b>100</b>
Mental Dullness (D <sub>4</sub> )	5	56	100
Brooding (D <sub>5</sub> )	3	51	100
Hysteria Subscales			
Denial of Social Anxiety (Hy <sub>1</sub> )	3	49	100
Need for Affection (Hy <sub>2</sub> )	1	33	100
Lassitude-Malaise (Hy <sub>3</sub> )	5	54	100
Somatic Complaints (Hy <sub>4</sub> )	7	60	100
Inhibition of Aggression (Hy <sub>5</sub> )	2	44	100
Psychopathic Deviate Subscales			
Familial Discord (Pd <sub>1</sub> )	4	53	100
<b>Authority Problems (Pd<sub>2</sub>)</b>	<b>5</b>	<b>60</b>	<b>100</b>
Social Imperturbability (Pd <sub>3</sub> )	4	54	100
<b>Social Alienation (Pd<sub>4</sub>)</b>	<b>9</b>	<b>69</b>	<b>100</b>
Self-Alienation (Pd <sub>5</sub> )	5	53	100
Paranoia Subscales			
Persecutory Ideas (Pa <sub>1</sub> )	8	64	100
Poignancy (Pa <sub>2</sub> )	0	30	100
Naivete (Pa <sub>3</sub> )	3	45	100
Schizophrenia Subscales			
Social Alienation (Sc <sub>1</sub> )	6	49	95
Emotional Alienation (Sc <sub>2</sub> )	0	37	100
Lack of Ego Mastery, Cognitive (Sc <sub>3</sub> )	2	46	100
Lack of Ego Mastery, Conative (Sc <sub>4</sub> )	2	42	100
Lack of Ego Mastery, Defective Inhibition (Sc <sub>5</sub> )	6	62	100
Bizarre Sensory Experiences (Sc <sub>6</sub> )	11	68	100
Hypomania Subscales			
Amorality (Ma <sub>1</sub> )	4	59	100
Psychomotor Acceleration (Ma <sub>2</sub> )	8	57	100
Imperturbability (Ma <sub>3</sub> )	3	49	100
Ego Inflation (Ma <sub>4</sub> )	4	48	89

	Raw Score	T Score	Resp %
<u>Social Introversion Subscales</u>			
Shyness / Self-Consciousness (Si <sub>1</sub> )	7	53	100
Social Avoidance (Si <sub>2</sub> )	2	47	100
Alienation--Self and Others (Si <sub>3</sub> )	7	48	100
<u>Content Component Scales</u>			
Adolescent Depression			
Dysphoria (A-dep <sub>1</sub> )	2	55	100
Self-Depreciation (A-dep <sub>2</sub> )	3	59	100
Lack of Drive (A-dep <sub>3</sub> )	2	47	100
Suicidal Ideation (A-dep <sub>4</sub> )	0	42	100
Adolescent Health Concerns			
Gastrointestinal Complaints (A-hea <sub>1</sub> )	1	59	100
Neurological Symptoms (A-hea <sub>2</sub> )	6	56	100
General Health Concerns (A-hea <sub>3</sub> )	2	51	100
Adolescent Alienation			
Misunderstood (A-aln <sub>1</sub> )	2	50	100
Social Isolation (A-aln <sub>2</sub> )	1	46	100
Interpersonal Skepticism (A-aln <sub>3</sub> )	3	64	100
Adolescent Bizarre Mentation			
Psychotic Symptomatology (A-biz <sub>1</sub> )	1	43	100
Paranoid Ideation (A-biz <sub>2</sub> )	1	53	100
Adolescent Anger			
Explosive Behavior (A-ang <sub>1</sub> )	4	55	100
Irritability (A-ang <sub>2</sub> )	5	54	100
Adolescent Cynicism			
Misanthropic Beliefs (A-cyn <sub>1</sub> )	9	54	100
<b>Interpersonal Suspiciousness (A-cyn<sub>2</sub>)</b>	<b>8</b>	<b>65</b>	<b>100</b>
Adolescent Conduct Problems			
Acting-Out Behaviors (A-con <sub>1</sub> )	4	50	100
Antisocial Attitudes (A-con <sub>2</sub> )	3	46	100
Negative Peer Group Influences (A-con <sub>3</sub> )	0	41	100
Adolescent Low Self-Esteem			
Self-Doubt (A-lse <sub>1</sub> )	1	40	100
Interpersonal Submissiveness (A-lse <sub>2</sub> )	0	38	100
Adolescent Low Aspirations			
Low Achievement Orientation (A-las <sub>1</sub> )	3	47	100
Lack of Initiative (A-las <sub>2</sub> )	2	49	100

	Raw Score	T Score	Resp %
Adolescent Social Discomfort			
Introversion (A-sod <sub>1</sub> )	4	50	100
Shyness (A-sod <sub>2</sub> )	3	44	100
Adolescent Family Problems			
Familial Discord (A-fam <sub>1</sub> )	8	50	95
Familial Alienation (A-fam <sub>2</sub> )	0	39	100
Adolescent School Problems			
School Conduct Problems (A-sch <sub>1</sub> )	3	69	100
Negative Attitudes (A-sch <sub>2</sub> )	1	41	100
Adolescent Negative Treatment Indicators			
Low Motivation (A-trt <sub>1</sub> )	3	49	100
Inability to Disclose (A-trt <sub>2</sub> )	5	59	100

Uniform T scores are used for Hs, D, Hy, Pd, Pa, Pt, Sc, Ma, the content scales, the content component scales, and the PSY-5 scales. The remaining scales and subscales use linear T scores.

## ITEM-LEVEL INDICATORS

The MMPI-A contains a number of items whose content may indicate the presence of psychological symptoms when endorsed in the deviant direction. The MMPI-A critical item list includes 15 categories that may provide an additional source of hypotheses about this young person.

However, caution should be used when interpreting item-level indicators like the MMPI-A critical items because responses to single items are much less reliable than scores on full-length scales. An individual can easily mismark or misunderstand a single item, and not intend the answer given. Furthermore, many adolescents in the normative sample endorsed some of the MMPI-A critical items in the deviant direction. For this reason, the responses to the item-level indicators printed below include the endorsement frequency for the item in the normative sample to give the clinician an indication of how common or rare the response is in the general population.

### Anxiety

(Of the six possible items in this section, one was endorsed in the scored direction):

- 163. Omitted Item.  
(23.1% of the normative boys responded True.)

### Conduct Problems

(Of the seven possible items in this section, four were endorsed in the scored direction):

- 224. Omitted Item.  
(11.7% of the normative boys responded True.)
- 249. Omitted Item.  
(29.3% of the normative boys responded False.)
- 440. Omitted Item.  
(26.2% of the normative boys responded True.)
- 460. Omitted Item.  
(25.6% of the normative boys responded False.)



#### Special Note:

The content of the test items is included in the actual reports. To protect the integrity of the test, the item content does not appear in this sample report.

### Paranoid Ideation

(Of the nine possible items in this section, four were endorsed in the scored direction):

- 95. Omitted Item.  
(19.2% of the normative boys responded True.)
- 294. Omitted Item.  
(28.1% of the normative boys responded False.)
- 332. Omitted Item.  
(10.1% of the normative boys responded True.)
- 428. Omitted Item.  
(14.1% of the normative boys responded True.)

### School Problems

(Of the five possible items in this section, three were endorsed in the scored direction):

- 80. Omitted Item.  
(14.6% of the normative boys responded True.)
- 101. Omitted Item.  
(24.2% of the normative boys responded True.)
- 380. Omitted Item.  
(22.4% of the normative boys responded True.)

### Self-Denigration

(Of the five possible items in this section, one was endorsed in the scored direction):

- 392. Omitted Item.  
(18.5% of the normative boys responded True.)

### Sexual Concerns

(Of the four possible items in this section, two were endorsed in the scored direction):

- 159. Omitted Item.  
(33.7% of the normative boys responded True.)
- 251. Omitted Item.  
(38.0% of the normative boys responded True.)

### Somatic Complaints

(Of the nine possible items in this section, six were endorsed in the scored direction):

- 138. Omitted Item.  
(23.0% of the normative boys responded False.)
- 165. Omitted Item.  
(25.6% of the normative boys responded True.)
- 169. Omitted Item.  
(19.0% of the normative boys responded False.)
- 172. Omitted Item.  
(14.6% of the normative boys responded False.)
- 175. Omitted Item.  
(13.3% of the normative boys responded True.)
- 275. Omitted Item.  
(25.4% of the normative boys responded False.)

### Substance Use/Abuse

(Of the nine possible items in this section, five were endorsed in the scored direction):

- 144. Omitted Item.  
(13.6% of the normative boys responded True.)
- 161. Omitted Item.  
(29.2% of the normative boys responded True.)

429. Omitted Item.  
(28.9% of the normative boys responded True.)
458. Omitted Item.  
(17.3% of the normative boys responded True.)
467. Omitted Item.  
(22.9% of the normative boys responded True.)

### **Unusual Thinking**

(Of the four possible items in this section, one was endorsed in the scored direction):

291. Omitted Item.  
(36.5% of the normative boys responded True.)

This young person did not endorse any items from the following MMPI-A critical items categories:

**Aggression**  
**Cognitive Problems**  
**Depression/Suicidal Ideation**  
**Eating Problems**  
**Family Problems**  
**Hallucinatory Experiences**

### **OMITTED ITEMS**

The following items were omitted by the client. It may be helpful to ask the client to explain these omissions.

126. Omitted Item.  
181. Omitted Item.

### **End of Report**

---

NOTE: This MMPI-A interpretation can serve as a useful source of hypotheses about adolescent clients. This report is based on objectively derived scale indexes and scale interpretations that have been developed with diverse groups of clients from adolescent treatment settings. The personality descriptions, inferences, and recommendations contained herein need to be verified by other sources of clinical information because individual clients may not fully match the prototype. Only a qualified, trained professional should use the information in this report.

This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.

---

## ITEM RESPONSES

1: 2 2: 1 3: 2 4: 2 5: 1 6: 1 7: 1 8: 1 9: 1 10: 2  
11: 2 12: 2 13: 2 14: 1 15: 1 16: 1 17: 1 18: 1 19: 1 20: 2  
21: 1 22: 2 23: 1 24: 1 25: 2 26: 1 27: 2 28: 2 29: 2 30: 2  
31: 1 32: 1 33: 2 34: 1 35: 1 36: 2 37: 2 38: 1 39: 1 40: 1  
41: 2 42: 1 43: 2 44: 1 45: 2 46: 2 47: 2 48: 1 49: 1 50: 2  
51: 1 52: 1 53: 1 54: 1 55: 1 56: 2 57: 2 58: 1 59: 2 60: 1  
61: 1 62: 2 63: 2 64: 1 65: 2 66: 2 67: 2 68: 1 69: 2 70: 2  
71: 1 72: 1 73: 1 74: 1 75: 2 76: 2 77: 1 78: 1 79: 2 80: 1  
81: 2 82: 1 83: 2 84: 1 85: 2 86: 1 87: 2 88: 2 89: 1 90: 2  
91: 1 92: 2 93: 2 94: 1 95: 1 96: 1 97: 2 98: 1 99: 2 100: 1  
101: 1 102: 2 103: 2 104: 1 105: 1 106: 2 107: 1 108: 2 109: 1 110: 1  
111: 2 112: 2 113: 1 114: 2 115: 1 116: 1 117: 1 118: 1 119: 1 120: 1  
121: 2 122: 1 123: 1 124: 2 125: 1 126: / 127: 2 128: 2 129: 1 130: 1  
131: 2 132: 2 133: 1 134: 2 135: 2 136: 2 137: 1 138: 2 139: 2 140: 2  
141: 2 142: 2 143: 1 144: 1 145: 1 146: 1 147: 2 148: 1 149: 1 150: 1  
151: 2 152: 1 153: 1 154: 1 155: 2 156: 1 157: 1 158: 1 159: 1 160: 2  
161: 1 162: 1 163: 1 164: 2 165: 1 166: 1 167: 2 168: 2 169: 2 170: 1  
171: 2 172: 2 173: 2 174: 1 175: 1 176: 1 177: 2 178: 2 179: 1 180: 1  
181: / 182: 1 183: 2 184: 2 185: 1 186: 2 187: 2 188: 1 189: 2 190: 2  
191: 2 192: 2 193: 1 194: 2 195: 1 196: 2 197: 2 198: 1 199: 2 200: 2  
201: 1 202: 2 203: 2 204: 1 205: 1 206: 1 207: 2 208: 1 209: 2 210: 1  
211: 1 212: 2 213: 2 214: 2 215: 2 216: 2 217: 1 218: 1 219: 2 220: 2  
221: 1 222: 2 223: 1 224: 1 225: 1 226: 1 227: 1 228: 1 229: 2 230: 2  
231: 2 232: 1 233: 2 234: 1 235: 2 236: 2 237: 1 238: 1 239: 1 240: 2  
241: 1 242: 2 243: 1 244: 1 245: 1 246: 2 247: 2 248: 2 249: 2 250: 2  
251: 1 252: 2 253: 2 254: 2 255: 2 256: 2 257: 1 258: 1 259: 2 260: 1  
261: 2 262: 2 263: 1 264: 2 265: 2 266: 2 267: 2 268: 2 269: 2 270: 2  
271: 1 272: 2 273: 2 274: 2 275: 2 276: 1 277: 1 278: 2 279: 2 280: 2  
281: 2 282: 1 283: 2 284: 2 285: 2 286: 1 287: 2 288: 2 289: 1 290: 1  
291: 1 292: 1 293: 2 294: 2 295: 1 296: 2 297: 2 298: 2 299: 2 300: 2  
301: 1 302: 2 303: 2 304: 1 305: 2 306: 2 307: 1 308: 2 309: 2 310: 1  
311: 1 312: 2 313: 2 314: 2 315: 2 316: 2 317: 1 318: 2 319: 1 320: 2  
321: 2 322: 1 323: 2 324: 2 325: 1 326: 2 327: 2 328: 2 329: 1 330: 1  
331: 1 332: 1 333: 2 334: 1 335: 1 336: 2 337: 2 338: 1 339: 2 340: 2  
341: 1 342: 2 343: 2 344: 2 345: 2 346: 1 347: 1 348: 1 349: 2 350: 2  
351: 2 352: 2 353: 2 354: 2 355: 2 356: 1 357: 1 358: 2 359: 2 360: 2  
361: 2 362: 2 363: 2 364: 1 365: 1 366: 2 367: 1 368: 1 369: 1 370: 2  
371: 2 372: 2 373: 1 374: 1 375: 1 376: 1 377: 2 378: 1 379: 2 380: 1  
381: 1 382: 1 383: 2 384: 2 385: 2 386: 1 387: 2 388: 2 389: 2 390: 1  
391: 2 392: 1 393: 1 394: 2 395: 1 396: 1 397: 2 398: 1 399: 2 400: 2  
401: 1 402: 2 403: 2 404: 2 405: 2 406: 1 407: 1 408: 1 409: 1 410: 2  
411: 1 412: 1 413: 2 414: 2 415: 2 416: 2 417: 2 418: 1 419: 2 420: 1  
421: 2 422: 2 423: 1 424: 2 425: 2 426: 2 427: 1 428: 1 429: 1 430: 2

431: 1 432: 2 433: 2 434: 1 435: 2 436: 1 437: 1 438: 2 439: 2 440: 1  
441: 2 442: 2 443: 2 444: 1 445: 2 446: 2 447: 1 448: 1 449: 2 450: 1  
451: 1 452: 2 453: 2 454: 2 455: 2 456: 2 457: 1 458: 1 459: 1 460: 2  
461: 2 462: 2 463: 2 464: 1 465: 1 466: 2 467: 1 468: 1 469: 2 470: 2  
471: 2 472: 1 473: 2 474: 2 475: 2 476: 1 477: 2 478: 2