



Symptom Checklist-90-Revised (SCL-90-R®) Bibliography

January 2007

- Abbott, P.J., Moore, B.A., Weller, S.B. & Delaney, H.D. (1998). AIDS risk behavior in opioid dependent patients treated with community reinforcement approach and relationships with psychiatric disorders. *Journal of Addictive Disorders*, 17(4), 33-48.
- Abdallah, T. (1997). Reliability and validity of Palestinian Student Alienation Scale. *Adolescence*, 32(126), 367-371.
- Acklin, M.W., Bibb, J.L., Boyer, P. & Jain, V. (1991). Early memories as expressions of relationship paradigms: a preliminary investigation. *Journal of Personality Assessment*, 57(1), 177-192.
- Aikens, J.E. (1998). Prevalence of somatic indicators of distress in diabetes patients: comparison to psychiatric patients and community nonpatients. *Int.J.Psychiatry Med.*, 28(3), 265-272.
- Aksaray, Gökay; Kortan, Gökhan; Erkaya, Hakan; Yenilmez, Çınar; Kaptanoğlu, Cem (2006). Gender differences in psychological effect of the August 1999 earthquake in Turkey. *Nordic Journal of Psychiatry*, 60(5) 387-391.
- Allan, S., & Gilbert, P. (1997). Submissive behaviour and psychopathology. *Br.J.Clin.Psychol.*, 36 (4), 467-488.
- Allison, T.G., Williams, D.E., Miller, T.D., Patten, C.A., Bailey, K.R., Squires, R.W. & Gau, G.T. (1995). Medical and economic costs of psychologic distress in patients with coronary artery disease. *Mayo Clin.Proc.*, 70(8), 734-742.
- Altier, N., Malenfant, A., Forget, R., & Choiniere, M. (2002). Long-term adjustment in burn victims: a matched-control study. *Psychological Medicine*, 32(4), 677-685.
- Ambrose, L.M., Button, E.J. & Ormrod, J.A. (1998). A long-term follow-up study of a cohort of referrals to an adult mental health clinical psychology department. *Br.J.Clin.Psychol.*, 37 (1), 113-115.
- Angst, J. (1984a). The Zurich study: II. The continuum from normal to pathological depressive mood swings. *Archiv Fuer Psychiatrie und Nervenkrankheiten*, 234(1), 21-29.
- Angst, J. (1984b). The Zurich study: A prospective epidemiological study of depressive, neurotic and psychosomatic syndromes: I. Problem, methodology. *Archiv Fuer Psychiatrie und Nervenkrankheiten*, 234(1), 13-20.
- Arata, C.M., Saunders, B.E., & Kilpatrick, D.G. (1991). Concurrent validity of a Crime-Related Post-Traumatic Stress Disorder scale for women within the Symptom Checklist-90-Revised. *Violence Victims*, 6(3), 191-199.
- Arlt, W., Fremerey, C., Callies, F., Reincke, M., Schneider, P., Timmermann, W., & Allolio, B. (2002). Well-being, mood and calcium homeostasis in patients with hypoparathyroidism receiving standard treatment with calcium and vitamin D. *Eur.J Endocrinol.*, 146(2), 215-222.
- Arrindell, W.A. (1985). A cross-cultural study of patterns of self-reported emotional distress in Dutch and Antillean secondary-school pupils living on the Netherlands-Antilles. *Personality & Individual Differences*, 6(6), 725-736.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Atkinson, J., Hampton, Grant, I., & Kennedy, C. (1988). Prevalence of psychiatric disorders among men infected with human immunodeficiency virus: A controlled study. *Archives of General Psychiatry*, 45(9), 859-864.
- Averill, P.M., Hopko, D.R., Small, D.R., Greenlee, H.B., & Varner, R.V. (2001). The role of psychometric data in predicting inpatient mental health service utilization. *Psychiatr.Q.*, 72(3), 215-235.
- Bach, M., & Bach, D. (1996). Alexithymia in somatoform disorder and somatic disease: a comparative study. *Psychother.Psychosom.*, 65(3), 150-152.
- Bach, M., Bach, D., Bohmer, F., & Nutzinger, D.O. (1994). Alexithymia and somatization: relationship to DSM-III-R diagnoses. *J.Psychosom.Res.*, 38(6), 529-538.
- Bailer, J., Rist, F., Rudolf, A., Staehle, H.J., Eickholz, P., Triebig, G., Bader, M., & Pfeifer, U. (2001). Adverse health effects related to mercury exposure from dental amalgam fillings: toxicological or psychological causes? *Psychol.Med.*, 31(2), 255-263.
- Bardwell, W.A., Nicassio, P.M., Weisman, M.H., Gevirtz, R., & Bazzo, D. (2002). Rheumatoid Arthritis Severity Scale: a brief, physician-completed scale not confounded by patient self-report of psychological functioning. *Rheumatology.(Oxford)*, 41(1), 38-45.
- Bartlett, J.D., Olivier, M., Richardson, T., Whitaker, R., Jr., Pensyl, D., & Wilson, M.R. (1999). Central nervous system and plasma lipid profiles associated with carteolol and timolol in postmenopausal black women. *J.Glaucoma.*, 8(6), 388-395.
- Bauer, R.M., Greve, K.W., Besch, E.L., Schramke, C.J., Crouch, J., Hicks, A., Ware, M.R., & Lyles, W.B. (1992). The role of psychological factors in the report of building-related symptoms in sick building syndrome. *J.Consult Clin.Psychol.*, 60(2), 213-219.
- Baumstark, K.E., Buckelew, S.P., Sher, K.J., Beck, N., Buescher, K.L., Hewett, J., & Crews, T.M. (1993). Pain behavior predictors among fibromyalgia patients. *Pain*, 55(3), 339-346.
- Bell, I.R., Miller, C.S., Schwartz, G.E., Peterson, J.M., & Amend, D. (1996). Neuropsychiatric and somatic characteristics of young adults with and without self-reported chemical odor intolerance and chemical sensitivity. *Arch.Environ.Health*, 51(1), 9-21.
- Bell, I.R., Schwartz, G.E., Amend, D., Peterson, J.M., Kaszniak, A.W., & Miller, C.S. (1994). Psychological characteristics and subjective intolerance for xenobiotic agents of normal young adults with trait shyness and defensiveness. A parkinsonian-like personality type? *J.Nerv.Ment.Dis.*, 182(7), 367-374.
- Bell, I.R., Schwartz, G.E., Hardin, E.E., Baldwin, C.M., & Kline, J.P. (1998). Differential resting quantitative electroencephalographic alpha patterns in women with environmental chemical intolerance, depressives, and normals. *Biol.Psychiatry*, 43(5), 376-388.
- Benjamin, Ashley B.; Mossman, Douglas; Graves, Nancy S.; Sanders, Richard D., (2006). Tests of a symptom checklist to screen for comorbid psychiatric disorders in alcoholism. *Comprehensive Psychiatry*, 47(3) 227-233.
- Berg, B.J., & Wilson, J.F. (1990). Psychiatric morbidity in the infertile population: a reconceptualization. *Fertil. Steril.*, 53(4), 654-661.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Berggren, U., Carlsson, S.G., Hakeberg, M., Hagglin, C., & Samsonowitz, V. (1997). Assessment of patients with phobic dental anxiety. *Acta Odontol.Scand.*, 55(4), 217-222.
- Bernstein, I.H., Jaremko, M.E., & Hinkley, B.S. (1994). On the utility of the SCL-90-R with low-back pain patients. *Spine*, 19(1), 42-48.
- Birch, S., & Jamison, R.N. (1998). Controlled trial of Japanese acupuncture for chronic myofascial neck pain: assessment of specific and nonspecific effects of treatment. *Clin.J.Pain*, 14(3), 248-255.
- Bjorkly, Stål; Havik, Odd E. (2003). TCO symptoms as markers of violence in a sample of severely violent psychiatric inpatients. *International Journal of Forensic Mental Health*, 2(1), 87-97.
- Black, J.L., Allison, T.G., Williams, D.E., Rummans, T.A., & Gau, G.T. (1998). Effect of intervention for psychological distress on rehospitalization rates in cardiac rehabilitation patients. *Psychosomatics*, 39(2), 134-143.
- Blanch, J., Martinez, E., Rousaud, A., Blanco, J.L., et al. (2001). Preliminary data of a prospective study on neuropsychiatric side effects after initiation of efavirenz. *J Acquir.Immune.Defic.Syndr.*, 27 (4), 336-343.
- Bland, S.H., O'Leary, E.S., Farinaro, E., Jossa, F., Krogh, V., Violanti, J.M., & Trevisan, M. (1997). Social network disturbances and psychological distress following earthquake evacuation. *J.Nerv.Ment.Dis.*, 185(3), 188-194.
- Bloch, M., Fahy, M., Fox, S., & Hayden, M.R. (1989). Predictive testing for Huntington disease: II. Demographic characteristics, life-style patterns, attitudes, and psychosocial assessments of the first fifty-one test candidates. *Am.J.Med.Genet.*, 32(2), 217-224.
- Blouin, J.H., Carter, J., Blouin, A.G., Tener, L., Schnare-Hayes, K., Zuro, C., Barlow, J., & Perez, E. (1994). Prognostic indicators in bulimia nervosa treated with cognitive- behavioral group therapy. *Int.J.Eat. Disord.*, 15(2), 113-123.
- Bond, Michael; Perry, J. Christopher (2004). Long-term changes in defense styles with psychodynamic psychotherapy for depressive, anxiety, and personality disorders. *American Journal of Psychiatry*, 161(9), 1665-1671.
- Bondy, B., Spaeth, M., Offenbaecher, M., Glatzeder, K., et al. (1999). The T102C polymorphism of the 5-HT2A-receptor gene in fibromyalgia. *Neurobiol.Dis.*, 6(5), 433-439.
- Bonyng, E.R. (1993). Unidimensionality of SCL-90-R scales in adult and adolescent crisis samples. *Journal of Clinical Psychology*, 49(2), 212-215.
- Bonyng, E.R. (1994). A cluster analysis of Basic Personality Inventory (BPI) adolescent profiles. *Journal of Clinical Psychology*, 50(2), 265-272.
- Bornschein, Susanne; Hausteiner, Constanze; Konrad, Franz; Förstl, Hans; Zilker, Thomas (2006). Psychiatric Morbidity and Toxic Burden in Patients With Environmental Illness: A Controlled Study. *Psychosomatic Medicine*, 68(1), 104-109.
- Bosse, R. (1987). Mental health differences among retirees and workers: Findings from the normative aging study. *Psychology & Aging*, 2(4), 383-389.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Bouvard, M., Mollard, E., Guerin, J., & Cottraux, J. (1997). Study and course of the psychological profile in 77 patients expressing panic disorder with agoraphobia after cognitive behaviour therapy with or without buspirone. *Psychother.Psychosom.*, 66(1), 27-32.
- Bowen, R.C., D'Arcy, C., & Orchard, R.C. (1991). The prevalence of anxiety disorders among patients with mitral valve prolapse syndrome and chest pain. *Psychosomatics*, 32(4), 400-406.
- Brassington, Jan; Krawitz, Roy, (2006). Australasian dialectical behaviour therapy pilot outcome study: Effectiveness, utility and feasibility. *Australasian Psychiatry*, 14(3), 313-319.
- Broocks, A., Thiel, A., Angerstein, D., & Dressler, D. (1998). Higher prevalence of obsessive-compulsive symptoms in patients with blepharospasm than in patients with hemifacial spasm. *American Journal of Psychiatry*, 155(4), 555-557.
- Brouwers, E.P., van Baar, A.L., & Pop, V.J. (2001). Does the Edinburgh Postnatal Depression Scale measure anxiety? *Journal of Psychosomatic Research*, 51(5), 659-663.
- Brown, R., Munjack, D., & McDowell, D. (1989). Agoraphobia with and without current panic attacks. *Psychological Reports*, 64(2), 503-506.
- Bruce, D.S., Newell, K.A., Josephson, M.A., Woodle, E.S., Piper, J.B., Millis, J.M., Seaman, D.S., Carnrike, C.L., Jr., Huss, E., & Thistlethwaite, J.R., Jr. (1996). Long-term outcome of kidney-pancreas transplant recipients with good graft function at one year. *Transplantation*, 62(4), 451-456.
- Bruera, E., Brenneis, C., Michaud, M., Rafter, J., Magnan, A., Tennant, A., Hanson, J., & Macdonald, R.N. (1989). Association between asthenia and nutritional status, lean body mass, anemia, psychological status, and tumor mass in patients with advanced breast cancer. *J.Pain Symptom.Manage.*, 4(2), 59-63.
- Bryer, J.B. (1987). Childhood sexual and physical abuse as factors in adult psychiatric illness. *American Journal of Psychiatry*, 144(11), 1426-1430.
- Buchanan, J.P., Dixon, D.R., & Thyer, B.A. (1997). A preliminary evaluation of treatment outcomes at a veterans' hospital's inpatient psychiatry unit. *Journal of Clinical Psychology*, 53(8), 853-858.
- Buckelew, S.P. (1988). Cognitive and somatic aspects of depression among a rehabilitation sample: Reliability and validity of SCL-90--R research subscales. *Rehabilitation Psychology*, 33(2), 67-75.
- Buckelew, S.P., DeGood, D.E., Schwartz, D.P., & Kerler, R.M. (1986). Cognitive and somatic item response pattern of pain patients, psychiatric patients, and hospital employees. *Journal of Clinical Psychology*, 42(6), 852-860.
- Buckelew, S.P., Frank, R.G., Elliott, T.R., Chaney, J., & Hewett, J. (1991). Adjustment to spinal cord injury: stage theory revisited. *Paraplegia*, 29(2), 125-130.
- Buddeberg-Fischer, B., Bernet, R., Schmid, J., & Buddeberg, C. (1996). Relationship between disturbed eating behavior and other psychosomatic symptoms in adolescents. *Psychother.Psychosom.*, 65(6), 319-326.
- Buddeberg-Fischer, B., Klaghofer, R., Gnam, G., & Buddeberg, C. (1998). Prevention of disturbed eating behaviour: a prospective intervention study in 14- to 19-year-old Swiss students. *Acta Psychiatr.Scand.*, 98(2), 146-155.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Bulik, C.M., Beidel, D.C., Duchmann, E., Weltzin, T.E., & Kaye, W.H. (1992). Comparative psychopathology of women with bulimia nervosa and obsessive-compulsive disorder. *Compr.Psychiatry*, 33(4), 262-268.
- Burgess, E.S., Quigley, J.F., Moran, G., Sutton, F.J., & Goodman, M. (1997). Predictors of psychosocial adjustment in patients with implantable cardioverter defibrillators. *Pacing Clin.Electrophysiol.*, 20(7), 1790-1795.
- Burgio, K.L., Locher, J.L., Roth, D.L., & Goode, P.S. (2001). Psychological improvements associated with behavioral and drug treatment of urge incontinence in older women. *J Gerontol.B Psychol.Sci.Soc. Sci.*, 56(1), 46-51.
- Burnett, K., Ironson, G., Benight, C., Wynings, C., Greenwood, D., Carver, C.S., Cruess, D., Baum, A., & Schneiderman, N. (1997). Measurement of perceived disruption during rebuilding following Hurricane Andrew. *J.Trauma Stress.*, 10(4), 673-681.
- Butterbaugh, G.; Rose, M.; Thomson, J.; Roques, B.; Costa, R.; Brinkmeyer, M.; Olejniczak, P.; Fisch, B.; Carey, M. (2005). Mental health symptoms in partial epilepsy. *Archives of Clinical Neuropsychology*, 20(5), 647-654.
- Cameron, O.G. (1986). Influence of exercise on anxiety level in patients with anxiety disorders. *Psychosomatics*, 27(10), 720-723.
- Carey, M.P., Carey, K.B., & Meisler, A.W. (1991). Psychiatric symptoms in mentally ill chemical abusers. *J.Nerv.Ment.Dis.*, 179(3), 136-138.
- Carpenter, K.M., & Hittner, J.B. (1995). Dimensional characteristics of the SCL-90-R: evaluation of gender differences in dually diagnosed inpatients. *Journal of Clinical Psychology*, 51(3), 383-390.
- Carr, V.J., Lewin, T.J., Reid, A.L., Walton, J.M., & Faehrmann, C. (1997). An evaluation of the effectiveness of a consultation-liaison psychiatry service in general practice. *Aust.N.Z.J.Psychiatry*, 31(5), 714-725.
- Castlebury, F.D., & Durham, T.W. (1997). The MMPI-2 GM and GF Scales as measures of psychological well-being. *Journal of Clinical Psychology*, 53(8), 879-893.
- Cavaiola, A.A. (2000). Psychological distress in abused, chemically dependent adolescents. *Journal of Child & Adolescent Substance Abuse*, 10(2), 81-92.
- Cavaiola, A.A., & Lavender, N. (1999). Suicidal behavior in chemically dependent adolescents. *Adolescence*, 34(136), 735-744.
- Champion, J.D., Shain, R.N., Piper, J., & Perdue, S.T. (2002). Psychological distress among abused minority women with sexually transmitted diseases. *J Am.Acad.Nurse Pract.*, 14(7), 316-324.
- Chang, H.L., & Chuang, H.Y. (2000). Adolescent hyperactivity and general psychopathology. *Psychiatry Clin.Neurosci.*, 54(2), 139-146.
- Chen, G.; Smith, G. A.; Deng, S.; Kelleher, K.; Xiang, H.; Chen, D. (2005). Psychological symptoms and nonfatal unintentional injuries among Chinese adolescents: A prospective study. *Journal of Adolescent Health*, 37(6), 460-466.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Clark, S., Campbell, S.M., Forehand, M.E., Tindall, E.A., & Bennett, R.M. (1985). Clinical characteristics of fibrositis. II. A "blinded, " controlled study using standard psychological tests. *Arthritis Rheum.*, 28(2), 132-137.
- Coelho, R., Ramos, E., Prata, J., Maciel, M.J., & Barros, H. (1999). Acute myocardial infarction: psychosocial and cardiovascular risk factors in men. *J.Cardiovasc.Risk*, 6(3), 157-162.
- Coelho, R., Silva, C., Maia, A., Prata, J., & Barros, H. (1999). Bone mineral density and depression: a community study in women. *J.Psychosom.Res.*, 46(1), 29-35.
- Corruble, E. (2000). Pain complaints in depressed inpatients. *Psychopathology*, 33(6), 307-309.
- Coutts, R., Weatherby, R., & Davie, A. (2001). The use of a symptom "self-report" inventory to evaluate the acceptability and efficacy of a walking program for patients suffering with chronic fatigue syndrome. *Journal of Psychosomatic Research*, 51(2), 425-429.
- Cyr, J., Doxey, N., Vigna, C., & M. (1988). Factorial composition of the SCL-90--R. *Journal of Social Behavior & Personality*, 3(3), 245-252.
- Cyr, J., McKenna-Foley, J., & Peacock, E. (1985). Factor structure of the SCL-90-R: Is there one? *Journal of Personality Assessment*, 49(6), 571-578.
- Davidson, J.R., Book, S.W., Colket, J.T., Tupler, L.A., et al. (1997). Assessment of a new self-rating scale for post-traumatic stress disorder. *Psychol.Med.*, 27(1), 153-160.
- de Carvalho, S.A., Andrade, M.J., Tavares, M.A., & de Freitas, J.L. (1998). Spinal cord injury and psychological response. *Gen.Hosp.Psychiatry*, 20(6), 353-359.
- de Soto, C.B. (1985). Symptomatology in alcoholics at various stages of abstinence. *Alcoholism: Clinical & Experimental Research*, 9(6), 505-512.
- Depp, F.C. (1986). Subsidized housing for the mentally ill. *Social Work Research & Abstracts*, 22(2), 3-7.
- Derogatis, L.R., Meyer, J.K., & King, K.M. (1981). Psychopathology in individuals with sexual dysfunction. *American Journal of Psychiatry*, 138(6), 757-763.
- Derogatis, L.R., Meyer, J.K., & Kourlesis, S. (1985). Psychiatric diagnosis and psychological symptoms in impotence. *Hillside.J.Clin.Psychiatry*, 7(2), 120-133.
- Dimeo, F., Stieglitz, R.D., Novelli-Fischer, U., Fetscher, S., Mertelsmann, R., & Keul, J. (1997). Correlation between physical performance and fatigue in cancer patients. *Ann.Oncol.*, 8(12), 1251-1255.
- Dixon, K.N., & Kiecolt-Glaser, J. (1984). Group therapy for bulimia. *Hillside.J.Clin.Psychiatry*, 6(2), 156-170.
- Donders, J., Rourke, B.P., & Canady, A.I. (1992). Emotional adjustment of children with hydrocephalus and of their parents. *J.Child Neurol.*, 7(4), 375-380.
- Dougall, A.L., Craig, K.J., & Baum, A. (1999). Assessment of characteristics of intrusive thoughts and their impact on distress among victims of traumatic events. *Psychosom.Med.*, 61(1), 38-48.
- Duckro, P.N., Margolis, R.B., & Tait, R.C. (1985). Psychological assessment in chronic pain. *Journal of Clinical Psychology*, 41(4), 499-504.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Dunnington, C.S., Johnson, N.J., Finkelmeier, B.A., Lyons, J., & Kehoe, R.F. (1988). Patients with heart rhythm disturbances: variables associated with increased psychological distress. *Heart Lung*, 17(4), 381-389.
- Earnshaw, Dallas; Rees, Frank; Dunn, Todd W.; Burlingame, Gary M.; Chen, Steven (2005). Implementing a Multisource Outcome Assessment Protocol in a State Psychiatric Hospital: A Case Study. *Psychiatric Services*, 56(4), 411-413.
- Eckert, P.A. (1988). Symptom severity, psychotherapy process, and outcome. *Professional Psychology - Research & Practice*, 19(5), 560.
- Edens, J.F., Otto, R.K., & Dwyer, T. (1999). Utility of the structured inventory of malingered symptomatology in identifying persons motivated to malingering psychopathology. *J.Am.Acad. Psychiatry Law*, 27(3), 387-396.
- Eells, T.D., & Leavenworth, S. (1997). The ideal and the feared self as predictors of psychological symptoms among geriatric care nurses. *Psychol.Rep.*, 81(3 Pt 2), 1315-1324.
- Eells, T.D., Lacefield, P., & Maxey, J. (1994). Symptom correlates and factor structure of the Health Professions Stress Inventory. *Psychol.Rep.*, 75(3 Pt 2), 1563-1568.
- Ehrhardt, A.A. (1987). Psychopathology in prenatally DES-exposed females: Current and lifetime adjustment. *Psychosomatic Medicine*, 49(2), 183.
- Eldredge, K.L., & Agras, W.S. (1997). The relationship between perceived evaluation of weight and treatment outcome among individuals with binge eating disorder. *Int.J.Eat.Disord.*, 22(1), 43-49.
- Elkin, T.D., Phipps, S., Mulhern, R.K., & Fairclough, D. (1997). Psychological functioning of adolescent and young adult survivors of pediatric malignancy. *Med.Pediatr.Oncol.*, 29(6), 582-588.
- Elliott, Robert; Fox, Christine M.; Beltyukova, Svetlana A.; Stone, Gregory E.; Gunderson, Jennifer; Zhang, Xi, (2006). Deconstructing Therapy Outcome Measurement With Rasch Analysis of a Measure of General Clinical Distress: The Symptom Checklist-90-Revised. *Psychological Assessment*, 18(4) 359-372.
- Erbil, P., Razavi, D., Farvacques, C., Bilge, N., Paesmans, M., & Van Houtte, P. (1996). Cancer patients psychological adjustment and perception of illness: cultural differences between Belgium and Turkey. *Support.Care Cancer*, 4(6), 455-461.
- Eriksson-Mangold, M., & Carlsson, S.G. (1991). Psychological and somatic distress in relation to perceived hearing disability, hearing handicap, and hearing measurements. *J.Psychosom.Res.*, 35(6), 729-740.
- Essau, Cecilia A. (2003). Comorbidity of anxiety disorders in adolescents. *Depression and Anxiety*, 18(1), 1-6.
- Fals-Stewart, W., Lucente, S., Shanahan, T., & Brown, L. (1995). The relationship of patients' cognitive status and therapists' ratings of psychological distress among psychoactive substance users in long-term residential treatment. *J.Subst.Abuse*, 7(2), 205-222.
- Feinson, M.C. (1985). Aging and mental health: Distinguishing myth from reality. *Research on Aging*, 7(2), 155-174.
- Feinson, M.C. (1986). The distribution of distress among elders. *Journal of Gerontology*, 41(2), 225-233.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Ferguson, B. (1979). Hospitalized adults' role-taking ability, psychiatric status and reported symptomatology. *Psychological Reports*, 44(1), 319-324.
- Fernández-Aranda, F.; Aitken, A.; Badía, A.; Giménez, L.; Solano, R.; Collier, D.; Treasure, J.; Vallejo, J. (2004). Personality and Psychopathological Traits of Males with an Eating Disorder. *European Eating Disorders Review*, 12(6), 367-374.
- Fifer, Sheila K.; Buesching, Don P.; Henke, Curtis J.; Potter, Lori P.; Mathias, Susan D.; Schonfeld, Warren H.; Patrick, Donald L. (2003). Functional status and somatization as predictors of medical offset in anxious and depressed patients. *Value in Health*, 6(1), 40-50.
- Figuroa, E.F., Silk, K.R., Huth, A., & Lohr, N.E. (1997). History of childhood sexual abuse and general psychopathology. *Compr.Psychiatry*, 38(1), 23-30.
- Filstead, W.J. (1988). High-risk situations for engaging in substance abuse and binge-eating behaviors. *Journal of Studies on Alcohol*, 49(2), 136-141.
- Fitch, M.I., Osoba, D., Iscoe, N., & Szalai, J.P. (1995). Predicting psychological distress in patients with cancer: conceptual basis and reliability evaluation of a self-report questionnaire. *Anticancer Res.*, 15(4), 1533-1542.
- Forbes, D., Phelps, A., & McHugh, T. (2001). Treatment of combat-related nightmares using imagery rehearsal: a pilot study. *J Trauma Stress*, 14(2), 433-442.
- Fortin, M.F., Coutu-Wakulczyk, G., & Engelsmann, F. (1989). Contribution to the validation of the SCL-90-R in French-speaking women. *Health Care Women Int.*, 10(1), 27-41.
- France, A.I., & Alpher, V.S. (1995). Structural analysis of social behavior and perceptions of caregiving. *J.Psychol.*, 129(4), 375-388.
- Franke, G.H., Jager, H., Stacker, K.H., & Beyer, B. (1995). [Between isolation and new hope: the psychosocial status of HIV- infected women]. *Psychother.Psychosom.Med.Psychol.*, 45(9-10), 310-320.
- Gardner, R.M., Morrell, J.A., Jr., & Ostrowski, T.A. (1990). Somatization tendencies and ability to detect internal body cues. *Percept.Mot.Skills*, 71(2), 364-366.
- Gerhardt, Cynthia A.; Vannatta, Kathryn; McKellop, J. Mark; Zeller, Meg; Taylor, Janalee; Passo, Murray; Noll, Robert B. (2003). Comparing parental distress, family functioning, and the role of social support for caregivers with and without a child with juvenile rheumatoid arthritis. *Journal of Pediatric Psychology*, 28(1), 5-15.
- Ghoneim, M.M., Hinrichs, J.V., O'Hara, M.W., Mehta, M.P., Pathak, D., Kumar, V., & Clark, C.R. (1988). Comparison of psychologic and cognitive functions after general or regional anesthesia. *Anesthesiology*, 69(4), 507-515.
- Gil, K.M., Abrams, M.R., Phillips, G., & Keefe, F.J. (1989). Sickle cell disease pain: relation of coping strategies to adjustment. *J.Consult Clin.Psychol.*, 57(6), 725-731.
- Gil, K.M., Phillips, G., Abrams, M.R., & Williams, D.A. (1990). Pain drawings and sickle cell disease pain. *Clin.J.Pain*, 6(2), 105-109.
- Gilbert, P., & Gerlsma, C. (1999). Recall of shame and favouritism in relation to psychopathology. *Br.J.Clin. Psychol.*, 38 (Pt 4), 357-373.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Gillen, R., Tennen, H., Affleck, G., & Steinpreis, R. (1998). Distress, depressive symptoms, and depressive disorder among caregivers of patients with brain injury. *J.Head Trauma Rehabil.*, 13(3), 31-43.
- Ginzburg, Karni; Arnow, Bruce; Hart, Stacey; Gardner, William; Koopman, Cheryl; Classen, Catherine C.; Giese-Davis, Janine; Spiegel, David (2006). The abuse-related beliefs questionnaire for survivors of childhood sexual abuse. *Child Abuse & Neglect*, 30(8), 929-943.
- Giotakos, O., & Konstantakopoulos, G. (2002). Parenting received in childhood and early separation anxiety in male conscripts with adjustment disorder. *Military Medicine*, 167(1), 28-33.
- Girelli, S.A., Resick, P.A., Marhoefer-Dvorak, S., & Hutter, C.K. (1986). Subjective distress and violence during rape: their effects on long- term fear. *Violence Victims*, 1(1), 35-46.
- Gleason, O.C., Yates, W.R., Isbell, M.D., & Philipson, M.A. (2002). An open-label trial of citalopram for major depression in patients with hepatitis C. *Journal of Clinical Psychiatry*, 63(3), 194-198.
- Goebel, G., Keeser, W., Fichter, M., & Rief, W. (1991a). [New aspects of complex chronic tinnitus. II: The lost silence: effects and psychotherapeutic possibilities in complex chronic tinnitus]. *Psychother.Psychosom. Med.Psychol.*, 41(3-4), 123-133.
- Goebel, G., Keeser, W., Fichter, M., & Rief, W. (1991b). [New aspects of complex chronic tinnitus. I: Assessment of a multi- modality behavioral medicine treatment concept]. *Psychother.Psychosom.Med.Psychol.*, 41(3-4), 115-122.
- Gold, S.N., Lucenko, B.A., Elhai, J.D., Swingle, J.M., & Sellers, A.H. (1999). A comparison of psychological/ psychiatric symptomatology of women and men sexually abused as children. *Child Abuse Negl.*, 23(7), 683-692.
- Gongora, Vanesa C.; van der Staak, Cees P. F.; Derksen, Jan. J. L. (2004). Personality Disorders, Depression, and Coping Styles in Argentinean Bulimic Patients. *Journal of Personality Disorders*, 18(3), 272-285.
- González-Ibáñez, A.; Mora, M.; Gutiérrez-Maldonado, J.; Ariza, A.; Lourido-Ferreira, M. R. (2005). Pathological Gambling and Age: Differences in personality, psychopathology, and response to treatment variables. *Addictive Behaviors*, 30(2), 383-388.
- González-Ibáñez, A.; Aymamí, M. N.; Jiménez, S.; Domenech, J. M.; Granero, R.; Lourido-Ferreira, M. R. (2003). Assessment of pathological gamblers who use slot machines. *Psychological Reports*, 93(3), 707-716.
- Gottheil, E., Lundy, A., Weinstein, S.P., & Sterling, R.C. (1998). Does intensive outpatient cocaine treatment reduce AIDS risky behaviors? *J.Addict.Dis.*, 17(4), 61-69.
- Grabe, H.J., Rainermann, S., Spitzer, C., Gansicke, M., & Freyberger, H.J. (2000). The relationship between dimensions of alexithymia and dissociation. *Psychother.Psychosom.*, 69(3), 128-131.
- Grabe, H.J., Spitzer, C., & Freyberger, H.J. (2001). Alexithymia and the temperament and character model of personality. *Psychother.Psychosom.*, 70(5), 261-267.
- Grabe, H.J., Spitzer, C., & Juergen, F.H. (1999). Relationship of dissociation to temperament and character in men and women. *American Journal of Psychiatry*, 156(11), 1811-1813.
- Grabe, H.J., Spitzer, C., Freyberger, H.J. (2004). Alexithymia and personality in relation to dimensions of psychopathology. *American Journal of Psychiatry*, 161(7), 1299-1301.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Grande, Tilman; Dilg, Reiner; Jakobsen, Thorsten; Keller, Wolfram; Krawietz, Bärbel; Langer, Monika; Oberbracht, Claudia; Stehle, Sabine; Stennes, Margret; Rudolf, Gerd (2006). Differential effects of two forms of psychoanalytic therapy: Results of the Heidelberg-Berlin study. *Psychotherapy Research*, 16(4), 470-485.
- Grassi, L., & Rosti, G. (1996). Psychiatric and psychosocial concomitants of abnormal illness behaviour in patients with cancer. *Psychother.Psychosom.*, 65(5), 246-252.
- Green, Bradley A.; Handel, Richard W.; Archer, Robert P., (2006). External Correlates of the MMPI-2 Content Component Scales in Mental Health Inpatients. *Assessment*,13(1), 80-97.
- Griffith, E.E., Mahy, G.E., & Young, J.L. (1986). Psychological benefits of Spiritual Baptist "mourning," II: An empirical assessment. *American Journal of Psychiatry*, 143(2), 226-229.
- Gursoy, S. (2002). Absence of association of the serotonin transporter gene polymorphism with the mentally healthy subset of fibromyalgia patients. *Clin.Rheumatol.*, 21(3), 194-197.
- Gursoy, S., Erdal, E., Herken, H., Madenci, E., & Alasehirli, B. (2001). Association of T102C polymorphism of the 5-HT2A receptor gene with psychiatric status in fibromyalgia syndrome. *Rheumatol.Int.*, 21 (2), 58-61.
- Haas, L.J., Spendlove, D.C., Silver, M.P., & Holmberg, T.C. (1999). Psychopathology and emotional distress among older high-utilizing health maintenance organization patients. *J.Gerontol.A Biol.Sci.Med.Sci.*, 54(11), M577-M582.
- Hagglund, K.J., Deuser, W.E., Buckelew, S.P., Hewett, J., & Kay, D.R. (1994). Weather, beliefs about weather, and disease severity among patients with fibromyalgia. *Arthritis Care Res.*, 7(3), 130-135.
- Ham, L.P., Andrasik, F., Packard, R.C., & Bundrick, C.M. (1994). Psychopathology in individuals with post-traumatic headaches and other pain types. *Cephalalgia*, 14(2), 118-126.
- Hardt, J., & Gerbershagen, H.U. (2001). Cross-validation of the SCL-27: a short psychometric screening instrument for chronic pain patients. *Eur.J Pain*, 5(2), 187-197.
- Hardt, J., Gerbershagen, H.U., & Franke, P. (2000). The symptom check-list, SCL-90-R: its use and characteristics in chronic pain patients. *Eur.J Pain*, 4(2), 137-148.
- Hart, K.M., Bryer, J.B., & Martines, K.A. (1991). SCL-90-R symptom patterns for adolescent psychiatric inpatients. *Journal of Personality Assessment*, 56(1), 168-178.
- Hartog, J. (1987). Valium use and abuse by methadone maintenance clients. *International Journal of the Addictions*, 22(11), 1147-1154.
- Hattenschwiler, J., Ruesch, P., & Modestin, J. (2001). Comparison of four groups of substance-abusing in-patients with different psychiatric comorbidity. *Acta Psychiatr.Scand.*, 104(1), 59-65.
- Hauff, E., & Vaglum, P. (1994). Chronic posttraumatic stress disorder in Vietnamese refugees. A prospective community study of prevalence, course, psychopathology, and stressors. *J.Nerv.Ment.Dis.*, 182(2), 85-90.
- Hauff, E., & Vaglum, P. (1995). Organised violence and the stress of exile. Predictors of mental health in a community cohort of Vietnamese refugees three years after resettlement. *Br.J.Psychiatry*, 166(3), 360-367.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Hayman, P.M. (Fal). Structured learning therapy with mentally ill criminal offenders. *Journal of Offender Counseling, Services & Rehabilitation*, 6(1-sup-2), 2.
- Hazzard, A., Rogers, J.H., & Angert, L. (1993). Factors affecting group therapy outcome for adult sexual abuse survivors. *Int.J.Group Psychother.*, 43(4), 453-468.
- Hiller, W., Goebel, G., & Rief, W. (1994). Reliability of self-rated tinnitus distress and association with psychological symptom patterns. *Br.J.Clin.Psychol.*, 33 (Pt 2), 231-239.
- Hilsenroth, M.J., Ackerman, S.J., Blagys, M.D., Baumann, B.D., Baity, M.R., Smith, S.R., Price, J.L., Smith, C.L., Heindselman, T.L., Mount, M.K., & Holdwick, D.J., Jr. (2000). Reliability and validity of DSM-IV axis V. *Am.J Psychiatry*, 157(11), 1858-1863.
- Hinton, Devon E.; Hinton, Ladson; Tran, Minh; Nguyen, Lim; Hsia, Curtis; Pollack, Mark H. (2006). Orthostatically induced panic attacks among Vietnamese refugees: Associated psychopathology, flashbacks, and catastrophic cognitions. *Depression and Anxiety*, 23(2), 113-115.
- Hoglend, P., & Perry, J.C. (1998). Defensive functioning predicts improvement in major depressive episodes. *J.Nerv.Ment.Dis.*, 186(4), 238-243.
- Holder, E.E. (1988). Mental health and locus of control: SCL-90--R and Levenson's IPC scales. *Journal of Clinical Psychology*, 44(5), 753-755.
- Holder, E.E., & Levi, D.J. (1988). Mental health and locus of control: SCL-90-R and Levenson's IPC scales. *Journal of Clinical Psychology*, 44(5), 753-755.
- Holmes, D.T., Tariot, P.N., & Cox, C. (1998). Preliminary evidence of psychological distress among reservists in the Persian Gulf War. *J.Nerv.Ment.Dis.*, 186(3), 166-173.
- Holtkamp, Kristian; Hebebrand, Johannes; Herpertz-Dahlmann, Beate (2004). The contribution of anxiety and food restriction on physical activity levels in acute anorexia nervosa. *International Journal of Eating Disorders*, 36(2), Sep 2004, 163-171.
- Hoofien, Dan; Barak, Ohr; Vakil, Eli; Gilboa, Asaf (2005). Symptom Checklist-90 Revised Scores in Persons With Traumatic Brain Injury: Affective Reactions or Neurobehavioral Outcomes of the Injury? *Applied Neuropsychology*, 12(1), 30-39.
- Hull, J.W., Clarkin, J.F., & Kakuma, T. (1993). Treatment response of borderline inpatients. A growth curve analysis. *J.Nerv.Ment.Dis.*, 181(8), 503-508.
- Hutchings, P.S., & Dutton, M.A. (1997). Symptom severity and diagnoses related to sexual assault history. *J.Anxiety.Disord.*, 11(6), 607-618.
- Hutner, N.L., & Locke, S.E. (1984). Health locus of control: a potential moderator variable for the relationship between life stress and psychopathology. *Psychother.Psychosom.*, 41(4), 186-194.
- Hyphantis, Thomas; Kaltsouda, Anna; Triantafillidis, John; Platis, Osysea; Karadagi, Soula; Christou, Konstantinos; Mantas, Christos; Argyropoulos, Argyrios; Mavreas, Venetsanos (2006). Personality correlates of adherence to type 2 diabetes regimens. *International Journal of Psychiatry in Medicine*, 35(1), 2005, 103-107.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Iezzi, T., Archibald, Y., Barnett, P., Klinck, A., & Duckworth, M. (1999). Neurocognitive performance and emotional status in chronic pain patients. *J.Behav.Med.*, 22(3), 205-216.
- Inspector, Yoram; Kutz, Ilan; David, Daniel (2004). Another Person's Heart: Magical and Rational Thinking in the Psychological Adaptation to Heart Transplantation. *Israel Journal of Psychiatry and Related Sciences*, 41(3), 161-173.
- Jackson, H., McGorry, P., Edwards, J., Hulbert, C., Henry, L., Francey, S., Maude, D., Cocks, J., Power, P., Harrigan, S., & Dudgeon, P. (1998). Cognitively-oriented psychotherapy for early psychosis (COPE). Preliminary results. *Br.J.Psychiatry Suppl*, 172(33), 93-100.
- Jacob, S.R., & Scandrett-Hibdon, S. (1994). Mothers grieving the death of a child. Case reports of maternal grief. *Nurse Pract.*, 19(7), 60-65.
- Johnson, J.G., Quigley, J.F., & Sherman, M.F. (1997). Adolescent personality disorder symptoms mediate the relationship between perceived parental behavior and Axis I symptomatology. *J.Personal.Disord.*, 11(4), 381-390.
- Johnston, C., Eliez, S., Dyer-Friedman, J., Hessel, D., Glaser, B., Blasey, C., Taylor, A., & Reiss, A. (2001). Neurobehavioral phenotype in carriers of the fragile X premutation. *Am.J Med.Genet.*, 103(4), 314-319.
- Kabat-Zinn, J., & Chapman-Waldrop, A. (1988). Compliance with an outpatient stress reduction program: rates and predictors of program completion. *J.Behav.Med.*, 11(4), 333-352.
- Kabat-Zinn, J., Massion, A.O., Kristeller, J., Peterson, L.G., Fletcher, K.E., Pbert, L., Lenderking, W.R., & Santorelli, S.F. (1992). Effectiveness of a meditation-based stress reduction program in the treatment of anxiety disorders. *American Journal of Psychiatry*, 149(7), 936-943.
- Kaplan, C.P. (1998). SCL 90-R interpretation and brain tumour: a correction factor? *Brain Inj.*, 12(11), 977-985.
- Kaplan, C.P., & Miner, M.E. (1998). Does the SCL 90-R obsessive-compulsive dimension identify cognitive impairments? *J.Head Trauma Rehabil.*, 13(3), 94-101.
- Kaplan, C.P., Miner, M.E., Mervis, L., Newton, H., McGregor, J.M., & Goodman, J.H. (1998). Interpretive risks: the use of the Hopkins Symptom Checklist 90-Revised (SCL 90-R) with brain tumour patients. *Brain Inj.*, 12(3), 199-205.
- Kaplan, K.H., Goldenberg, D.L., & Galvin-Nadeau, M. (1993). The impact of a meditation-based stress reduction program on fibromyalgia. *Gen.Hosp.Psychiatry*, 15(5), 284-289.
- Kashani, J.H., Vaidya, A.F., Soltys, S.M., Dandoy, A.C., Katz, L.M., & Reid, J.C. (1990). Correlates of anxiety in psychiatrically hospitalized children and their parents. *American Journal of Psychiatry*, 147(3), 319-323.
- Kelley, S.J. (1990). Parental stress response to sexual abuse and ritualistic abuse of children in day-care centers. *Nurs.Res.*, 39(1), 25-29.
- Kessler, Henrik; Schwarze, Markus; Filipic, Suzanne; Traue, Harald C.; von Wietersheim, Joern (2006). Alexithymia and facial emotion recognition in patients with eating disorders. *International Journal of Eating Disorders*, 39(3), 245-251.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Ketterer, Mark W.; Wulsin, Lawson; Cao, J. Jane; Schairer, John; Hakim, Arif; Hudson, Michael; Keteyian, Steven J.; Khanal, Sanjay; Clark, Vivian; Weaver, W. Douglas (2006). Major depressive disorder, coronary heart disease, and the DSM-IV threshold problem. *Psychosomatics: Journal of Consultation Liaison Psychiatry*, 47(1), 50-55.
- Kim, C.H., Hsu, J.J., Williams, D.E., Weaver, A.L., & Zinsmeister, A.R. (1996). A prospective psychological evaluation of patients with dysphagia of various etiologies. *Dysphagia*, 11(1), 34-40.
- Kim, Won; Choi, Young Hee; Yoon, Kyung-Sik; Cho, Dae-Yeon; Pae, Chi-Un; Woo, Jong-Min (2006). Tryptophan hydroxylase and serotonin transporter gene polymorphism does not affect the diagnosis, clinical features and treatment outcome of panic disorder in the Korean population. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 30(8) 1413-1418.
- Kim, Y.A., Lee, S.S., & Park, K. (2002). Validation of a Korean version of the fibromyalgia impact questionnaire. *J Korean Med.Sci.*, 17(2), 220-224.
- Kisac, Ibrahim (2006). Stress Symptoms of Survivors of the Marmara Region (Turkey) Earthquakes: A Follow-Up Study. *International Journal of Stress Management*, 13(1), 118-126.
- Kluger, N.J., Clifford, J.S., Cavanagh, R.J., & Griffith, W.L. (1991). A case of a chemically dependent patient with a thalamic pain syndrome treated with amitriptyline. *J.Addict.Dis.*, 10(3), 97-102.
- Knudson-Martin, C. (2000). Gender, family competence, and psychological symptoms. *J Marital Fam.Ther.*, 26(3), 317-328.
- Koh, K.B. (1998). Perceived stress, psychopathology, and family support in Korean immigrants and nonimmigrants. *Yonsei Med.J.*, 39(3), 214-221.
- Koh, K.B., & Lee, B.K. (1998). Reduced lymphocyte proliferation and interleukin-2 production in anxiety disorders. *Psychosom.Med.*, 60(4), 479-483.
- Koh, K.B., Kim, C.H., & Park, J.K. (2002). Predominance of anger in depressive disorders compared with anxiety disorders and somatoform disorders. *J Clin.Psychiatry*, 63(6), 486-492.
- Koh, K.B., Park, J.K., Kim, C.H., & Cho, S. (2001). Development of the stress response inventory and its application in clinical practice. *Psychosom.Med.*, 63(4), 668-678.
- Koh, Kyung Bong; Kim, Dong Kee; Kim, Shin Young; Park, Joong Kyu (2005). The Relation Between Anger Expression, Depression, and Somatic Symptoms in Depressive Disorders and Somatoform Disorders. *Journal of Clinical Psychiatry*. 66(4), 485-491.
- Kokkevi, A., Stefanis, N., Anastasopoulou, E., & Kostogianni, C. (1998). Personality disorders in drug abusers: prevalence and their association with AXIS I disorders as predictors of treatment retention. *Addictive Behavior*, 23(6), 841-853.
- Kotsopoulos, S., Walker, S., Copping, W., Cote, A., & Stavrakaki, C. (1994). Parent-rating and self-report measures in the psychiatric assessment of adolescents. *Adolescence*, 29(115), 653-663.
- Kramer, P.D. (1986). Hospitalization on the high-risk maternity unit: A pilot study. *General Hospital Psychiatry*, 8(1), 33-39.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Kramer, P.D., Coustan, D., Krzeminski, J., Broudy, D., & Martin, C. (1986). Hospitalization on the high-risk maternity unit. A pilot study. *Gen.Hosp.Psychiatry*, 8(1), 33-39.
- Kraus, M.R., Schafer, A., Csef, H., Faller, H., Mork, H., & Scheurlen, M. (2001). Compliance with therapy in patients with chronic hepatitis C: associations with psychiatric symptoms, interpersonal problems, and mode of acquisition. *Dig.Dis.Sci.*, 46(10), 2060-2065.
- Krausz, M., Verthein, U., & Degkwitz, P. (1999). Psychiatric comorbidity in opiate addicts. *Eur.Addict.Res.*, 5(2), 55-62.
- Krogstad, B.S., Jokstad, A., Dahl, B.L., & Soboleva, U. (1998). Somatic complaints, psychologic distress, and treatment outcome in two groups of TMD patients, one previously subjected to whiplash injury. *J.Orofac. Pain*, 12(2), 136-144.
- Kronenberger, W.G., & Thompson, R.J., Jr. (1992a). Medical stress, appraised stress, and the psychological adjustment of mothers of children with myelomeningocele. *J.Dev.Behav.Pediatr.*, 13(6), 405-411.
- Kronenberger, W.G., & Thompson, R.J., Jr. (1992b). Psychological adaptation of mothers of children with spina bifida: association with dimensions of social relationships. *J.Pediatr.Psychol.*, 17(1), 1-14.
- Kurdek, L.A. (1987a). Sex role self schema and psychological adjustment in coupled homosexual and heterosexual men and women. *Sex Roles*, 17(9-10), 549.
- Kurdek, L.A. (1987b). Young adolescents' human figure drawings as indicators of psychopathology. *Journal of Adolescent Research*, 2(1), 69-74.
- Kush, F.R., & Sowers, W. (1997). Acute dually diagnosed inpatients: the use of self-report symptom severity instruments in persons with depressive disorders and cocaine dependence. *J.Subst.Abuse Treat.*, 14(1), 61-66.
- Landazabal, Maite Garaigordobil (2006). Psychopathological Symptoms, Social Skills, and Personality Traits: A Study with Adolescents. *The Spanish Journal of Psychology*, 9(2) 182-192
- Lang, Eberhard; Kaltenhäuser, Martin; Seidler, Sia; Mattenklodt, Peter; Neundörfer, Bernhard (2005). Persistent idiopathic facial pain exists independent of somatosensory input from the painful region: Findings from quantitative sensory functions and somatotopy of the primary somatosensory cortex. *Pain*, 118(1-2), 80-91.
- Laporte, L., & Guttman, H. (2001). Abusive relationships in families of women with borderline personality disorder, anorexia nervosa and a control group. *J Nerv.Ment.Dis.*, 189(8), 522-531.
- Leathem, J.M., & Babbage, D.R. (2000). Affective disorders after traumatic brain injury: cautions in the use of the Symptom Checklist-90-R. *J Head Trauma Rehabil.*, 15(6), 1246-1255.
- Lee, M.A., & Cameron, O.G. (1986). Anxiety, type A behavior, and cardiovascular disease. *Int.J.Psychiatry Med.*, 16(2), 123-129.
- Lee, M.A., Cameron, O.G., & Greden, J.F. (1985). Anxiety and caffeine consumption in people with anxiety disorders. *Psychiatry Res.*, 15(3), 211-217.
- Lee, M.B., Lee, Y.J., Yen, L.L., Lin, M.H., & Lue, B.H. (1990). Reliability and validity of using a Brief Psychiatric Symptom Rating Scale in clinical practice. *J.Formos.Med.Assoc.*, 89(12), 1081-1087.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Lee, M.S., Jeong, S.M., Oh, S.W., Ryu, H., & Chung, H.T. (1998). Effects of chundosunbup Qi-training on psychological adjustments: a cross-sectional study. *Am.J.Chin Med.*, 26 (2), 223-230.
- Lee, S., Park, M., Choi, S., Nah, Y., Abbey, S.E., & Rodin, G. (2000). Stress, coping, and depression in non-ulcer dyspepsia patients. *J Psychosom.Res.*, 49 (1), 93-99.
- Lee, Y.O., & Lee, S.W. (1989). A study of the emotional characteristics of temporomandibular disorder patients using SCL-90-R. *J.Craniomandib.Disord.*, 3 (1), 25-34.
- Lees-Haley, P.R. (1989). Malingering emotional distress on the SCL-90-R: toxic exposure and cancerphobia. *Psychol.Rep.*, 65 (3), 1203-1208.
- Lemondé, M., & Coutu-Wakulczyk, G. (1993). [Mental health and support of women treated for breast cancer]. *Can.Nurse*, 89 (9), 45-47.
- Lepuschitz, J.K. (1996). Meditation and psychosocial adaptation: An exploratory study. *Current Psychology: Developmental, Learning, Personality, Social*, 15 (3), Learning, Personality, Social1553-222.
- Levenson, M.R. (1988). Emotionality and mental health: Longitudinal findings from the normative aging study. *Journal of Abnormal Psychology*, 97 (1), 94-96.
- Levin, E.D., Connors, C.K., Sparrow, E., Hinton, S.C., Erhardt, D., Meck, W.H., Rose, J.E., & March, J. (1996). Nicotine effects on adults with attention-deficit/hyperactivity disorder. *Psychopharmacology (Berl)*, 123 (1), 55-63.
- Levy, K.N., Becker, D.F., Grilo, C.M., Mattanah, J.J., Garnet, K.E., Quinlan, D.M., Edell, W.S., & McGlashan, T.H. (1999). Concurrent and predictive validity of the personality disorder diagnosis in adolescent inpatients. *American Journal of Psychiatry*, 156 (10), 1522-1528.
- Lieb, Klaus; Engelbrecht, Marc A.; Gut, Oliver; Fiebich, Bernd L.; Bauer, Joachim; Janssen, Gesa; Schaefer, Martin (2006). Cognitive impairment in patients with chronic hepatitis treated with interferon alpha (IFNa): Results from a prospective study. *European Psychiatry*, 21 (3), 204-210.
- Linaker, Olav M.; Moe, Anita (2005). The COOP/WONCA charts in an acute psychiatric ward. Validity and reliability of patients' self-report of functioning. *Nordic Journal of Psychiatry*. 59 (2), 121-126.
- Linn, R.T., Allen, K., & Willer, B.S. (1994). Affective symptoms in the chronic stage of traumatic brain injury: a study of married couples. *Brain Inj.*, 8 (2), 135-147.
- Linzer, M., Pontinen, M., Gold, D.T., Divine, G.W., Felder, A., & Brooks, W.B. (1991). Impairment of physical and psychosocial function in recurrent syncope. *J.Clin.Epidemiol.*, 44 (10), 1037-1043.
- Longstreth, G.F., Mason, C., Schreiber, I.G., & Tsao-Wei, D. (1998). Group psychotherapy for women molested in childhood: psychological and somatic symptoms and medical visits. *Int.J.Group Psychother.*, 48 (4), 533-541.
- Lovaglia, M.J., & Matano, R. (1994). Predicting attrition from substance misuse treatment using the Inventory of Interpersonal Problems. *Int.J.Addict.*, 29 (1), 105-113.
- Lydiard, R.B., Brewerton, T.D., Fossey, M.D., Laraia, M.T., Stuart, G., Beinfeld, M.C., & Ballenger, J.C. (1993). CSF cholecystikinin octapeptide in patients with bulimia nervosa and in normal comparison subjects. *American Journal of Psychiatry*, 150 (7), 1099-1101.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- MacKenzie, K., Livesley, W., & John. (1986). Outcome and process measures in brief group psychotherapy. *Psychiatric Annals*, 16(12), 715-720.
- Madsen, S.D., Roisman, G.I., & Collins, W.A. (2002). The intersection of adolescent development and intensive intervention: age-related psychosocial correlates of treatment regimens in the diabetes control and complication trial. *J Pediatr.Psychol.*, 27(5), 451-459.
- Mamelle, N. (1987). Assessment of psychological modifications during pregnancy: Contribution of Derogatis Symptom check-list (SCL-90-R). *Journal of Psychosomatic Obstetrics & Gynecology*, 7(1), 39-50.
- Mangold, D.L., Peyrot, M., Giggey, P., & Wand, G.S. (2000). Endogenous opioid activity is associated with obsessive-compulsive symptomology in individuals with a family history of alcoholism. *Neuropsychopharmacology*, 22(6), 595-607.
- Marcusson, A., List, T., Paulin, G., & Dworkin, S. (2001). Temporomandibular disorders in adults with repaired cleft lip and palate: a comparison with controls. *Eur.J Orthod.*, 23(2), 193-204.
- Marder, S.R. (1987). Low- and conventional-dose maintenance therapy with fluphenazine decanoate: Two-year outcome. *Archives of General Psychiatry*, 44(6), 518-521.
- Margo, G.M., Dewan, M.J., Fisher, S., & Greenberg, R.P. (1992). Comparison of three depression rating scales. *Percept.Mot.Skills*, 75(1), 144-146.
- Markt, C., & Johnson, M. (1993). Transitional objects, pre-sleep rituals, and psychopathology. *Child Psychiatry Hum.Dev.*, 23(3), 161-173.
- Marlowe, D.B., & Wetzler, S. (1994). Contributions of discriminant analysis to differential diagnosis by self-report. *Journal of Personality Assessment*, 62(2), 320-331.
- Marschark, M., Richtsmeier, L.M., Richardson, J.T., Crovitz, H.F., & Henry, J. (2000). Intellectual and emotional functioning in college students following mild traumatic brain injury in childhood and adolescence. *J Head Trauma Rehabil.*, 15(6), 1227-1245.
- Martinez, Sandra; Stillerman, Lee; Waldo, Michael (2005). Reliability and Validity of the SCL-90-R With Hispanic College Students. *Hispanic Journal of Behavioral Sciences*, 27(2), 254-264.
- McGough, J., & Curry, J.F. (1992). Utility of the SCL-90-R with depressed and conduct-disordered adolescent inpatients. *Journal of Personality Assessment*, 59(3), 552-563.
- McGregor, N.R., Butt, H.L., Zerbes, M., Klineberg, I.J., Dunstan, R.H., & Roberts, T.K. (1996b). Assessment of pain (distribution and onset), Symptoms, SCL-90-R Inventory responses, and the association with infectious events in patients with chronic orofacial pain. *J.Orofac.Pain*, 10(4), 339-350.
- McGregor, N.R., Dunstan, R.H., Zerbes, M., Butt, H.L., Roberts, T.K., & Klineberg, I.J. (1996a). Preliminary determination of a molecular basis of chronic fatigue syndrome. *Biochem.Mol.Med.*, 57(2), 73-80.
- McGuire, B.E., & Shores, E.A. (2001). Simulated pain on the Symptom Checklist 90-Revised. *J Clin.Psychol.*, 57(12), 1589-1596.
- McLeod, C.C., Budd, M.A., & McClelland, D.C. (1997). Treatment of somatization in primary care. *Gen.Hosp. Psychiatry*, 19(4), 251-258.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Meijer, A., Zakay-Rones, Z., & Morag, A. (1988). Post-influenzal psychiatric disorder in adolescents. *Acta Psychiatr.Scand.*, 78(2), 176-181.
- Mercier, C., Brochu, S., Girard, M., Gravel, J., Ouellet, R., & Pare, R. (1992). Profiles of alcoholics according to the SCL-90-R: a confirmative study. *Int.J.Addict.*, 27(11), 1267-1282.
- Merkel, I.S., Locher, J., Burgio, K., Towers, A., & Wald, A. (1993). Physiologic and psychologic characteristics of an elderly population with chronic constipation. *Am.J.Gastroenterol.*, 88(11), 1854-1859.
- Messman-Moore, T.L. (2000). The revictimization of child sexual abuse survivors: An examination of the adjustment of college women with child sexual abuse, adult sexual assault, and adult physical abuse. *Child Maltreatment: Journal of the American Professional Society on the Abuse of Children*, 5(1), 18-27.
- Meyer, J.W., Eichhorn, K.H., Vetter, K., Christen, S., Schleusner, E., Klos, A., Huch, A., & Huch, R. (1995). Does recombinant human erythropoietin not only treat anemia but reduce postpartum (emotional) distress as well? *J.Perinat.Med.*, 23(1-2), 99-109.
- Michelson, D., Pollack, M., Lydiard, R.B., Tamura, R., Tepner, R., & Tollefson, G. (1999). Continuing treatment of panic disorder after acute response: randomised, placebo-controlled trial with fluoxetine. The Fluoxetine Panic Disorder Study Group. *Br.J.Psychiatry*, 174, 213-218.
- Mills, J.K., & Andrianopoulos, G.D. (1993). The relationship between childhood onset obesity and psychopathology in adulthood. *J.Psychol.*, 127(5), 547-551.
- Miotto, Paola; De Coppi, Monica; Frezza, Michela; Petretto, Donatella; Masala, Carmelo; Preti, Antonio (2003). Suicidal ideation and aggressiveness in school-aged youths. *Psychiatry Research*, 120(3), 247-255.
- Miotto, Paola; de Coppi, Monica; Frezza, Michela; Preti, Antonio (2003). Eating Disorders and Suicide Risk Factors in Adolescents: An Italian Community-Based Study. *Journal of Nervous and Mental Disease*, 191(7), 437-443.
- Mirzamani, S. Mahmoud; Sadidi, Ahmad; Sahrai, Javad; Besharat, Mohammad Ali (2005). Anxiety and Depression in Patients With Lower Back Pain. *Psychological Reports*, 96(3), 553-558.
- Monsen, K., & Havik, O.E. (2001). Psychological functioning and bodily conditions in patients with pain disorder associated with psychological factors. *Br.J Med.Psychol.*, 74, 183-195.
- Montoya, I.D., Levin, F.R., Fudala, P.J., & Gorelick, D.A. (1995). Double-blind comparison of carbamazepine and placebo for treatment of cocaine dependence [see comments]. *Drug Alcohol Depend.*, 38(3), 213-219.
- Moolchan, E.T., Radzius, A., Epstein, D.H., Uhl, G., et al. (2002). The Fagerstrom Test for Nicotine Dependence and the Diagnostic Interview Schedule: do they diagnose the same smokers? *Addict.Behav.*, 27(1), 101-113.
- Moriarty, H.J., Carroll, R., & Cotroneo, M. (1996). Differences in bereavement reactions within couples following death of a child. *Res.Nurs.Health*, 19(6), 461-469.
- Mroziak, B., Czabala, J., & Wojtowicz, S. (1997). [A sense of coherence and mental disorders]. *Psychiatr.Pol.*, 31(3), 257-268.
- Muller-Vahl, K.R., Koblenz, A., Jobges, M., Kolbe, H., Emrich, H.M., & Schneider, U. (2001). Influence of treatment of Tourette syndrome with delta9- tetrahydrocannabinol (delta9-THC) on neuropsychological performance. *Pharmacopsychiatry*, 34(1), 19-24.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Murphy, K.R., Barkley, R.A., & Bush, T. (2002). Young adults with attention deficit hyperactivity disorder: subtype differences in comorbidity, educational, and clinical history. *J Nerv.Ment.Dis.*, 190(3), 147-157.
- Najarian, L.M., Goenjian, A.K., Pelcovitz, D., Mandel, F., & Najarian, B. (2001). The effect of relocation after a natural disaster. *J Trauma Stress*, 14(3), 511-526.
- Nelis, Sharon M.; Rae, Gordon; Liddell, Christine (2006). Factor Analyses and Score Validity of the Family Emotional Involvement and Criticism Scale in an Adolescent Sample. *Educational and Psychological Measurement*, 66(4), 676-686.
- Newcomb, M.D. (1989). Assessment of nuclear anxiety among American students: stability over time, secular trends, and emotional correlates. *J.Soc.Psychol.*, 129(5), 591-608.
- Newmann, J.P., Engel, R.J., & Jensen, J. (1990). Depressive symptom patterns among older women. *Psychol.Aging*, 5(1), 101-118.
- Newmann, J.P., Engel, R.J., & Jensen, J.E. (1991). Changes in depressive-symptom experiences among older women. *Psychol.Aging*, 6(2), 212-222.
- Nickel, Marius K.; Muehlbacher, Moritz; Nickel, Cerstin; Kettler, Christian; Gil, Francisco Pedrosa; Bachler, Egon; Buschmann, Wiebke; Rother, Nadine; Fartacek, Reinhold; Egger, Christoph; Anvar, Javid; Rother, Wolfhardt K.; Loew, Thomas H.; Kaplan, Patrick (2006). Aripiprazole in the Treatment of Patients With Borderline Personality Disorder: A Double-Blind, Placebo-Controlled Study. *American Journal of Psychiatry*, 163(5), 833-838.
- Nickel, Marius; Cangoez, Birsen; Bachler, Egon; Muehlbacher, Moritz; Lojewski, Nilufer; Mueller-Rabe, Neila; Mitterlehner, Ferdinand O.; Egger, Christoph; Leiberich, Peter; Rother, Nadine; Buschmann, Wiebke; Kettler, Christian; Gil, Francisco Pedrosa; Lahmann, Claas; Fartacek, Reinhold; Rother, Wolfhardt K.; Loew, Thomas H.; Nickel, Cerstin (2006). Bioenergetic exercises in inpatient treatment of Turkish immigrants with chronic somatoform disorders: A randomized, controlled study. *Journal of Psychosomatic Research*. 61(4), 507-513.
- Nickel, R.; Egle, U. T. (2006). Psychological defense styles, childhood adversities and psychopathology in adulthood. *Child Abuse & Neglect*, 30(2), 157-170.
- Niederberger, J.M. (2002). The perpetrator's strategy as a crucial variable: a representative study of sexual abuse of girls and its sequelae in Switzerland. *Child Abuse Negl.*, 26(1), 55-71.
- Nollett, C. L.; Button, E. J. (2005). Questionnaire Measures of Psychopathology in Eating Disorders: Comparisons Between Clinical Groups. *European Eating Disorders Review*, 13(3), 211-215.
- Norregaard, J., Bulow, P.M., Lykkegaard, J.J., Mehlsen, J., & Danneskiold-Samsooe, B. (1997). Muscle strength, working capacity and effort in patients with fibromyalgia. *Scand.J.Rehabil.Med.*, 29(2), 97-102.
- Nunn, K.P., Lewin, T.J., Walton, J.M., & Carr, V.J. (1996). The construction and characteristics of an instrument to measure personal hopefulness. *Psychol.Med.*, 26(3), 531-545.
- O'Donnell, W.E. (1984). A Cognitive Deficit subscale of the SCL-90-R. *Journal of Clinical Psychology*, 40(1), 241-246.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Offenbaecher, M., Bondy, B., de Jonge, S., Glatzeder, K., Kruger, M., Schoeps, P., & Ackenheil, M. (1999). Possible association of fibromyalgia with a polymorphism in the serotonin transporter gene regulatory region. *Arthritis Rheum.*, 42(11), 2482-2488.
- Offenbaecher, M., Glatzeder, K., & Ackenheil, M. (1998). Self-reported depression, familial history of depression and fibromyalgia (FM), and psychological distress in patients with FM. *Z.Rheumatol.*, 57 Suppl 2, 94-96.
- Orris, P., Hartman, D.E., Strauss, P., Anderson, R.J., Collins, J., Knopp, C., Xu, Y., & Melius, J. (1997). Stress among package truck drivers. *Am.J.Ind.Med.*, 31(2), 202-210.
- Palav, A., Ortega, A., & McCaffrey, R.J. (2001). Incremental validity of the MMPI-2 Content Scales: a preliminary study with brain-injured patients. *J Head Trauma Rehabil.*, 16(3), 275-283.
- Pallanti, S., Quercioli, L., Zaccara, G., Ramacciotti, A.B., & Arnetoli, G. (1998). Eye movement abnormalities in anorexia nervosa. *Psychiatry Res.*, 78(1-2), 59-70.
- Parker, J.C., Buckelew, S.P., Smarr, K.L., Buescher, K.L., Beck, N.C., Frank, R.G., Anderson, S.K., & Walker, S.E. (1990). Psychological screening in rheumatoid arthritis. *J.Rheumatol.*, 17(8), 1016-1021.
- Peebles, J.E., McWilliams, L.A., & MacLennan, R. (2001). A comparison of symptom checklist 90-revised profiles from patients with chronic pain from whiplash and patients with other musculoskeletal injuries. *Spine*, 26(7), 766-770.
- Penas-Lledo, E., Vaz Leal, F.J., & Waller, G. (2002). Excessive exercise in anorexia nervosa and bulimia nervosa: relation to eating characteristics and general psychopathology. *Int.J Eat.Disord.*, 31(4), 370-375.
- Perconte, S.T., & Griger, M.L. (1991). Comparison of successful, unsuccessful, and relapsed Vietnam veterans treated for posttraumatic stress disorder. *J.Nerv.Ment.Dis.*, 179(9), 558-562.
- Perren, Sonja; von Wyl, Agnes; Bürgin, Dieter; Simoni, Heidi; von Klitzing, Kai (2005). Depressive symptoms and psychosocial stress across the transition to parenthood: Associations with parental psychopathology and child difficulty. *Journal of Psychosomatic Obstetrics & Gynecology*, 26(3), 173-183.
- Perry, J.C., & Hoglend, P. (1998). Convergent and discriminant validity of overall defensive functioning. *J.Nerv. Ment.Dis.*, 186(9), 529-535.
- Phillips, C., Bennett, M.E., & Broder, H.L. (1998). Dentofacial disharmony: psychological status of patients seeking treatment consultation. *Angle Orthod.*, 68(6), 547-556.
- Philpot, E.E., Brooker, A.E., & Biegalski, C.S. (1993). Effects of sedating and nonsedating antihistamines on flying performance. *Military Medicine*, 158(10), 654-660.
- Plante, T.G., & Manuel, G.M. (1992). The Persian Gulf War: civilian war-related stress and the influence of age, religious faith, and war attitudes. *Journal of Clinical Psychology*, 48(2), 178-182.
- Popiel, D.A., & Susskind, E.C. (1985). The impact of rape: social support as a moderator of stress. *Am.J.Community Psychol.*, 13(6), 645-676.
- Porter, J., Wilson, C., & Frisch, G.R. (1994). Psychotherapy and symptom change. *Psychol.Rep.*, 75(3), 1313-1314.
- Potvin, K.M., Busby, K., Johnston, M., Wood, J., & Docherty, C. (2000). Predictors of outcome in a short-term psychiatric day hospital program. *Gen.Hosp.Psychiatry*, 22(3), 184-194.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Prather, R.C. (1988). Psychopathology associated with bulimia, binge eating, and obesity. *International Journal of Eating Disorders*, 7(2), 177-184.
- Preti, Antonio; Incani, Elisabetta; Camboni, Maria Valeria; Petretto, Donatella Rita; Masala, Carmelo (2006). Sexual abuse and eating disorder symptoms: The mediator role of bodily dissatisfaction. *Comprehensive Psychiatry*, 47(6) 475-481.
- Prueter, C., Schultz-Venrath, U., & Rimpau, W. (2002). Dissociative and associated psychopathological symptoms in patients with epilepsy, pseudoseizures, and both seizure forms. *Epilepsia*, 43(2), 188-192.
- Puca, F.M., Antonaci, F., Genco, S., Savarese, M.A., Piazzolla, G., & Prudenzano, M.P. (1989). Psychologic factors in chronic headache: assessment by means of the SCL- 90-R inventory. *Cephalgia*, 9(1), 33-51.
- Rakib, A.; White, P. D.; Pinching, A. J.; Hedge, B.; Newbery, N.; Fakhoury, W. K.; Priebe, Stefan (2005). Subjective quality of life in patients with chronic fatigue syndrome. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*, 14(1), 11-19.
- Rauter, U.K., Leonard, C.E., & Swett, C.P. (1996). SCL-90-R factor structure in an acute, involuntary, adult psychiatric inpatient sample. *Journal of Clinical Psychology*, 52(6), 625-629.
- Razavi, D., Delvaux, N., Farvacques, C., et al. (1993). Prevention of adjustment disorders and anticipatory nausea secondary to adjuvant chemotherapy: a double-blind, placebo-controlled study assessing the usefulness of alprazolam. *Journal of Clinical Oncology*, 11(7), 1384-1390.
- Reibel, D.K., Greeson, J.M., Brainard, G.C., & Rosenzweig, S. (2001). Mindfulness-based stress reduction and health-related quality of life in a heterogeneous patient population. *Gen.Hosp.Psychiatry*, 23 (4), 183-192.
- Renner, W. (2000). The relationship of personal conflict and clinical symptoms in a high-conflict and a low-conflict subgroup: A correlational study. *Psychotherapy Research*, 10(3), 321-336.
- Renneberg, Babette; Schmidt-Rathjens, Claudia; Hippin, Robert; Backenstrass, Matthias; Fydrich, Thomas (2005). Cognitive characteristics of patients with borderline personality disorder: Development and validation of a self-report inventory. *Journal of Behavior Therapy and Experimental Psychiatry*, 36(3), 173-182.
- Resick, P.A. (1988). A comparative outcome study of behavioral group therapy for sexual assault victims. *Behavior Therapy*, 19(3), 385-401.
- Reynders, Hazel J.; Broks, Paul; Dickson, Jon M.; Lee, Claire E.; Turpin, Graham (2005). Investigation of social and emotion information processing in temporal lobe epilepsy with ictal fear. *Epilepsy & Behavior*, 7(3), 419-429.
- Rief, W., & Fichter, M. (1992). The Symptom Check List SCL-90-R and its ability to discriminate between dysthymia, anxiety disorders, and anorexia nervosa. *Psychopathology*, 25(3), 128-138.
- Riesenmy, K.R., Lubin, B., Van Whitlock, R., & Penick, E.C. (1995). Psychometric characteristics of the trait version of the Depression Adjective Check Lists (DACL) in adult psychiatric outpatients. *Journal of Clinical Psychology*, 51(1), 13-17.
- Ro, Oyvind; Martinsen, Egil W.; Hoffart, Asle; Rosenvinge, Jan H. (2003). Short-term follow-up of severe bulimia nervosa after inpatient treatment. *European Eating Disorders Review*, 11(5), Sep-Oct 2003, 405-417.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Roberts, C.S., Cox, C.E., Reintgen, D.S., Baile, W.F., & Gibertini, M. (1994). Influence of physician communication on newly diagnosed breast patients' psychologic adjustment and decision-making. *Cancer*, 74(1), 336-341.
- Roberts, Nasreen; Parker, Kevin C. H.; Dagnone, Marla (2005). Comparison of Clinical Diagnoses, NIMH-DISC-IV Diagnoses and SCL-90-R Ratings in an Adolescent Psychiatric Inpatient Unit: A Brief Report. *Canadian Child and Adolescent Psychiatry Review*, 14(4), 103-105.
- Robinson, H.M., Sigman, M.R., & Wilson, J.P. (1997). Duty-related stressors and PTSD symptoms in suburban police officers. *Psychological Reports*, 81(3), 835-845.
- Rojdev, R., Nelson, W.M., III, Hart, K.J., & Fercho, M.C. (1994). Criterion-related validity and stability: equivalence of the MMPI and the MMPI-2. *Journal of Clinical Psychology*, 50(3), 361-367.
- Sack, M., Kunsebeck, H.W., & Lamprecht, F. (1997). [Sense of coherence and psychosomatic treatment outcome. An empirical study of salutogenesis]. *Psychother.Psychosom.Med.Psychol.*, 47(5), 149-155.
- Sadowski, C.M., & Friedrich, W.N. (2000). Psychometric properties of the Trauma Symptom Checklist for Children (TSCC) with psychiatrically hospitalized adolescents. *Child Maltreat.*, 5(4), 364-372.
- Salsman, John M.; Carlson, Charles R. (2005). Religious Orientation, Mature Faith, and Psychological Distress: Elements of Positive and Negative Associations. *Journal for the Scientific Study of Religion*, 44(2), 201-209.
- San, L., Cami, J., Peri, J.M., Mata, R., & Porta, M. (1989). Success and failure at inpatient heroin detoxification. *Br.J.Addict.*, 84(1), 81-87.
- Sandin, B., Chorot, P., Valiente, R.M., Lostao, L., & Santed, M.A. (2002). Adverse psychological effects in women attending a second-stage breast cancer screening. *J Psychosom.Res.*, 52(5), 303-309.
- Schaefer, M.R., Sobieraj, K., & Hollyfield, R.L. (1987). Severity of alcohol dependence and its relationship to additional psychiatric symptoms in male alcoholic inpatients. *American Journal of Drug and Alcohol Abuse*, 13(4), 435-447.
- Schaefer, M.R., Sobieraj, K., & Hollyfield, R.L. (1988). Prevalence of childhood physical abuse in adult male veteran alcoholics. *Child Abuse Negl.*, 12(2), 141-149.
- Schag, C.C. (1983). Cancer Inventory of Problem Situations: An instrument for assessing cancer patients' rehabilitation needs. *Journal of Psychosocial Oncology*, 1(4), 11-24.
- Schauenburg, H., & Strack, M. (1999). Measuring psychotherapeutic change with the symptom checklist SCL 90 R. *Psychother.Psychosom.*, 68(4), 199-206.
- Schiavi, R.C., Stimmel, B.B., Mandeli, J., Schreiner-Engel, P., & Ghizzani, A. (1995). Diabetes, psychological function and male sexuality. *J.Psychosom.Res.*, 39(3), 305-314.
- Schmitz, J.M., Stotts, A.L., Averill, P.M., Rothfleisch, J.M., Bailey, S.E., Sayre, S.L., & Grabowski, J. (2000). Cocaine dependence with and without comorbid depression: a comparison of patient characteristics. *Drug Alcohol Dependence*, 60(2), 189-198.
- Schmitz, N., Hartkamp, N., & Franke, G.H. (2000). Assessing clinically significant change: application to the SCL-90-R. *Psychological Reports*, 86(1), 263-274.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Schmitz, N., Hartkamp, N., Brinschwitz, C., & Michalek, S. (1999). Computerized administration of the Symptom Checklist (SCL-90-R) and the Inventory of Interpersonal Problems (IIP-C) in psychosomatic outpatients [In Process Citation]. *Psychiatry Res.*, 87(2-3), 217-221.
- Schmitz, N., Hartkamp, N., Brinschwitz, C., Michalek, S., & Tress, W. (2000). Comparison of the standard and the computerized versions of the Symptom Check List (SCL-90-R): a randomized trial. *Acta Psychiatr.Scand.*, 102(2), 147-152.
- Schmitz, N., Hartkamp, N., Franz, M., Buse, S., Karig, R., & Tress, W. (2002). Properties of the Symptom Check List (SCL-90-R) in a psychosomatic consultation-liaison setting. *Psychological Reports*, 90(3), 1201-1207.
- Schmitz, N., Hartkamp, N., Kiuse, J., Franke, G.H., Reister, G., & Tress, W. (2000). The Symptom Check-List-90-R (SCL-90-R): a German validation study. *Qual.Life Res.*, 9(2), 185-193.
- Schmitz, N., Kruse, J., & Tress, W. (2000). Application of stratum-specific likelihood ratios in mental health screening. *Soc.Psychiatry Psychiatr.Epidemiol.*, 35(8), 375-379.
- Schmitz, N., Kruse, J., & Tress, W. (2001). Improving screening for mental disorders in the primary care setting by combining the GHQ-12 and SCL-90-R subscales. *Compr.Psychiatry*, 42(2), 166-173.
- Schmitz, N., Kruse, J., Heckrath, C., Alberti, L., & Tress, W. (1999). Diagnosing mental disorders in primary care: the General Health Questionnaire (GHQ) and the Symptom Check List (SCL-90-R) as screening instruments. *Soc.Psychiatry Psychiatr.Epidemiol.*, 34(7), 360-366.
- Schneider, S.E., & Phillips, W.M. (1993). Depression and anxiety in medical, surgical, and pediatric interns. *Psychol.Rep.*, 72(3), 1145-1146.
- Schnyder, U., Buchi, S., Morgeli, H., Sensky, T., & Klaghofer, R. (1999). Sense of coherence. *Psychother.Psychosom.*, 68(2), 102-110.
- Schreiner-Engel, P., & Schiavi, R.C. (1986). Lifetime psychopathology in individuals with low sexual desire. *J.Nerv. Ment.Dis.*, 174(11), 646-651.
- Schutzwohl, M., & Maercker, A. (1999). Effects of varying diagnostic criteria for posttraumatic stress disorder are endorsing the concept of partial PTSD. *J.Trauma Stress.*, 12(1), 155-165.
- Scott, A.A., Hatch, J.P., Rugh, J.D., Hoffman, T.J., Rivera, S.M., Dolce, C., & Bays, R.A. (2000). Psychosocial predictors of satisfaction among orthognathic surgery patients. *Int.J Adult.Orthodon.Orthognath.Surg.*, 15(1), 7-15.
- Scott, A.A., Hatch, J.P., Rugh, J.D., Rivera, S.M., Hoffman, T.J., Dolce, C., & Bays, R.A. (1999). Psychosocial predictors of high-risk patients undergoing orthognathic surgery. *Int.J. Adult.Orthodon.Orthognath.Surg.*, 14(2), 113-124.
- Selmi, P.M., Klein, M.H., Greist, J.H., Sorrell, S.P., & Erdman, H.P. (1990). Computer-administered cognitive-behavioral therapy for depression. *American Journal of Psychiatry*, 147(1), 51-56.
- Shemesh, Eyal; Yehuda, Rachel; Milo, Olga; Dinur, Irit; Rudnick, Abraham; Vered, Zvi; Cotter, Gad (2004). Posttraumatic stress, nonadherence, and adverse outcome in survivors of a myocardial infarction. *Psychosomatic Medicine*, 66(4), 521-526.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Simon, P.M., Morse, E.V., Osofsky, H.J., Balson, P.M., & Gaumer, H.R. (1992). Psychological characteristics of a sample of male street prostitutes. *Arch.Sex Behav.*, 21(1), 33-44.
- Skarborn, M., & Nicki, R. (2000). Worry in pre- and post-retirement persons. *Int.J Aging Hum.Dev.*, 50(1), 61-71.
- Skilbeck, W.M., Acosta, F.X., Yamamoto, J., & Evans, L.A. (1984). Self-reported psychiatric symptoms among black, Hispanic, and white outpatients. *Journal of Clinical Psychology*, 40(5), 1184-1189.
- Sklar, S.M., & Turner, N.E. (1999). A brief measure for the assessment of coping self-efficacy among alcohol and other drug users. *Addiction*, 94(5), 723-729.
- Skydsbjerg, M., Lunn, S., & Hutchings, B. (2001). Psychosocial aspects of human immunodeficiency virus (HIV) infection in a pre-HAART sample. *Scand.J Psychol.*, 42(4), 327-333.
- Sloane, P.D., Hartman, M., & Mitchell, C.M. (1994). Psychological factors associated with chronic dizziness in patients aged 60 and older. *J.Am.Geriatr.Soc.*, 42(8), 847-852.
- Slusarcick, A.L., Ursano, R.J., Dinneen, M.P., & Fullerton, C.S. (1999). Measurement of depression in a military sample. *Psychol.Rep.*, 85(1), 82-88.
- Smed, A. (1997). Cognitive function and distress after common whiplash injury. *Acta Neurol.Scand.*, 95(2), 73-80.
- Sperber, A.D., Atzmon, Y., Neumann, L., Weisberg, I., Shalit, Y., Abu-Shakrah, M., Fich, A., & Buskila, D. (1999). Fibromyalgia in the irritable bowel syndrome: studies of prevalence and clinical implications. *Am.J.Gastroenterol.*, 94(12), 3541-3546.
- Spitzer, C., Spelsberg, B., Grabe, H.J., Mundt, B., & Freyberger, H.J. (1999). Dissociative experiences and psychopathology in conversion disorders. *J.Psychosom.Res.*, 46(3), 291-294.
- Spooner, C., Mattick, R.P., & Noffs, W. (2000). A study of the patterns and correlates of substance use among adolescents applying for drug treatment. *Aust.N Z.J Public Health*, 24(5), 492-502.
- Stang, P.E., & Von Korff, M. (1994). The diagnosis of headache in primary care: factors in the agreement of clinical and standardized diagnoses. *Headache*, 34(3), 138-142.
- Starcevic, V., Bogojevic, G., & Marinkovic, J. (2000). The SCL-90-R as a screening instrument for severe personality disturbance among outpatients with mood and anxiety disorders. *J Personal.Disord.*, 14(3), 199-207.
- Steel, J., Sanna, L., Hammond, B., Whipple, J., Cross, H. (2004). Psychological sequelae of childhood sexual abuse: Abuse-related characteristics, coping strategies, and attributional style. *Child Abuse & Neglect*, 28(7), 785-801.
- Steer, R.A. (1982a). Symptom profiles of "driving under the influence" offenders referred for alcoholism treatment. *Drug & Alcohol Dependence*, 10(2-sup-3), 165.
- Steer, R.A. (1982b). Symptoms discriminating between heroin addicts seeking ambulatory detoxification or methadone maintenance. *Drug & Alcohol Dependence*, 9(4), 335-338.
- Steer, R.A. (1983a). Retention in drug-free counseling. *Int.J.Addict.*, 18(8), 1109-1114.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Steer, R.A. (1983b). Retention of driving-under-the-influence offenders in alcoholism treatment. *Drug Alcohol Depend.*, 12(1), 93-96.
- Steer, R.A. (1983c). Modal profile analyses of the SCL-90-R for seven mental disorders. *Multivariate Experimental Clinical Research*, 6(2), 55-67.
- Steer, R.A., Ball, R., Ranieri, W.F., & Beck, A.T. (1997). Further evidence for the construct validity of the Beck depression Inventory-II with psychiatric outpatients. *Psychol.Rep.*, 80(2), 443-446.
- Steer, R.A., Clark, D.A., & Ranieri, W.F. (1994). Symptom dimensions of the SCL-90-R: a test of the tripartite model of anxiety and depression. *Journal of Personality Assessment*, 62(3), 525-536.
- Stetson, B., Schlundt, D.G., Sbrocco, T., Hill, J.O., Sharp, T., & Pope-Cordel, J. (1992). The effects of aerobic exercise on psychological adjustment: a randomized study of sedentary obese women attempting weight loss. *Women Health*, 19(4), 1-14.
- Stohler, R., Dursteler-Mac Farland, K.M., Gramespacher, C., Petitjean, S., Battegay, R., & Ladewig, D. (2000). A comparison of heroin chasers with heroin injectors in Switzerland. *Eur.Addict.Res.*, 6(3), 154-159.
- Strayer, D.R., Carter, W.A., Brodsky, I., Cheney, P., Peterson, D., Salvato, P., Thompson, C., Loveless, M., Shapiro, D.E., & Elsasser, W. (1994). A controlled clinical trial with a specifically configured RNA drug, poly(I). poly(C12U), in chronic fatigue syndrome. *Clin.Infect.Dis.*, 18(1), 88-95.
- Swearer, J.M., O'Donnell, B.F., Parker, M., Kane, K.J., & Drachman, D.A. (2001). Psychological features in persons at risk for familial Alzheimer's disease. *Am.J Alzheimers.Dis.Other Demen.*, 16(3), 157-162.
- Swedo, S.E., Rettew, D.C., Kuppenheimer, M., Lum, D., Dolan, S., & Goldberger, E. (1991). Can adolescent suicide attempters be distinguished from at-risk adolescents? [published erratum appears in *Pediatrics* 1991 Dec;88(6):A32] [see comments]. *Pediatrics*, 88(3), 620-629.
- Swett, C., Jr., Surrey, J., & Cohen, C. (1990). Sexual and physical abuse histories and psychiatric symptoms among male psychiatric outpatients [see comments]. *American Journal of Psychiatry*, 147(5), 632-636.
- Terre, Lisa; Poston, Walker S. Carlos; Foreyt, John; St. Jeor, Sachiko T. (2003). Do Somatic Complaints Predict Subsequent Symptoms of Depression? *Psychotherapy and Psychosomatics*, 72(5), 261-267.
- Theut, S.K., Jordan, L., Ross, L.A., & Deutsch, S.I. (1991). Caregiver's anticipatory grief in dementia: a pilot study. *Int.J.Aging Hum.Dev.*, 33(2), 113-118.
- Thompson, M., & McGorry, P. (1995). Psychological sequelae of torture and trauma in Chilean and Salvadorean migrants: a pilot study. *Aust.N.Z.J.Psychiatry*, 29(1), 84-95.
- Tolchard, Barry; Thomas, Lyndall; Battersby, Malcolm (2006). Single-Session Exposure Therapy for Problem Gambling: A Single-Case Experimental Design. *Behaviour Change*, 23(2), 148-155.
- Toomey, T.C., Seville, J.L., Mann, J.D., Abashian, S.W., & Grant, J.R. (1995). Relationship of sexual and physical abuse to pain description, coping, psychological distress, and health-care utilization in a chronic pain sample. *Clin.J.Pain*, 11(4), 307-315.
- Toomey, T.C., Seville, J.L., Mann, J.D., Abashian, S.W., & Wingfield, M.S. (1995). Relationship of learned resourcefulness to measures of pain description, psychopathology and health behavior in a sample of chronic pain patients. *Clin.J.Pain*, 11(4), 259-266.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Tross, S., Herndon, J., Korzun, A., Kornblith, A.B., Cella, D.F., Holland, J.F., Raich, P., Johnson, A., Kiang, D.T., Perloff, M., Norton, L., Wood, W., & Holland, J.C. (1996). Psychological symptoms and disease-free and overall survival in women with stage II breast cancer. *Cancer and Leukemia Group B. J.Natl.Cancer Inst.*, 88(10), 661-667.
- Turner, S.M., & Beidel, D.C. (1986). Panic disorder and agoraphobia with panic attacks: Covariation along the dimensions of panic and agoraphobic fear. *Journal of Abnormal Psychology*, 95(4), 384-388.
- Urban, B.J., Keefe, F.J., & France, R.D. (1984). A study of psychophysical scaling in chronic pain patients. *Pain*, 20(2), 157-168.
- Ursano, R.J., Fullerton, C.S., Vance, K., & Kao, T.C. (1999). Posttraumatic stress disorder and identification in disaster workers [see comments]. *American Journal of Psychiatry*, 156(3), 353-359.
- Uzzell, B.P., & Oler, J. (1986). Chronic low-level mercury exposure and neuropsychological functioning. *J.Clin. Exp.Neuropsychol.*, 8(5), 581-593.
- Valdini, A., Steinhardt, S., & Feldman, E. (1989). Usefulness of a standard battery of laboratory tests in investigating chronic fatigue in adults. *Family Practice*, 6(4), 286-291.
- Van Buren, A., & Nowicki, S., Jr. (1997). Awareness of interpersonal style and self-evaluation. *J.Soc.Psychol.*, 137(4), 429-434.
- Vassend, O., & Skrandal, A. (1999). The problem of structural indeterminacy in multidimensional symptom report instruments. The case of SCL-90-R. *Behav.Res.Ther.*, 37(7), 685-701.
- Vogel, Matthias; Spitzer, Carsten; Barnow, Sven; Freyberger, Harald J.; Grabe, Hans Jürgen (2006). The Role of Trauma and PTSD-Related Symptoms for Dissociation and Psychopathological Distress in Inpatients with Schizophrenia. *Psychopathology*, 39(5), 2006, 236-242.
- Von Korff, M., Le Resche, L., & Dworkin, S.F. (1993). First onset of common pain symptoms: a prospective study of depression as a risk factor. *Pain*, 55(2), 251-258.
- Vonk, M.E., & Thyer, B.A. (1999). Evaluating the effectiveness of short-term treatment at a university counseling center. *Journal of Clinical Psychology*, 55(9), 1095-1106.
- Wagner, J.D., Menke, E.M., & Ciccone, J.K. (1994). The health of rural homeless women with young children. *J.Rural.Health*, 10(1), 49-57.
- Wagner, J.D., Menke, E.M., & Ciccone, J.K. (1995). What is known about the health of rural homeless families? *Public Health Nurs.*, 12(6), 400-408.
- Wald, A., Burgio, K., Holeva, K., & Locher, J. (1992). Psychological evaluation of patients with severe idiopathic constipation: which instrument to use. *Am.J.Gastroenterol.*, 87(8), 977-980.
- Walker, F.B., Novack, D.H., Kaiser, D.L., Knight, A., & Oblinger, P. (1987). Anxiety and depression among medical and surgical patients nearing hospital discharge. *J.Gen.Intern.Med.*, 2(2), 99-101.
- Wallis, B.J., & Bogduk, N. (1996). Faking a profile: can naive subjects simulate whiplash responses? *Pain*, 66(2-3), 223-227.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Wallis, B.J., Lord, S.M., & Bogduk, N. (1997). Resolution of psychological distress of whiplash patients following treatment by radiofrequency neurotomy: a randomised, double-blind, placebo-controlled trial [see comments]. *Pain*, 73(1), 15-22.
- Wallis, B.J., Lord, S.M., Barnsley, L., & Bogduk, N. (1996). Pain and psychologic symptoms of Australian patients with whiplash [see comments]. *Spine*, 21(7), 804-810.
- Wallis, B.J., Lord, S.M., Barnsley, L., & Bogduk, N. (1998). The psychological profiles of patients with whiplash-associated headache [see comments]. *Cephalalgia*, 18(2), 101-105.
- Wang, X., Gao, L., Shinfuku, N., Zhang, H., Zhao, C., & Shen, Y. (2000). Longitudinal study of earthquake-related PTSD in a randomly selected community sample in north China. *American Journal of Psychiatry*, 157(8), 1260-1266.
- Weathers, F.W., Litz, B.T., Keane, T.M., Herman, D.S., Steinberg, H.R., Huska, J.A., & Kraemer, H.C. (1996). The utility of the SCL-90-R for the diagnosis of war-zone related posttraumatic stress disorder. *J.Trauma Stress*, 9(1), 111-128.
- Wegner, J.T. (1985). The Cognitive Deficit subscale of the SCL-90-R and prediction of outcome in first episode schizophrenics. *Journal of Clinical Psychology*, 41(6), 750-752.
- Wegner, J.T., Rabiner, C.J., & Kane, J.M. (1985). The Cognitive Deficit subscale of the SCL-90-R and prediction of outcome in first episode schizophrenics. *Journal of Clinical Psychology*, 41(6), 750-752.
- Wesnes, K.A., Faleni, R.A., Hefting, N.R., Hoogsteen, G., Houben, J.J., Jenkins, E., Jonkman, J.H., Leonard, J., Petrini, O., & van Lier, J.J. (1997). The cognitive, subjective, and physical effects of a ginkgo biloba/panax ginseng combination in healthy volunteers with neurasthenic complaints. *Psychopharmacol.Bull.*, 33(4), 677-683.
- Westcott, M. C.; Alfano, D. P. (2005). The symptom checklist-90-revised and mild traumatic brain injury. *Brain Injury*. 19(14), 1261-1267.
- Wetterling, T., & Junghanns, K. (2000). Psychopathology of alcoholics during withdrawal and early abstinence. *Eur.Psychiatry*, 15(8), 483-488.
- Wetzler, S., & Marlowe, D.B. (1993). The diagnosis and assessment of depression, mania, and psychosis by self-report. *Journal of Personality Assessment*, 60(1), 1-31.
- Wetzler, S., Khadivi, A., & Oppenheim, S. (1995). The psychological assessment of depression: unipolars versus bipolars. *Journal of Personality Assessment*, 65(3), 557-566.
- Wiebe, S., Rose, K., Derry, P., & McLachlan, R. (1997). Outcome assessment in epilepsy: comparative responsiveness of quality of life and psychosocial instruments. *Epilepsia*, 38(4), 430-438.
- Wilberg, T., Dammen, T., & Friis, S. (2000). Comparing Personality Diagnostic questionnaire-4+ with Longitudinal, Expert, All Data (LEAD) standard diagnoses in a sample with a high prevalence of axis I and axis II disorders. *Compr.Psychiatry*, 41(4), 295-302.
- Wilson, L., Dworkin, S.F., Whitney, C., & LeResche, L. (1994). Somatization and pain dispersion in chronic temporomandibular disorder pain. *Pain*, 57(1), 55-61.

Symptom Checklist-90-Revised (SCL-90-R®)

Bibliography

- Wolfe, J., Brown, P.J., & Bucsela, M.L. (1992). Symptom responses of female Vietnam veterans to Operation Desert Storm [published erratum appears in *Am J Psychiatry* 1992 Aug;149(8):1129]. *American Journal of Psychiatry*, 149(5), 676-679.
- Woody, S.R., Steketee, G., & Chambless, D.L. (1995). The usefulness of the Obsessive Compulsive Scale of the Symptom Checklist-90-Revised. *Behav.Res.Ther.*, 33(5), 607-611.
- Yang, C.K. (2001). Sociopsychiatric characteristics of adolescents who use computers to excess. *Acta Psychiatr. Scand.*, 104(3), 217-222.
- Yap, A.U., Tan, K.B., Hoe, J.K., Yap, R.H., & Jaffar, J. (2001). On-line computerized diagnosis of pain-related disability and psychological status of TMD patients: a pilot study. *J Oral Rehabil.*, 28(1), 78-87.
- Yelin, E., Mathias, S.D., Buesching, D.P., Rowland, C., Calucin, R.Q., & Fifer, S. (1996). The impact on unemployment of an intervention to increase recognition of previously untreated anxiety among primary care physicians. *Soc.Sci.Med.*, 42(7), 1069-1075.
- Yim, S.Y., Moon, H.W., Rah, U.W., & Lee, I.Y. (1996). Psychological characteristics of mothers of children with disabilities. *Yonsei Med.J.*, 37(6), 380-384.
- Yoash-Gantz, R.E., & Gantz, F.E. (1987). Patient attitudes toward partial hospitalization and subsequent treatment outcome. *Int.J.Partial.Hosp.*, 4(2), 145-155.
- Zaylor, C., Nelson, E.L., & Cook, D.J. (2001). Clinical outcomes in a prison telepsychiatry clinic. *J Telemed. Telecare.*, 7, 47-49.
- Zeeck, Almut; Hartmann, A.; Buchholz, C.; Herzog, T. (2005). Drop outs from in-patient treatment of anorexia nervosa. *Acta Psychiatrica Scandinavica*. 111(1), 29-37.
- Zeeck, Almut; Hartmann, Armin; Kuhn, Klaus (2005). Psychotherapy in a Day Clinic: Results of a 1.5 Year Follow-Up. *Psychiatric Quarterly*, 76(1), 1-17.
- Zheng, Y.P., Lin, K.M., Takeuchi, D., Kurasaki, K.S., Wang, Y., & Cheung, F. (1997). An epidemiological study of neurasthenia in Chinese-Americans in Los Angeles. *Compr.Psychiatry*, 38(5), 249-259.
- Zimmerman, D.K., Brown, J.H., Portes, P.R. (2004). Assessing custodial mother adjustment to divorce: The role of divorce education and family functioning. *Journal of Divorce & Remarriage*, 41(1-2), 1-24.

"SCL-90-R" is a registered trademark of Leonard R. Derogatis, PhD.