

It is the publisher's intention to provide test users a current and comprehensive list of references to publications on the MMPI-2-RF. Therefore, this list will be updated as new publications appear. Please note that publications on the RC Scales, introduced in 2003, relate to the MMPI-2 as well as to the MMPI-2-RF.

Basic Sources on the MMPI-2-RF

- Ben-Porath, Y. S., & Tellegen, A. (2008). *MMPI-2-RF (Minnesota Multiphasic Personality Inventory-2 Restructured Form): Manual for administration, scoring, and interpretation*. Minneapolis: University of Minnesota Press.
- Tellegen, A., & Ben-Porath, Y. S. (2008). *MMPI-2-RF (Minnesota Multiphasic Personality Inventory-2 Restructured Form): Technical manual*. Minneapolis: University of Minnesota Press.
- Ben-Porath, Y. S., & Tellegen, A. (2008). *MMPI-2-RF (Minnesota Multiphasic Personality Inventory-2 Restructured Form): User's guide for reports*. Minneapolis: University of Minnesota Press.

Publications on the MMPI-2-RF

General:

- Archer, R. P. (2006). A perspective on the Restructured Clinical (RC) Scale project. *Journal of Personality Assessment, 87*, 179-185. doi: 10.1207/s15327752jpa8702_07
- Ben-Porath, Y. S. (2006). Differentiating normal and abnormal personality with the MMPI-2. In S. Strack (Ed.), *Differentiating normal and abnormal personality* (2nd ed., pp. 337-381). New York: Springer.
- Ben-Porath, Y. S., & Tellegen, A. (2008). Empirical correlates of the MMPI-Restructured Clinical (RC) Scales in mental health, forensic, and non-clinical settings: An introduction. *Journal of Personality Assessment, 90*, 119-121. doi: 10.1080/00223890701845120
- Bolinski, P.K., & Nichols, D.S. (2011). Construct drift in the MMPI-2 Restructured Clinical Scales: Further evidence and a possible historic example. *Journal of Clinical Psychology, 67*, 1-11. doi: 10.1002/jclp.20814
- Burchett, D. L., & Ben-Porath, Y. S. (2010). The impact of overreporting on MMPI-2-RF Substantive Scale score validity. *Assessment, 17*, 497-516. doi: 10.1177/1073191110378972
- Caldwell, A. B. (2006). Maximal measurement or meaningful measurement: The interpretive challenges of the MMPI-2 Restructured Clinical (RC) Scales. *Journal of Personality Assessment, 87*, 193-201. doi: 10.1207/s15327752jpa8702_09

- Dragon, W. R., Ben-Porath, Y. S., & Handel, R. H. (in press). Examining the impact of unscorable item responses on the validity and interpretability of MMPI-2/MMPI-2-RF Restructured Clinical (RC) Scale scores. *Assessment*.
- Eaton, N. R., Krueger, R. F., South, S. C., Simms, L. J. (2010). Contrasting prototypes and dimensions in the classification of personality pathology: evidence that dimensions, but not prototypes, are robust. *Psychological Medicine*, 41, 1151-1163. doi: 10.1017/S0033291710001650
- Finn, S. E., & Kamphuis, J. H. (2006). The MMPI-2 RC Scales and restraints to innovation, or “What have they done to my song?” *Journal of Personality Assessment*, 87, 202-210. doi: 10.1207/s15327752jpa8702_10
- Forbey, J. D., & Ben-Porath, Y. S. (2007). Computerized adaptive personality testing: A review and illustration with the MMPI-2 Computerized Adaptive Version (MMPI-2-CA). *Psychological Assessment*, 19, 14-24. doi: 10.1037/1040-3590.19.1.14
- Graham, J. R. (2011). *MMPI-2: Assessing Personality and Psychopathology* (5th ed.). New York: Oxford University Press.
- Greene, R. L. (2011). *MMPI-2/MMPI-2-RF: An Interpretive Manual* (3rd ed.). New York: Allyn & Bacon.
- Greene, R. L., Rouse, S. V., Butcher, J. N., Nichols, D. S., & Williams, C. L. (2009). The MMPI-2 Restructured Clinical (RC) Scales and redundancy: Reply to Tellegen, Ben-Porath, and Sellbom. *Journal of Personality Assessment*, 91, 222-226. doi: 10.1080/00223890902800825
- Hoelzle, J. B., & Meyer, G. J. (2008). The factor structure of the MMPI-2 Restructured Clinical (RC) Scales. *Journal of Personality Assessment*, 90, 443-455. doi: 10.1080/00223890802248711
- Lee, T. C., Forbey, J. D., & Ritchey, K. A. (2011). The impact of emotional priming on MMPI-2 scale scores. *Assessment*, 18, 102-105. doi: 10.1177/1073191110392496
- Nichols, D. S. (2006a). The trials of separating bath water from baby: A review and critique of the MMPI-2 Restructured Clinical Scales. *Journal of Personality Assessment*, 87, 121-138. doi: 10.1207/s15327752jpa8702_02
- Nichols, D. S. (2006b). Commentary on Rogers, Sewell, Harrison, & Jordan (2006). *Journal of Personality Assessment*, 87, 172-174. doi: 10.1207/s15327752jpa8702_05
- Rogers, R., & Sewell, K. W. (2006). MMPI-2 at the crossroads: Aging technology or retrofitting. *Journal of Personality Assessment*, 87, 175-178. doi: 10.1207/s15327752jpa8702_06
- Rogers, R., Sewell, K. W., Harrison, K. S., & Jordan, M. J. (2006). The MMPI-2 Restructured Clinical Scales: A paradigmatic shift in scale development. *Journal of Personality Assessment*, 87, 139-147. doi: 10.1207/s15327752jpa8702_03
- Rouse, S. V., Greene, R. L., Butcher, J. N., Nichols, D. S., & Williams, C. L. (2008). What do the MMPI-2 Restructured Clinical Scales reliably measure? Answers from multiple research settings. *Journal of Personality Assessment*, 90, 435-442. doi: 10.1080/00223890802248695

- Sellbom, M., Ben-Porath, Y. S., & Bagby, R. M. (2008). On the hierarchical structure of mood and anxiety disorders: Confirmatory evidence and elaboration of a model of temperament markers. *Journal of Abnormal Psychology, 117*, 576-590. doi: 10.1037/a0012536
- Sellbom, M., Ben-Porath, Y. S., Graham, J. R., Arbisi, P.A., & Bagby, R. M. (2005). Susceptibility of the MMPI-2 Clinical, Restructured Clinical (RC), and Content Scales to overreporting and underreporting. *Assessment, 12*, 79-85. doi: 10.1177/1073191104273515
- Simms, L. J. (2006). Bridging the divide: Comments on the Restructured Clinical Scales of the MMPI-2. *Journal of Personality Assessment, 87*, 211-216. doi: 10.1207/s15327752jpa8702_11
- Tellegen, A., Ben-Porath, Y. S., McNulty, J. L., Arbisi, P.A., Graham, J. R., & Kaemmer, B. (2003). *MMPI-2 Restructured Clinical (RC) Scales: Development, validation, and interpretation*. Minneapolis: University of Minnesota Press.
- Tellegen, A., Ben-Porath, Y. S., & Sellbom, M. (2009). Construct validity of the MMPI-2- Restructured Clinical (RC) Scales: Reply to Rouse, Greene, Butcher, Nichols, & Williams. *Journal of Personality Assessment, 91*, 211-221. doi: 10.1080/00223890902794192
- Tellegen, A., Ben-Porath, Y. S., Sellbom, M., Arbisi, P.A., McNulty, J. L., & Graham, J. R. (2006). Further evidence on the validity of the MMPI-2 Restructured Clinical (RC) Scales: Addressing questions raised by Rogers, et al. and Nichols. *Journal of Personality Assessment, 87*, 148-171. doi: 10.1207/s15327752jpa8702_04
- van der Heijden, P.T., Egger, J. I. M., & Derkson, J. J. L (2008). Psychometric evaluation of the MMPI-2 Restructured Clinical Scales in two Dutch samples. *Journal of Personality Assessment, 90*, 456-464. doi: 10.1080/00223890802248745
- van der Heijden, P.T., Egger, J. I. M., & Derkson, J. J. L (2010). Comparability of scores on the MMPI-2-RF scales generated with the MMPI-2 and MMPI-2-RF booklets. *Journal of Personality Assessment, 92*, 254-259. doi: 10.1080/00223891003670208
- Viken, R. J., & Rose, R. J. (2007). Genetic variation and covariation in the original and Restructured Clinical Scales of the MMPI. *Journal of Abnormal Psychology, 116*, 842-847. doi: 10.1037/0021-843X.116.4.842
- Weed, N. C. (2006). Syndromal complexity, paradigm shifts, and the future of validation research: A comment on Nichols and Rogers, Sewell, Harrison, & Jordan. *Journal of Personality Assessment, 87*, 217-222. doi: 10.1207/s15327752jpa8702_12
- Weiss, P.A., Bell, K. J., & Weiss, W. U. (2010). Use of the MMPI-2 RC Scales to detect criminal malingering. *Journal of Police and Criminal Psychology, 25*, 49-55. doi: 10.1007/s11896-009-9056-9

Validity Scales:

- Dionysus, K. E., Denney, R. L., & Halfaker, D.A. (2011). Detecting negative response bias with the Fake Bad Scale, Response Bias Scale, Henry-Heilbronner Index of the Minnesota Multiphasic Personality Inventory-2. *Archives of Clinical Neuropsychology, 26*, 81-88. doi: 10.1093/arclin/acq

- Gervais, R. O., Ben-Porath, Y. S., Wygant, D. B., & Green, P. (2007). Development and validation of a Response Bias Scale (RBS) for the MMPI-2. *Assessment, 14*, 196-208. doi: 10.1177/1073191106295861
- Gervais, R. O., Ben-Porath, Y. S., Wygant, D. B., & Green, P. (2008). Differential sensitivity of the Response Bias Scale and MMPI-2 Validity Scales to memory complaints. *The Clinical Neuropsychologist, 22*, 1061-1079. doi: 10.1080/13854040701756930
- Gervais, R. O., Ben-Porath, Y. S., & Wygant, D. B. (2009). Empirical correlates and interpretation of the MMPI-2-RF Cognitive Complaints (COG) scale. *The Clinical Neuropsychologist, 23*, 996-1015. doi: 10.1080/13854040902748249
- Gervais, R. O., Ben-Porath, Y. S., Wygant, D. B., & Sellbom, M. (2010). Incremental validity of the MMPI-2-RF over-reporting scales and RBS in assessing the veracity of memory complaints. *Archives of Clinical Neuropsychology, 25*, 274-284. doi: 10.1093/arclin/acq018
- Gervais, R. O., Wygant, D. B., Sellbom, M., & Ben-Porath, Y. S. (in press). Associations between Symptom Validity Test failure and scores on the MMPI-2-RF validity and substantive scales. *Journal of Personality Assessment*.
- Handel, R. W., Ben-Porath, Y. S., Tellegen, A., & Archer, R. P. (2010). Psychometric functioning of the MMPI-2-RFVRIN-r and TRIN-r Scales with varying degrees of randomness, acquiescence, and counter-acquiescence. *Psychological Assessment, 22*, 87-95. doi: 10.1037/a0017061
- Harp, J. P., Jasinski, L. J., Shandrea-Ochsner, A. L., Mason, L. H., & Berry, D. T. R. (2011). Detection of malingered ADHD using the MMPI-2-RF. *Psychological Injury and Law, 4*, 32-43. doi: 10.1007/s12207-011-9100-9
- Lange, R. T., Sullivan, K. A., & Scott, C. (2010). Comparison of MMPI-2 and PAI validity indicators to detect feigned depression and PTSD symptom reporting. *Psychiatry Research, 176*, 229-235.
- Marion, B. E., Sellbom, M., & Bagby, R. M. (2011). The detection of feigned psychiatric disorders using the MMPI-2-RF overreporting validity scales: An analog investigation. *Psychological Injury and Law, 4*, 1-12. doi: 10.1007/s12207-011-9097-0
- Nelson, N. W., Sweet, J. J., & Heilbronner, R. L. (2007). Examination of the new MMPI-2 response bias scale (Gervais): relationship with MMPI-2 validity scales. *Journal of Clinical and Experimental neuropsychology, 29*, 67-72. doi: 10.1080/13803390500488546
- Rogers, R., Gillard, N. D., Berry, D. T. R., & Granacher, R. P. (2011). Effectiveness of the MMPI-2-RF Validity Scales for feigned mental disorders and cognitive impairment: A known-groups study. *Journal of Psychopathology and Behavioral Assessment*. doi: 10.1007/s10862-011-9222-0
- Sellbom, M., & Bagby, R. M. (2008). Validity of the MMPI-2-RF (Restructured Form) L-r and K-r scales in detecting underreporting in clinical and nonclinical samples. *Psychological Assessment, 20*, 370-376. doi: 10.1037/a0012952

- Sellbom, M., & Bagby, R. M. (2010). The detection of over-reported psychopathology with the MMPI-2-RF (Restructured Form) Validity Scales. *Psychological Assessment, 22*, 757-767. doi: 10.1037/a0020825
- Sellbom, M., Toomey, J. A., Wygant, D. B., Kucharski, L. T., & Duncan, S. (2010). Utility of the MMPI-2-RF (Restructured Form) Validity Scales in detecting malingering in a criminal forensic setting: A known-groups design. *Psychological Assessment, 22*, 22-31. doi: 10.1037/a0018222
- Smart, C. M., Nelson, N. W., Sweet, J. J., Bryant, F. B., Berry, D. T., Granacher, R. P., & Heilbronner, R. L. (2008). Use of MMPI-2 to predict cognitive effort: A hierarchically optimal classification tree analysis. *Journal of the International Neuropsychological Society, 14*, 842-852. doi:10.1017/S1355617708081034
- Tolin, D. F., Steenkamp, M. M., Marx, B. P., & Litz, B. T. (2010). Detecting symptom exaggeration in combat veterans using the MMPI-2 symptom validity scales: A mixed group validation. *Psychological Assessment, 22*, 729-736. doi:10.1037/a0020973
- Van Dyke, S. A., Axelrod, B. N., & Schutte, C. (2010). The utility of the Post-concussive Syndrome Questionnaire. *Archives of Clinical Neuropsychology, 25*, 634-639. doi: 10.1093/arclin/acq063
- Wygant, D. B., Anderson, J. L., Sellbom, M., Rapier, J. L., Algeier, L. M., & Granacher, R. P. (2011). Association of MMPI-2 Restructured Form (MMPI-2-RF) validity scales with structured malingering criteria. *Psychological Injury and Law, 4*, 13-23. doi: 10.1007/s12207-011-9098-z
- Wygant, D. B., Ben-Porath, Y. S., Arbisi, P. A., Berry, D. T. R., Freeman, D. B., & Heilbronner, R. L. (2009). Examination of the MMPI-2 Restructured Form (MMPI-2-RF) Validity Scales in civil forensic settings: Findings from simulation and known group samples. *Archives of Clinical Neuropsychology, 27*, 671-680. doi: 10.1093/arclin/acp073
- Wygant, D. B., Sellbom, M., Gervais, R. O., Ben-Porath, Y. S., Stafford, K. P., Freeman, D. B., et al. (2010). Further Validation of the MMPI-2 and MMPI-2-RF Response Bias Scale: Findings from Disability and Criminal Forensic Settings. *Psychological Assessment, 22*, 745-756. doi: 10.1037/a0020042
- Young, J. C., & Gross, A. M. (2011). Detection of response bias and noncredible performance in adult Attention-Deficit/Hyperactivity Disorder. *Archives of Clinical Neuropsychology*. doi:10.1093/arclin/acr013
- Young, J. C., Kearns, L. A., & Roper, B. L. (2011). Validation of the MMPI-2 Response Bias Scale and Henry-Heilbronner Index in a U.S. veteran population. *Archives of Clinical Neuropsychology*. doi:10.1093/arclin/acr015
- Youngjohn, J. R., Weshba, R., Stevenson, M., Sturgeon, J., & Thomas, M. L. (2011). Independent validation of the MMPI-2-RF Somatic/Cognitive and Validity Scales in TBI litigants tested for effort. *The Clinical Neuropsychologist, 25*, 463-476. doi: 10.1080/13854046.2011.554444

Correctional Settings:

- Clegg, C., Fremouw, W., Horacek, T., Cole, A., & Schwartz, R. (2010). Factors associated with treatment acceptance and compliance among incarcerated male sex offenders. *International Journal of Offender Therapy and Comparative Criminology*. doi: 10.1177/0306624X10376160.
- Forbey, J. D., Ben-Porath, Y. S., & Gartland, D. (2009). Validation of the MMPI-2 Computerized Adaptive Version (MMPI-2-CA) in a correctional intake facility. *Psychological Services*, 6, 279-292. doi: 10.1037/a0016195
- Megargee, E. I. (2006). *Using the MMPI-2 in criminal justice and correctional settings*. Minneapolis: University of Minnesota Press.

Forensic Settings:

- Archer, E. M., Hagan, L. D., Mason, J., Handel, R. W., & Archer, R. P. (2011). MMPI-2-RF characteristics of custody evaluation litigants. *Assessment*. doi: 10.1177/1073191110397469
- Downing, S. K., Denney, R. L., Spray, B. J., Houston, C. M., & Halfaker, D. H. (2008). Examining the relationship between the Restructured Scales and the Fake Bad Scale of the MMPI-2. *The Clinical Neuropsychologist*, 22, 680-688. doi: 10.1080/13854040701562825
- Gervais, R. O., Ben-Porath, Y. S., & Wygant, D. B. (2009). Empirical correlates and interpretation of the MMPI-2-RF Cognitive Complaints Scale. *The Clinical Neuropsychologist*, 23, 996-1015. doi: 10.1080/13854040902748249
- Gervais, R. O., Ben-Porath, Y. S., Wygant, D. B., & Green, P. (2008). Differential sensitivity of the RBS and MMPI-2 validity scales to memory complaints. *The Clinical Neuropsychologist*, 22, 1061-1079. doi: 10.1080/13854040701756930
- Henry, G. K., Heilbronner, R. L., Mittenberg, W., Enders, C., & Dombaski, K. (2009). Comparison of the MMPI-2 Restructured Demoralization Scale, Depression Scale, and Malingered Mood Disorder Scale in identifying non-credible symptom reporting in personal injury litigants and disability claimants. *The Clinical Neuropsychologist*, 23, 153-166. doi: 10.1080/13854040801969524
- Henry, G. K., Heilbronner, R. L., Mittenberg, W., Enders, C., & Stanczal, S. R. (2008). Comparison of the Lees-Haley Fake Bad Scale, Henry-Heilbronner Index, and Restructured Clinical Scale I in identifying noncredible symptom reporting. *The Clinical Neuropsychologist*, 22, 919-929. doi: 10.1080/13854040701625853
- Sellbom, M. (in press). The MMPI-2-RF is ready for the Daubert challenge: Evidence, implications, and recommendations for use in court testimony. *Journal of Psychological Practice*.
- Sellbom, M. (in press). Elaborating on the construct validity of the Levenson Self-Report Psychopathy Scale in incarcerated and non-incarcerated samples. *Law and Human Behavior*.

- Sellbom, M., & Bagby, R. M. (2009). Identifying PTSD personality subtypes in workplace trauma sSample. *Journal of Traumatic Stress, 22*, 471-475. doi: 10.1002/jts.20452
- Sellbom, M., & Ben-Porath, Y. S. (2006). Forensic applications of the MMPI. In R. P. Archer (Ed.), *Forensic uses of clinical assessment instruments*. (pp. 19-55) NJ: Lawrence Erlbaum Associates.
- Sellbom, M., Ben-Porath, Y. S., Baum, L. J., Erez, E., & Gregory, C. (2008). Predictive validity of the MMPI-2 Restructured Clinical (RC) Scales in a batterers' intervention program. *Journal of Personality Assessment, 90*, 129-135. doi: 10.1080/00223890701845153
- Sellbom, M., Ben-Porath, Y. S., Patrick, C. J., Wygant, D. B., Gartland, D. M., & Stafford, K. P. (2011). Development and construct validation of MMPI-2-RF measures assessing global psychopathy, Fearless-Dominance, and Impulsive-Antisociality. *Personality Disorders: Theory, Research, and Treatment*. doi: 10.1037/a0023888
- Sellbom, M., Ben-Porath, Y. S., & Stafford, K. P. (2007). A comparison of measures of psychopathic deviance in a forensic setting. *Psychological Assessment, 19*, 430-436. doi: 10.1037/1040-3590.19.4.430
- Stredny, R. V., Archer, R. P., & Mason, J. A. (2006). MMPI-2 and MCMI-III characteristics of parental competency examinees. *Journal of Personality Assessment, 87*, 113-115. doi: 10.1207/s15327752jpa8701_10
- Thomas, M. L. & Youngjohn, J. R. (2009). Let's not get hysterical: Comparing the MMPI-2 Validity, Clinical, and RC Scales in TBI litigants tested for effort. *The Clinical Neuropsychologist, 23*, 1067-1084. doi: 10.1080/13854040902795000
- Vines, L. M., Wygant, D. B., & Gervais, R. O. (in press). Empirically guided case conceptualization of posttraumatic stress disorder with the Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF) in a forensic disability evaluation. *Journal of Psychological Practice*.
- Wise, E. A. (2009). Selected MMPI-2 scores of forensic offenders in a community setting. *Journal of Forensic Psychology Practice, 9*, 299-309. doi: 10.1080/15228930902936048
- Wygant, D. B., & Sellbom, M. (In Press). Viewing psychopathy from the perspective of the Personality Psychopathology Five model: Implications for DSM-5. *Journal of Personality Disorders*.
- Wygant, D. B., Sellbom, M., Ben-Porath, Y. S., Stafford, K. P., Freeman, D. B., & Heilbronner, R. I. (2007). The relation between symptom validity testing and MMPI-2 scores as a function of forensic evaluation context. *Archives of Clinical Neuropsychology, 22*, 488-499. doi: 10.1016/j.acn.2007.01.027

Medical Settings:

- Butcher, J. N., Hamilton, C. K., Rouse, S.V., & Cumella, E. J. (2006). The deconstruction of the Hy Scale of MMPI-2: Failure of RC3 in measuring somatic symptom expression. *Journal of Personality Assessment*, *87*, 186-192. doi: 10.1207/s15327752jpa8702_08
- D'Orzio, L. M., Meyerowitz, B. E., Korst, L. M., Romero, R., & Goodwin, T. M. (2011). Evidence against a link between Hyperemesis Gravidarum and personality characteristics from an ethnically diverse sample of pregnant women: A pilot study. *Journal of Women's Health*, *20*, 137-143.
- Locke, D. E. C., Kirlin, K. A., Thomas, M. L., Osborne, D., Hurst, D. F., Drazkowski, J. F., et al. (2010). The Minnesota Multiphasic Personality Inventory-Restructured Form in the epilepsy monitoring unit. *Epilepsy and Behavior*, *17*, 252-258. doi: 10.1016/j.yebeh.2009.12.004
- Locke, D. E. C., & Thomas, M. L. (2011). Initial development of Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) scales to identify patients with psychogenic non-epileptic seizures. *Journal of Clinical and Experimental Neuropsychology*, *33*, 335-343.
- McCord, D. M. & Drerup, L. C. (2011). Relative practical utility of the Minnesota Multiphasic Personality Inventory-2 Restructured Clinical Scales versus the Clinical Scales in a chronic pain patient sample. *Journal of Clinical and Experimental Neuropsychology*, *33*, 140-146. doi: 10.1080/13803395.2010.495056
- Thomas, M. L., & Locke, D. E. C. (2010). Psychometric properties of the MMPI-2-RF Somatic Complaints (RC1) Scale. *Psychological Assessment*, *22*, 492-503. doi: 10.1037/a0019229
- Wygant, D. B., Boutacoff, L. A., Arbisi, P. A., Ben-Porath, Y. S., Kelly, P. H., & Rupp, W. M. (2007). Examination of the MMPI-2 Restructured Clinical (RC) Scales in a sample of bariatric surgery candidates. *Journal of Clinical Psychology in Medical Settings*, *14*, 197-205. doi: 10.1007/s10880-007-9073-8

Mental Health Settings:

- Arbisi, P. A., Erbes, C. R., Polusny, M. A., & Nelson, N. W. (2010). The concurrent and incremental validity of the Trauma Symptom Inventory in women reporting histories of sexual maltreatment. *Assessment*, *17*, 406-418. doi: 10.1177/1073191110376163
- Arbisi, P. A., Polusny, M. A., Erbes, C. R., Thusras, P., & Reddy, M. K. (2011). The Minnesota Multiphasic Personality Inventory 2 Restructured Form in National Guard soldiers screening positive for posttraumatic stress disorder and mild traumatic brain injury. *Psychological Assessment*, *23*, 203-214. doi: 10.1037/a0021339
- Arbisi, P. A., Sellbom, M., & Ben-Porath, Y. S. (2008). Empirical correlates of the MMPI-2 Restructured Clinical (RC) Scales in psychiatric inpatients. *Journal of Personality Assessment*, *90*, 122-128. doi: 10.1080/00223890701845146
- Binford, A. & Liljequist, L. (2008). Behavioral correlates of selected MMPI-2 Clinical, Content, and Restructured Clinical scales. *Journal of Personality Assessment*, *60*, 608-614. doi: 10.1080/00223890802388657

- Bolinsky, P. K., Trumbetta, S. L., Hanson, D. R., & Gottesman, I. I. (2010). Predicting adult psychopathology from adolescent MMPIs: Some victories. *Personality and Individual Differences, 49*, 324-330. doi: 10.1016/j.paid.2010.01.026
- Castro, Y., Gordon, K. H., Brown, J. S., Cox, J. C., & Joiner, T. E. (2008). Examination of racial differences on the MMPI-2 Clinical and Restructured Clinical Scales in an outpatient sample. *Assessment, 15*, 277-286. doi: 10.1177/1073191107312735
- Forbes, D., Elhai, J. D., Miller, M. W., & Creamer, M. (2010). Internalizing and externalizing classes in posttraumatic stress disorder: A latent class analysis. *Journal of Traumatic Stress, 23*, 340-349.
- Handel, R. W., & Archer, R. P. (2008). An investigation of the psychometric properties of the MMPI-2 Restructured Clinical (RC) Scales with mental health inpatients. *Journal of Personality Assessment, 90*, 239-249. doi: 10.1080/00223890701884954
- Kamphuis, J. H., Arbisi, P. A., Ben-Porath, Y. S., & McNulty, J. L. (2008). Detecting comorbid Axis-II status among inpatients using the MMPI-2 Restructured Clinical Scales. *European Journal of Psychological Assessment, 24*, 157-164. doi: 10.1027/1015-5759.24.3.157
- McDevitt-Murphy, M. E., Weathers, F. W., Flood, A. M., Eakin, D. E., & Benson, T. A. (2007). The utility of the PAI and the MMPI-2 for discriminating PTSD, depression, and social phobia in trauma-exposed college students. *Assessment, 14*, 181-195. doi: 10.1177/1073191106295914
- Miller, M. W., Wolf, E. J., Harrington, K. M., Brown, T. A., Kaloupek, D. G., & Keane, T. M. (2010). An evaluation of competing models for the structure of PTSD symptoms using external measures of comorbidity. *Journal of Traumatic Stress, 23*, 631-638. doi: 10.1002/jts.20559
- Ozonoff, S., Garcia, N., Clark, E., & Lainhart, J. E. (2005). MMPI-2 personality profiles of high-functioning adults with Autism Spectrum Disorders. *Assessment, 12*, 86-95. doi: 10.1177/1073191104273132
- Quilty, L. C., Sellbom, M., Tackett, J. L., & Bagby, R. M. (2009). Personality trait predictors of bipolar disorder: A replication and extension in a psychiatric sample. *Psychiatry Research, 169*, 159-163. doi: 10.1016/j.psychres.2008.07.004
- Reid, R. C. & Carpenter, B. N. (2009). Demoralization, Hypomanic Activation, and Disconstraint scores on MMPI-2 as significant predictors of hypersexual behavior. *Sexual Addiction and Compulsivity, 16*, 173-189. doi: 10.1080/10720160903202448
- Reid, R. C. & Carpenter, B. N. (2009). Exploring relationships of psychopathology in hypersexual patients using the MMPI-2. *Journal of Sex & Marital Therapy, 35*(4), 294-310. doi: 10.1080/00926230902851298
- Reid, R. C., Carpenter, B. N., Draper, E. D. (2011). Disputing the notion of psychopathology among women married to hypersexual men using the MMPI-2-RF. *Journal of Sex & Marital Therapy, 37*, 45-55. doi: 10.1080/0092623X.2011.533585

- Sellbom, M., Ben-Porath, Y. S., & Bagby, R. M. (2008). Personality and psychopathology: Mapping the MMPI-2 Restructured Clinical (RC) Scales onto the Five Factor Model of Personality. *Journal of Personality Disorders, 22*, 291-312. doi: 10.1521/pedi.2008.22.3.291
- Sellbom, M., Ben-Porath, Y. S., & Graham, J. R. (2006). Correlates of the MMPI-2 Restructured Clinical (RC) Scales in a college counseling setting. *Journal of Personality Assessment, 86*, 89-99. doi: 10.1207/s15327752jpa8601_10
- Sellbom, M., Ben-Porath, Y. S., McNulty, J. L., Arbisi, P.A., & Graham, J. R. (2006). Elevation differences between MMPI-2 Clinical and Restructured Clinical (RC) Scales: Frequency, origins, and interpretative implications. *Assessment, 13*, 430-441. doi: 10.1177/1073191106293349
- Sellbom, M., Graham, J. R., & Schenk, P. (2006). Incremental validity of the MMPI-2 Restructured Clinical (RC) Scales in a private practice sample. *Journal of Personality Assessment, 86*, 196-205. doi: 10.1207/s15327752jpa8602_09
- Simms, L. J., Casillas, A., Clark, L. A., Watson, D., & Doebbeling, B. I. (2005). Psychometric evaluation of the Restructured Clinical Scales of the MMPI-2. *Psychological Assessment, 17*, 345-358. doi: 10.1037/1040-3590.17.3.345
- Vachon, D. D., Sellbom, M., Ryder, A. G., Miller, J. D., & Bagby, R. M. (2009). A Five-Factor Model description of depressive personality disorder. *Journal of Personality Disorders, 23*, 447-465. doi: 10.1521/pedi.2009.23.5.447
- Wallace, A., & Liljequist, L. (2005). A comparison of the correlational structures and elevation patterns of the MMPI-2 Restructured Clinical (RC) and Clinical Scales. *Assessment, 12*, 290-294. doi: 10.1177/1073191105276250
- Watson, C., Quilty, L. C., Bagby, R. M. (2010). Differentiating bipolar disorder from major depressive disorder using the MMPI-2-RF: A receiver operating characteristics (ROC) analysis. *Psychopathology and Behavioral Assessment*. doi: 10.1007/s10862-010-9212-7
- Wolf, E. J., Miller, M. W., Orazem, R. J., Weierich, M. R., Castillo, D. T., Milford, J., Kaloupek, D. G., & Keane, T. M. (2008). The MMPI-2 Restructured Clinical Scales in the assessment of posttraumatic stress disorder and comorbid disorders. *Psychological Assessment, 20*, 327-340. doi: 10.1037/a0012948
- Wygant, D. B., & Fleming, K. P. (2008). Clinical utility of the MMPI-2 Restructured Clinical (RC) Scales in therapeutic assessment: A case study. *Journal of Personality Assessment, 90*, 110-118. doi: 10.1080/00223890701845112

Substance Abuse Treatment Settings:

- Forbey, J. D., & Ben-Porath, Y. S. (2007). A comparison of the MMPI-2 Restructured Clinical (RC) and Clinical Scales in a substance abuse treatment sample. *Psychological Services, 4*, 46-58. doi: 10.1037/1541-1559.4.1.46

Lee, T.T. C., Graham, J. R., Smith, A. M., & Ben-Porath, Y. S. (in press). Differentiating subtypes of problematic gamblers with the MMPI-2 PSY-5 Scales in a clinical addictions sample. *Journal of Gambling Studies*.

Monnot, M. J., Quirk, S.W., Hoerger, M., & Brewer, L. (2009). Racial bias in personality assessment: Using the MMPI-2 to predict psychiatric diagnoses of African American and Caucasian chemical dependency patients. *Psychological Assessment*, 21, 137-151. doi: 10.1037/a0015316

Non-Clinical Settings:

Avdeyeva, T.V., Tellegen, A., & Ben-Porath, Y. S. (2011). Empirical correlates of low scores on MMPI-2/MMPI-2-RF Restructured Clinical Scales in a sample of university students. *Assessment*. doi: 10.1177/1073191111411675

Forbey, J. D., & Ben-Porath, Y. S. (2008). Empirical correlates of the MMPI-2 Restructured Clinical (RC) Scales in a non-clinical setting. *Journal of Personality Assessment*, 90, 136-141. doi: 10.1080/00223890701845161

Forbey, J. D., Lee, T.T. C., & Handel, R. W. (2010). Correlates of the MMPI-2-RF in a college setting. *Psychological Assessment*, 22, 737-744. doi: 10.1037/a0020645

Ingram, P. B., Kelso, K. M., & McCord, D. M. (2011). Empirical correlates and expanded interpretation of the MMPI-2-RF Restructured Clinical Scale 3 (Cynicism). *Assessment*, 18, 95-101. doi: 10.1177/1073191110388147

Lee, T.T. C., & Forbey, J. D. (2010). MMPI-2 correlates of sexual preoccupation as measured by the Sexuality Scale in a college setting. *Sexual Addiction and Compulsivity*, 17, 219-235. doi: 10.1080/10720162.2010.500500

Osberg, T. M., Haseley, E. N., & Kamas, M. M. (2008). The MMPI-2 Clinical Scales and Restructured Clinical (RC) Scales: Comparative psychometric properties and relative diagnostic efficiency in young adults. *Journal of Personality Assessment*. 90, 81-92.

Sellbom, M., & Ben-Porath, Y. S. (2005). Mapping the MMPI-2 Restructured Clinical (RC) Scales onto normal personality traits: Evidence of construct validity. *Journal of Personality Assessment*, 85, 179-187. doi: 10.1207/s15327752jpa8502_10

Sellbom, M., Ben-Porath, Y. S., Lilienfeld, S. O., Patrick, C. J., & Graham, J. R. (2005). Assessing psychopathic personality traits with the MMPI-2. *Journal of Personality Assessment*, 85, 334-343. doi: 10.1207/s15327752jpa8503_10

Sellbom, M., Fischler, G. L., & Ben-Porath, Y. S. (2007). Identifying MMPI-2 predictors of police officer integrity and misconduct. *Criminal Justice and Behavior*, 34, 985-1004. doi: 10.1177/0093854807301224