



MBMD™
MILLON™ BEHAVIORAL
MEDICINE DIAGNOSTIC

Millon Behavioral Medicine Diagnostic (MBMD™) and Millon Behavioral Health Inventory (MBHI™) Bibliography

Revised December 2007

- Abell, T. L., Cutts, T. F., Karas, J. G., & Kuns, J. (1996). Symptom improvement from prokinetic therapy corresponds to improved quality of life in patients with severe dyspepsia. *Digestive Diseases and Sciences*, 41, 1369-1378.
- Alberts, M. S., Lyons, J. S., & Anderson, R. H. (1988). Relations of coping style and illness variables in ulcerative colitis. *Psychological Reports*, 62, 71-79.
- Allen, G. E., Norton, G. R., & Walker, J. R. (1985). Predicting treatment preferences for agoraphobia. *Behaviour Research & Therapy*, 23, 699-701.
- Amori, G., & Lenox, R. H. (1989). Do volunteer subjects bias clinical trials? *Journal of Clinical Psychopharmacology*, 9, 321-327.
- Andersen, H. S., Birket-Smith, M., Friis, M. L., & Middelboe, T. (1992). Personality traits in patients with postconcussional sequelae. *Journal of Personality Disorders*, 6, 246-255.
- Anderson, K. O., Bradley, L. A., Obrecht, W. F., Richter, J. E., & Young, L. D. (1986). Psychological comparison of patients with nutcracker esophagus and irritable bowel syndrome. *Digestive Diseases and Sciences*, 31, 131-138.
- Antoni, M. H., Blaney, P. H., & Goodkin, K. (1986). Stress and hopelessness in the promotion of cervical intraepithelial neoplasia to invasive squamous cell carcinoma of the cervix. *Journal of Psychosomatic Research*, 30, 67-76.
- Antoni, M. H., & Goldstein, D. A. (1989). The distribution of repressive coping styles among non-metastatic and metastatic breast cancer patients as compared to non-cancer patients. *Psychology & Health*, 3, 245-258.
- Antoni, M. H., & Goodkin, K. (1989). Host moderator variables in the promotion of cervical neoplasia: II. Dimensions of life stress. *Journal of Psychosomatic Research*, 33, 457-467.
- Antoni, M. H., Green, C. J., & Kolitz, S. L. (1988). Personality style and immediate help-seeking responses following the onset of myocardial infarction. *Psychology & Health*, 2, 259-289.
- Barnes, D., Gatchel, R. J., Mayer, T. G., & Smith, D. (1989). Psychosocioeconomic predictors of treatment success/failure in chronic low-back pain patients. *Spine*, 14, 427-430.
- Bradley, L. A., McDonald-Haile, J., Richter, J. E., & Scarinci, I. C. (1994). Altered pain perception and psychosocial features among women with gastrointestinal disorders and history of abuse: A preliminary model. *The American Journal of Medicine*, 97, 108-118.

Millon Behavioral Medicine Diagnostic (MBMD™) and Millon Behavioral Health Inventory (MBHI™) Bibliography

- Brandwin, M., Clifford, M., Schwartz, S. M., & Trask, P. C. (2000). Personality predictors of mortality in cardiac transplant candidates and recipients. *Journal of Psychosomatic Research*, 49, 141-147.
- Brandwin, M., & Coffman, K. L. (1999). The Millon Behavioral Health Inventory Life Threat Reactivity scale as a predictor of mortality in patients awaiting heart transplantation. *Psychosomatics*, 40, 44-49.
- Breuer, S. R., Hazlewood, L. A., Pawl, R. P., Sweet, J. J., & Toye, R. (1985). The Millon Behavioral Health Inventory: Concurrent and predictive validity in a pain treatment center. *Journal of Behavioral Medicine*, 8, 215-226.
- Butterfield, P. S., & Leclair, S. (1988). Cognitive characteristics of bulimic and drug-abusing women. *Addictive Behaviors*, 13, 131-138.
- Camic, P. M. (1983). Differentiating organic and psychogenic erectile dysfunction with the Millon Behavioral Health Inventory. *Sexuality & Disability*, 6, 145-149.
- Carter, C. A., Carter, R. E., & Prosen, H. A. (1992). Emotional and personality types of breast cancer patients and spouses. *American Journal of Family Therapy*, 20, 300-309.
- Chacko, R. C., Gotto, J., Harper, R. G., Kotik-Harper, D., & Young, J. (1998a). Detection of a psychiatric diagnosis in heart transplant candidates with the MBHI. *Journal of Clinical Psychology in Medical Settings*, 5, 187-198.
- Chacko, R. C., Gotto, J., Harper, R. G., Kotik-Harper, D., & Young, J. (1998b). Self-report evaluation of health behavior, stress vulnerability, and medical outcome of heart transplant recipients. *Psychosomatic Medicine*, 60, 563-569.
- Clark, M. M., Krauss, D. J., Lantinga, L. J., & Schell, R. E. (1988). Differentiating the etiology of male erectile dysfunction using the Millon Behavioral Health Inventory and self-report measures. *Journal of Sex & Marital Therapy*, 14, 263-268.
- Compton, A. B., & Purviance, M. (1992). Emotional distress in chronic medical illness: Treatment with time-limited group psychotherapy. *Military Medicine*, 157, 533-535.
- Cruess, D. G., Minor, S., Antoni, M. H., & Millon, T. (2007). Utility of the Millon Behavioral Medicine Diagnostic (MBMD) to predict adherence to highly active antiretroviral therapy (HAART) medication regimens among HIV positive men and women. *Journal of Personality Assessment*, 89, 277-290.
- Deckel, A. W., Gatchel, R. J., Smith, J. E., & Weinberg, N. (1985). The utility of the Millon Behavioral Health Inventory in the study of chronic headaches. *Headache*, 25, 49-54.
- Diaz, R. C. (2004). A comparative analysis of individuals in an inpatient program for chronic headache pain, as measured by the MBMD and the MMPI-2. *Dissertation Abstracts International*, 65, 3136.
- Dickson, L. R., Hays, L. R., Kaplan, C., Scherl, E., Abbott, S., & Schmitt, F. (1992). Psychological profile of somatizing patients attending the integrative clinic. *International Journal of Psychiatry in Medicine*, 22, 141-153.

Millon Behavioral Medicine Diagnostic (MBMD™) and Millon Behavioral Health Inventory (MBHI™) Bibliography

- Downey, J. E., Faust, M., Horn, M. J., & Rowe, J. L. (2000). Psychological and demographic predictors of successful weight loss following silastic ring vertical stapled gastroplasty. *Psychological Reports*, 86, 1028-1036.
- Dubois, P., Gruber, B. L., Hall, N. R., & Hersh, S. P. (1988). Immune system and psychological changes in metastatic cancer patients using relaxation and guided imagery: A pilot study. *Scandinavian Journal of Behaviour Therapy*, 17, 25-46.
- Dufton, B. D. (1990). Depression and the mediation of chronic pain. *Journal of Clinical Psychiatry*, 51, 248-250.
- Elliott, J. L., Elliott, T. R., Jackson, W. T., Palmatier, A. D., & Taylor, R. E. (1998). Negotiating the reality of visual impairment: Hope, coping, and functional ability. *Journal of Clinical Psychology in Medical Settings*, 5, 173-185.
- Ersek, M., Herron, L., Turner, J. A., & Weiner, P. (1992). Does the Millon Behavioral Health Inventory (MBHI) predict lumbar laminectomy outcome? A comparison with the Minnesota Multiphasic Personality Inventory (MMPI). *Journal of Spinal Disorders*, 5, 188-192.
- Eshbaugh, D. M., Murphy, M. A., Tosi, D. J., & Wise, P. S. (1987). Note on the factor structure of the Millon Behavioral Health Inventory. *Psychological Reports*, 60, 799-802.
- Fishbain, D., Goldberg, M., Labbe, E. E., Rosomoff, H., & Steele-Rosomoff, R. (1989). Millon Behavioral Health Inventory norms for chronic pain patients. *Journal of Clinical Psychology*, 45, 383-390.
- Fishbain, D., Rosomoff, H. L., Rosomoff, R. S., & Turner, D. (2001). Millon Behavioral Health Inventory scores of patients with chronic pain associated with myofascial pain syndrome. *Pain Medicine*, 2, 328-335.
- Fromm, B. S., Greenberg, D. B., Marron, J. T., & Snyder, V. L. (1984). Use of psychologic testing in characterizing the frequent user of ambulatory health care services. *Journal of Family Practice*, 19, 802-806.
- Gil, T. E., Litman, A., & Nadav, M. (1994). A Hebrew version of the Millon Behavioral Health Inventory: Preliminary results—Brief report. *Rakenatti School of Nursing Students. The Israel Journal of Psychiatry and Related Sciences*, 31, 121-125.
- Green, C., McCleary, J., & Tracy, H. M. (1987). Noncompliance in hemodialysis patients as measured with the MBHI. *Psychology & Health*, 1, 411-423.
- Green, C. J., Meagher, R. B., & Millon, T. (1982). A new psychodiagnostic tool for clients in rehabilitation settings: The MBHI. *Rehabilitation Psychology*, 27, 23-35.
- Grove, K. S., Grove, R. N., & Jay, G. W. (1987). Differentiation of chronic headache from non-headache pain patients using the Millon Clinical Multiaxial Inventory (MCMI). *Headache*, 27, 124-129.
- Hsu, J. J., Kim, C. H., Weaver, A. L., Williams, D. E., & Zinsmeister, A. R. (1996). A prospective psychological evaluation of patients with dysphagia of various etiologies. *Dysphagia*, 11, 34-40.

Millon Behavioral Medicine Diagnostic (MBMD™) and Millon Behavioral Health Inventory (MBHI™) Bibliography

- Jensen, H., Kastberg, S., & Simonsen, E. (1991). Utility of the MBHI (Millon Behavioral Health Inventory) in evaluation of low-back pain syndrome. *Nordisk Psykiatrisk Tidsskrift*, 45, 17-21.
- Judah, S. M., Murphy, M. A., & Tosi, D. J. (1989). The effects of a cognitive experiential therapy utilizing hypnosis, cognitive restructuring, and developmental staging on psychological factors associated with duodenal ulcer disease: A multivariate experimental study. *Journal of Cognitive Psychotherapy*, 3, 273-290.
- Kalnins, L., & Tracia, K. (2006). The use of the Millon Behavioral Medicine Diagnostic for screening gastric bypass surgical candidates and an exploration of post-surgical outcomes: A mixed methods design. *Dissertation Abstracts International*, 66, 6280.
- Keogh, N. J., & Siddall, J. W. (1993). Utility of computer interpretive reports based on counselors' ratings of the Diagnostic Inventory of Personality and Symptoms. *Psychological Reports*, 72, 347-350.
- Kleinman, L. I. (2000). The relationship between psychological factors and diabetes control. *Dissertation Abstracts International*, 61, 2766.
- Leaman, K. (2007). Binge eating disorder, obesity, and psychosocial factors. *Dissertation Abstracts International*, 67, 6740.
- Lee-Riordan, D., & Sweet, J. J. (1994). Relationship between the Millon Behavioral Health Inventory and the Minnesota Multiphasic Personality Inventory (MMPI) in low-back pain patients. *Journal of Clinical Psychology in Medical Settings*, 1, 387-398.
- Meagher, S. E. (2005). The Millon Behavioral Medicine Diagnostic (MBMD) as predictor of HAAT medicine adherence in HIV+ patients. *Dissertation Abstracts International*, 65, 3716.
- Murphy, J. K., Sperr, E. V., & Sperr, S. J. (1986). Chronic pain: An investigation of assessment instruments. *Journal of Psychosomatic Research*, 30, 289-296.
- Murphy, M. A. (1995). Typological description of the chronic low back-pain syndrome using the Millon Behavioral Health Inventory. *Psychological Reports*, 76, 123-124.
- Murphy, M. A., Pariser, R. F., & Tosi, D. J. (1989). Psychological coping and the management of pain with cognitive restructuring and biofeedback: A case study and variation of cognitive experiential therapy. *Psychological Reports*, 64, 1343-1350.
- Myhrer, T., Syversen, J., Watten, R. G., & Vassend, O. (1995). Personality and quality of life. *Social Indicators Research*, 35, 289-302.
- Naber, D. (1988). Personality variables, neurological and psychopathological symptoms in patients suffering from spasmodic torticollis. *Comprehensive Psychiatry*, 29, 182-187.
- Page, S., & Weisberg, M. B. (1988). Millon Behavioral Health Inventory and perceived efficacy of home and hospital dialysis. *Journal of Social & Clinical Psychology*, 6, 408-422.

Millon Behavioral Medicine Diagnostic (MBMD™) and Millon Behavioral Health Inventory (MBHI™) Bibliography

- Redd, W. H., & van Komen, R. W. (1985). Personality factors associated with anticipatory nausea/vomiting in patients receiving cancer chemotherapy. *Health Psychology, 4*, 189-202.
- Robinson, B. E. (1995). Split-half reliability of the work addiction risk test: Development of a measure of workaholism. *Psychological Reports, 76*, 122.
- Rozensky, R. H. (1985). Tolerance of pain by cancer patients in hyperthermia treatment. *Journal of Psychosocial Oncology, 3*, 75-82.
- Rustad, L. C. (1985). A review of the Millon Behavioral Health Inventory. *Journal of Counseling & Development, 64*, 280-282.
- Schelling, H. C. (2004). Psychopathology, quality of psychosocial functioning, and components of self-esteem in early versus late onset severely obese adults seeking gastric bypass Roux-en-Y surgery. *Dissertation Abstracts International, 64*, 4634.
- Segraves, R. T. (1987). Discrimination between psychogenic and biogenic impotence utilizing psychometric instruments. *Sexuality & Disability, 8*, 138-142.
- Watten, R. G. (1996). Coping styles in abstainers from alcohol. *Psychopathology, 29*, 340-346.
- Watten, R. G. (1997). Personality factors and somatic symptoms. *European Journal of Personality, 11*, 57-68.
- Watten, R. G., & Watten, V. P. (1999). Psychological profiles in patients with medically refractory epilepsy. *Seizure, 8*, 304-309.
- Wilcoxson, M. A., Zarski, J. J., & Zook, A. (1988). Predicting behavioral outcomes with two psychological assessment methods in an outpatient pain management program. *Psychology & Health, 2*, 319-333.
- Wise, E. A. (1994a). Personality disorder correspondence between the Millon Behavioral Health Inventory (MBHI) and the Minnesota Multiphasic Personality Inventory (MMPI). *Journal of Clinical Psychology in Medical Settings, 1*, 167-181.
- Wise, E. A. (1994b). Personality style codetype concordance between the MCMI and MBHI. *Journal of Clinical Psychology, 50*, 367-380.
- Wise, E. A. (1995). Personality disorder correspondence among the MMPI, MBHI, and MCMI. *Journal of Clinical Psychology, 51*, 790-798.
- Wittig, A. F. (1994). Psychological characteristics of women volleyball players: Relationships with injuries, rehabilitation, and team success. *Personality & Social Psychology Bulletin, 20*, 322-330.

"Millon," "MACI," "M-PACI," and "MAPI" are trademarks of DICANDRIEN, INC.