

- Acosta, F.X., Nguyen, L.H. & Yamamoto, J. (1994). Using the brief symptom inventory to profile monolingual Spanish-speaking psychiatric outpatients. *Journal of Clinical Psychology*, 50 (5), 723-726.
- Adams, N.H. & Hafner R.J. (1991). Attitudes of psychiatric patients and their relatives to involuntary treatment. *Australian & New Zealand Journal of Psychiatry*, 25 (2), 231-237.
- Aeaeerelae, E., Saarijaervi, S. & Salminen, J. (1997). Alexithymic features do not predict compliance with psychotherapy in consultation-liaison patients. *General Hospital Psychiatry*, 19 (3), 229-233.
- Al Krenawi, A., Graham, J.R., & Slonim-Nevo, V. (2002). Mental health aspects of Arab-Israeli adolescents from polygamous versus monogamous families. *Journal of Social Psychology*, 142 (4), 446-460.
- Al Krenawi, A., Slonim-Nevo, V., Maymon, Y. & Al Krenawi, S. (2001). Psychological responses to blood vengeance among Arab adolescents. *Child Abuse & Neglect*, 25 (4), 457-472.
- Alagappan, K., Grlic, N., Steinberg, M. & Pollack, S. (2001). Psychological impact on house staff of an initial versus subsequent emergency medicine rotation. *American Journal of Medical Quality*, 16 (1), 17-22.
- Alagappan, K., Steinberg, M., Mancherje, N., Pollack, S. & Carpenter, K. (1996). The psychological effects of a four-week emergency medicine rotation on residents in training. *Academic Emergency Medicine*, 3 (12), 1131-1135.
- Allen, J. G., Coyne, L. & Console, D.A. (2000). Course of illness following specialized inpatient treatment for women with trauma-related psychopathology. *Bulletin of the Menninger Clinic*, 64 (2), 235-256.
- Allen, J.G., Coyne, L. & Console, D.A. (1996). Dissociation contributes to anxiety and psychoticism on the Brief Symptom Inventory. *Journal of Nervous & Mental Disease*, 184 (10), 639-641.
- Allen, J.G., Coyne, L. & Huntoon, J. (1998). Trauma pervasively elevates Brief Symptom Inventory profiles in inpatient women. *Psychological Reports*, 83 (2), 499-513.
- Allen, J.G., Huntoon, J. & Evans, R.B. (1999). Complexities in complex posttraumatic stress disorder in inpatient women: Evidence from cluster analysis of MCMI-III personality disorder scales. *Journal of Personality Assessment*, 73 (3), 449-471.
- Alter, M.G. (1989). An empirical study of Christian religious maturity: Its implications for parish ministry. *Pastoral Psychology*, 37 (3), 153-160.
- Amenson, C.S. & Lewinsohn, P.M. (1981). An investigation into the observed sex difference in prevalence of unipolar depression. *Journal of Abnormal Psychology*, 90 (1), 1-13.
- Anderson, J.P. (1999). Self-reported symptoms in chronic pain patients: A taxonomy based on the BSI. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 59 (9), 5068
- Anderson, M.Z. & Tracey, T.J. (1995). Application of adaptive counseling and therapy to career counseling. *Journal of Career Assessment*, 3 (1), 75-88.

Brief Symptom Inventory (BSI®) Bibliography

- Anthony-Bergstone, C.R., Zarit, S.H. & Gatz, M. (1988). Symptoms of psychological distress among caregivers of dementia patients. *Psychology & Aging*, 3(3), 245-248.
- Aroian, K.J. & Patsdaughter, C.A. (1989). Multiple-method, cross-cultural assessment of psychological distress. *Image - the Journal of Nursing Scholarship*, 21(2), 90-93.
- Aroian, K.J., Patsdaughter, C.A., Levin, A. & Gianan, M.E. (1995). Use of the Brief Symptom Inventory to assess psychological distress in three immigrant groups. *International Journal of Social Psychiatry*, 41(1), 31-46.
- Asarnow, J.R. & Scott, C. (2002). A combined cognitive-behavioral family education intervention for depression in children: A treatment development study. *Cognitive Therapy & Research*, 26(2), 221-229.
- Averill, P.M., Hopko, D.R., Small, D.R., Greenlee, H.B. & Varner, R.V. (2001). The role of psychometric data in predicting inpatient mental health service utilization. *Psychiatric Quarterly*, 72(3), 215-235.
- Bachar, E., Canetti, L., Bonne, O., DeNour, A.K. & Shalev, A.Y. (1997). Physical punishment and signs of mental distress in normal adolescents. *Adolescence*, 32(128), 945-958.
- Bachar, E., Canetti, L., Bonne, O., DeNour, A.K. & Shalev, A.Y. (1997). Psychological well-being and ratings of psychiatric symptoms in bereaved Israeli adolescents: differential effect of war-versus accident-related bereavement. *Journal of Nervous & Mental Disease*, 185(6), 402-406.
- Bachar, E., Canetti, L., Galilee-Weisstub, E., Kaplan-DeNour, A. & Shalev, A.Y. (1998). Childhood vs. adolescence transitional object attachment, and its relation to mental health and parental bonding. *Child Psychiatry & Human Development*, 28(3), 149-167.
- Baden, A. L. (2002). The psychological adjustment of transracial adoptees: An application of the Cultural-Racial Identity Model. *Journal of Social Distress & the Homeless*, 11(2), 167-191.
- Badoux, A. & Levy, D.A. (1994). Psychologic symptoms in asthma and chronic urticaria. *Annals of Allergy*, 72(3), 229-234.
- Baider, L. & De-Nour, A.K. (1984). Couples' reactions and adjustment to mastectomy: A preliminary report. *International Journal of Psychiatry in Medicine*, 14(3), 265-276.
- Baider, L. & De-Nour, A.K. (1986). The meaning of a disease: An exploratory study of Moslem Arab women after a mastectomy. *Journal of Psychosocial Oncology*, 4(4), 1-13.
- Baider, L. & De-Nour, A.K. (1997). Psychological distress and intrusive thoughts in cancer patients. *Journal of Nervous & Mental Disease*, 185(5), 346-348.
- Baider, L., Ever-Hadani, P. & DeNour, A.K. (1996). Crossing new bridges: The process of adaptation and psychological distress of Russian immigrants in Israel. *Psychiatry: Interpersonal & Biological Processes*, 59(2), 175-183.
- Baider, L., Koch, U., Esacson, R. & De Nour, A.K. (1998). Prospective study of cancer patients and their spouses: the weakness of marital strength. *Psycho-Oncology*, 7(1), 49-56.
- Baider, L., Peretz, T. & De Nour, A.K. (1993). Holocaust cancer patients: A comparative study. *Psychiatry: Interpersonal & Biological Processes*, 56(4), 349-355.

Brief Symptom Inventory (BSI®)

Bibliography

- Baider, L., Peretz, T. & Kaplan De-Nour, A. (1992). Effect of the Holocaust on coping with cancer. *Social Science & Medicine*, 34(1), 11-15.
- Baider, L., Peretz, T. & Kaplan De-Nour, A. (1997). The effect of behavioral intervention on the psychological distress of Holocaust survivors with cancer. *Psychotherapy & Psychosomatics*, 66(1), 44-49.
- Baider, L., Peretz, T., Hadani, P. E. & Koch, U. (2001). Psychological intervention in cancer patients: a randomized study. *General Hospital Psychiatry*, 23(5), 272-277.
- Baider, L., Peretz, T., Hadani, P. E., Perry, S., Avramov, R. & De Nour, A.K. (2000). Transmission of response to trauma? Second-generation Holocaust survivors' reaction to cancer. *American Journal of Psychiatry*, 157(6), 904-910.
- Baider, L., Perez, T. & De Nour, A.K. (1989). Gender and adjustment to chronic disease: A study of couples with colon cancer. *General Hospital Psychiatry*, 11(1), 1-8.
- Baider, L., Perry, S. & Holland, J. (1995). Couples and gender relationship: A sample of melanoma patients and their spouses. *Family Systems Medicine*, 13(1), 69-77.
- Baider, L., Uziely, B. & De Nour, A.K. (1994). Progressive muscle relaxation and guided imagery in cancer patients. *General Hospital Psychiatry*, 16(5), 340-347.
- Baider, L., Walach, N., Perry, S. & Kaplan De-Nour, A. (1998). Cancer in married couples: higher or lower distress? *Journal of Psychosomatic Research*, 45(3), 239-248.
- Baigent, M., Holme, G. & Hafner, R.J. (1995). Self reports of the interaction between substance abuse and schizophrenia. *Australian & New Zealand Journal of Psychiatry*, 29(1), 69-74.
- Barbato, N. & Hafner, R.J. (1998). Comorbidity of bipolar and personality disorder. *Australian & New Zealand Journal of Psychiatry*, 32(2), 276-280.
- Baynes, D., Mulholland, C., Cooper, S.J., Montgomery, R.C., MacFlynn, G., Lynch, G., Kelly, C. & King, D. J. (2000). Depressive symptoms in stable chronic schizophrenia: Prevalence and relationship to psychopathology and treatment. *Schizophrenia Research*, 45(1-2), 47-56.
- Bazargan, M. (1996). Self-reported sleep disturbance among African-American elderly: The effects of depression, health status, exercise, and social support. *International Journal of Aging & Human Development*, 42(2), 143-160.
- Bazargan, M., Bazargan, S. & King, L. (2001). Paranoid ideation among elderly African American persons. *Gerontologist*, 41(3), 366-373.
- Beal, M. W. & Nield-Anderson, L. (2000). Acupuncture for symptom relief in HIV-positive adults: lessons learned from a pilot study. *Alternative Therapies in Health and Medicine*, 6(5), 33-42.
- Bech, P., Rasmussen, N., Olsen, L.R., Noerholm, V. & Abildgaard, W. (2001). The sensitivity and specificity of the Major Depression Inventory, using the Present State Examination as the index of diagnostic validity. *Journal of Affective Disorders*, 66(2-3), 159-164.
- Behmand, R.A., Tang, D.H. & Smith, D.J. (2000). Outcomes in breast reduction surgery. *Annals of Plastic Surgery*, 45(6), 575-580.

Brief Symptom Inventory (BSI®) Bibliography

- Ben Zur, H. (2001). Your coping strategy and my distress: Inter-spouse perceptions of coping and adjustment among breast cancer patients and their spouses. *Families, Systems & Health*, 19(1), 83-94.
- Ben Zur, H., Gilbar, O. & Lev, S. (2001). Coping with breast cancer: patient, spouse, and dyad models. *Psychosomatic Medicine*, 63(1), 32-39.
- Benda, B.B. (1991). A comparison of alcoholic and other adult children of alcoholics to other alcoholics on the BSI. *Alcoholism Treatment Quarterly*, 8(4), 81-93.
- Benishek, L.A., Bieschke, K.J., Stoeffelmayr, B.E., Mavis, B.E., et al (1992). Gender differences in depression and anxiety among alcoholics. *Journal of Substance Abuse*, 4(3), 235-245.
- Benishek, L.A., Hayes, C.M., Bieschke, K.J. & Stoffelmayr, B.E. (1998). Exploratory and confirmatory factor analyses of the Brief Symptom Inventory among substance abusers. *Journal of Substance Abuse*, 10(2), 103-114.
- Benjamin, G. & Darling, E.J. (1990). The prevalence of depression, alcohol abuse, and cocaine abuse among United States lawyers. *International Journal of Law & Psychiatry*, 13(3), 233-246.
- Bennett, S.E. & Hughes, H.M. (1996). Performance of female college students and sexual abuse survivors on the Brief Symptom Inventory. *Journal of Clinical Psychology*, 52(5), 535-541.
- Bergeron, S., Binik, Y. M., Khalife, S., Pagidas, K., Glazer, H. I., Meana, M. & Amsel, R. (2001). A randomized comparison of group cognitive-behavioral therapy, surface electromyographic biofeedback, and vestibulectomy in the treatment of dyspareunia resulting from vulvar vestibulitis. *Pain*, 91(3), 297-306.
- Berghuis, J.P., Heiman, J.R., Rothman, I. & Berger, R.E. (1996). Psychological and physical factors involved in chronic idiopathic prostatitis. *Journal of Psychosomatic Research*, 41(4), 313-325.
- Bertagnolli, A. & Morris, S. (1997). Cognitive-behavioral interventions with chronic fatigue syndrome: A single case study. *Journal of Cognitive Psychotherapy*, 11(2), 127-139.
- Blume, A.W., Schmalings, K.B. & Marlat, G.A. (2001). Motivating drinking behavior change: Depressive symptoms may not be noxious. *Addictive Behaviors*, 26(2), 267-272.
- Bonne, O., Canetti, L., Bachar, E. & De Nour, A.K. (1999). Childhood imaginary companionship and mental health in adolescence. *Child Psychiatry & Human Development*, 29(4), 277-286.
- Bougsty, T., Marshall, P. & Chavez, E. (1983). Prevalence and prevention of mental health problems in an energy-affected community. *Administration in Mental Health*, 10(4), 272-287.
- Boulet, J. (1991). Reliability and validity of the Brief Symptom Inventory. *Psychological Assessment*, 3(3), 433-437.
- Bowen, R.C. & D'Arcy, C. (2003). Response of patients with panic disorder and symptoms of hypomania to cognitive behavior therapy for panic. *Bipolar Disorders*, 5(2), 144-149.
- Bower, P., Byford, S., Sibbald, B., Ward, E., King, M., Lloyd, M. & Gabbay, M. (2000). Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. II: Cost effectiveness. *BMJ: British Medical Journal*, 321(7273), 1389-1392.

Brief Symptom Inventory (BSI®) Bibliography

- Bowler, R. M., Lezak, M., Booty, A., Hartney, C., Mergler, D., Levin, J. & Zisman, F. (2001). Neuropsychological dysfunction, mood disturbance, and emotional status of munitions workers. *Applied Neuropsychology*, 8(2), 74-90.
- Bowler, R.M., Hartney, C. & Ngo, L.H. (1998). Amnestic disturbance and posttraumatic stress disorder in the aftermath of a chemical release. *Archives of Clinical Neuropsychology*, 13(5), 455-471.
- Bowler, R.M., Mergler, D., Sassine, M.P., Larribe, F. & Hudnell, K. (1999). Neuropsychiatric effects of manganese on mood. *Neurotoxicology*, 20(2-3), 367-378.
- Boyer, W.F. (1986). Influence of ABO blood type on symptomatology among outpatients: study and replication. *Neuropsychobiology*, 16(1), 43-46.
- Bradach, K.M. & Jordan, J. (1995). Long-term effects of a family history of traumatic death on adolescent individuation. *Death Studies*, 19(4), 315.
- Brandt, S.L. (1999). The perceived impact of counseling involving dream interpretation for women exploring their sexual orientation. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 59(10), 5570.
- Braver, M., Bumberry, J., Green, K. & Rawson, R. (1992). Childhood abuse and current psychological functioning in a university counseling center population. *Journal of Counseling Psychology*, 39(2), 252-257.
- Bray, S.B. (1998). The role of family of origin function and childhood sexual abuse in current symptomatology among women. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(12), 6801.
- Breitbart, W., McDonald, M.V., Rosenfeld, B., Monkman, N.D. & Passik, S. (1998). Fatigue in ambulatory AIDS patients. *Journal of Pain & Symptom Management*, 15(3), 159-167.
- Breitbart, W., Rosenfeld, B., Kaim, M. & Funesti-Esch, J. (2001). A randomized, double-blind, placebo-controlled trial of psychostimulants for the treatment of fatigue in ambulatory patients with human immunodeficiency virus disease. *Archives of Internal Medicine*, 161(3), 411-420.
- Breitbart, W., Rosenfeld, B., Passik, S., Kaim, M., Funesti-Esch, J. & Stein, K. (1997). A comparison of pain report and adequacy of analgesic therapy in ambulatory AIDS patients with and without a history of substance abuse. *Pain*, 72(1-2), 235-243.
- Brodav, S.F. & Mason, J.L. (1991). Internal consistency of the Brief Symptom Inventory for counseling-center clients. *Psychological Reports*, 68(1), 94.
- Brodey, B. B., Claypoole, K. H., Motto, J., Arias, R. G. & Goss, R. (2000). Satisfaction of forensic psychiatric patients with remote telepsychiatric evaluation. *Psychiatric Services*, 51(10), 1305-1307.
- Brooks, B. (1985). Sexually abused children and adolescent identity development. *American Journal of Psychotherapy*, 39(3), 401-410.
- Brown, P.W. (1998). Effects of stress on the psychological symptoms and general health of rural primary care patients. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(12), 6860.

Brief Symptom Inventory (BSI®) Bibliography

- Bruehl, S., Husfeldt, B., Lubenow, T.R., Nath, H. & Ivankovich, A.D. (1996). Psychological differences between reflex sympathetic dystrophy and non-RSD chronic pain patients. *Pain*, 67(1), 107-114.
- Bryden, K.S., Peveler, R.C., Stein, A., Neil, A., Mayou, R.A. & Dunger, D.B. (2001). Clinical and psychological course of diabetes from adolescence to young adulthood: a longitudinal cohort study. *Diabetes Care*, 24(9), 1536-1540.
- Buchanan, K.M., Elias, L.J. & Goplen, G.B. (2000). Differing perspectives on outcome after subarachnoid hemorrhage: the patient, the relative, the neurosurgeon. *Neurosurgery*, 46(4), 831-838.
- Buckner, J.C. & Mandell, W. (1990). Risk factors for depressive symptomatology in a drug using population. *American Journal of Public Health*, 80(5), 580-585.
- Burg, J. S., Williams, R., Burright, R.G. & Donovan, P.J. (2000). Psychiatric treatment outcome following traumatic brain injury. *Brain Injury*, 14(6), 513-533.
- Buyse, D.J., Reynolds, C.F., III, Houck, P.R., Perel, J.M., Frank, E., Begley, A.E., Mazumdar, S. & Kupfer, D.J. (1997). Does lorazepam impair the antidepressant response to nortriptyline and psychotherapy? *Journal of Clinical Psychiatry*, 58(10), 426-432.
- Callahan, W.J. (1998). MMPI-2, symptom reports, and acculturation of White- and Mexican-Americans in psychiatric, college, and community settings. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(8), 4439.
- Cameron, I.M., Eagles, J., Howie, F., Andrew, J., Crawford, J.R., Kohler, C., Eisen, S. & Naji, S.A. (2001). Preliminary validation of a UK-modified version of the BASIS-32. *International Journal of Psychiatry in Clinical Practice*, 5(1), 41-48.
- Camic, P.M. (1984). Assessment of erectile dysfunction: Isolating measures of high discriminant ability. *Dissertation Abstracts International*, 45(1), 344.
- Canetti, L., Bachar, E., Bonne, O., Agid, O., Lerer, B., Kaplan De-Nour, A. & Shalev, A.Y. (2000). The impact of parental death versus separation from parents on the mental health of Israeli adolescents. *Comprehensive Psychiatry*, 41(5), 360-368.
- Canetti, L., Bachar, E., Galili-Weisstub, E., De Nour, A.K. & Shalev, A.Y. (1997). Parental bonding and mental health in adolescence. *Adolescence*, 32(126), 381-394.
- Canetti, L., Shalev, A.Y. & De Nour, A.K. (1994). Israeli adolescents' norms of the Brief Symptom Inventory (BSI). *Israel Journal of Psychiatry & Related Sciences*, 31(1), 13-18.
- Canton, G. (1987). Clinical and psychological differences between obese patients with and without bulimia. *Medicina Psicosomatica*, 32(2), 119.
- Canton, G., Fraccon, I.G., Giannini, L. & Gallimberti, L. (1987). Eating behavior, body mass index, psychological suffering, and illness behavior in the obese patient.. *Medicina Psicosomatica*, 32(1), 3.
- Carollo, G. & de Leo, D. (1993). Melatonin and cortisol in mood disorders and mental deterioration in the elderly. *Rivista di Psichiatria*, 28(5), 257.
- Carscaddon, D.M. (1990). Predicting psychiatric symptoms in rural community mental health clients. *Psychological Reports*, 66(2), 561-562.

Brief Symptom Inventory (BSI®) Bibliography

- Carscaddon, D.M., George, M. & Wells, G. (1990). Rural community mental health consumer satisfaction and psychiatric symptoms. *Community Mental Health Journal*, 26(4), 309-318.
- Cassileth, B.R. & Egan, T.A. (1979). Modification of medical student perceptions of the cancer experience. *Journal of Medical Education*, 54(10), 797-802.
- Cassileth, B.R., Lusk, E.J., Walsh, W.P., Doyle, B., et al. (1989). The satisfaction and psychosocial status of patients during treatment for cancer. *Journal of Psychosocial Oncology*, 7(4), 47-57.
- Chang, B.L., Brecht, M. & Carter, P.A. (2001). Predictors of social support and caregiver outcomes. *Women & Health*, 33(1-2), 39-61.
- Chemtob, C.M., Nakashima, J. & Carlson, J.G. (2002). Brief treatment for elementary school children with disaster-related posttraumatic stress disorder: A field study. *Journal of Clinical Psychology*, 58(1), 99-112.
- Cheng, D., Leong, F.T. & Geist, R. (1993). Cultural differences in psychological distress between Asian and Caucasian American college students. *Journal of Multicultural Counseling & Development*, 21(3), 182-190.
- Chwalisz, K. (1996). The Perceived Stress Model of Caregiver Burden: Evidence from spouses of persons with brain injuries. *Rehabilitation Psychology*, 41(2), 91-114.
- Clark, J.W. & Kleinknecht, R.A. (1991). Psychosocial characteristics of stress management class attendees. *American Journal of Health Promotion*, 6(2), 88.
- Clarke, P., Hafner, R.J. & Holme, G. (1997). The brief admission unit in emergency psychiatry. *Journal of Clinical Psychology*, 53(8), 817-823.
- Cleare, A.J., Murray, R.M. & O'Keane, V. (1998). Assessment of serotonergic function in major depression using d-fenfluramine: relation to clinical variables and antidepressant response. *Biological Psychiatry*, 44(7), 555-561.
- Cochran, C. & Hale, W.D. (1984). Gender differences in the relationship between health and psychological distress in the elderly. *Clinical Gerontologist*, 3(1), 62-64.
- Cochran, C.D. & Hale, W.D. (1985). College student norms on the Brief Symptom Inventory. *Journal of Clinical Psychology*, 41(6), 777-779.
- Coelho, V.L., Strauss, M.E. & Jenkins, J.H. (1998). Expression of symptomatic distress by Puerto Rican and Euro-American patients with depression and schizophrenia. *Journal of Nervous & Mental Disease*, 186(8), 477-483.
- Cohen, L., de Moor, C., Devine, D., Baum, A. & Amato, R.J. (2001). Endocrine levels at the start of treatment are associated with subsequent psychological adjustment in cancer patients with metastatic disease. *Psychosomatic Medicine*, 63(6), 951-958.
- Collings, S.J. (1995). The long-term effects of contact and noncontact forms of child sexual abuse in a sample of university men. *Child Abuse & Neglect*, 19(1), 1-6.

Brief Symptom Inventory (BSI®) Bibliography

- Collings, S.J. (1997). Child sexual abuse in a sample of South African women students: Prevalence, characteristics, and long-term effects. *South African Journal of Psychology*, 27(1), 37-42.
- Conner, K.M., Davidson, J., Churchill, L.E., Sherwood, A., Foa, E. & Weisler, R.H. (2000). Psychometric properties of the Social Phobia Inventory (SPIN): New self-rating scale. *British Journal of Psychiatry*, 176, 376-386.
- Constantino, R.E. & Bricker, P.L. (1996). Nursing postvention for spousal survivors of suicide. *Issues in Mental Health Nursing*, 17(2), 131.
- Conti, D.J. & Verinus, J.S. (1989). The effect of pre-bed care on alcoholic patients' behavior during inpatient treatment. *International Journal of the Addictions*, 24(7), 707-714.
- Conti, J.M. (1999). The effects of intercessory prayer and transpersonal positive visualization on a hemodialysis population. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 60(2), 0823.
- Cook, J.D. & Bickman, L. (1990). Social support and psychological symptomatology following a natural disaster. *Journal of Traumatic Stress*, 3(4), 541-556.
- Coolidge, F.L., Segal, D.L., Hook, J.N. & Stewart, S. (2000). Personality disorders and coping among anxious older adults. *Journal of Anxiety Disorders*, 14(2), 157-172.
- Corazzini, J.G. (1997). Using research to determine the efficacy and modes of treatment in university counseling centers: Comment on Jobes, Jacoby, Cimboic, and Hustead (1997) and Hayes (1997). *Journal of Counseling Psychology*, 44(4), 378-380.
- Corrigan, J.D., Smith-Knapp, K. & Granger, C.V. (1998). Outcomes in the first 5 years after traumatic brain injury. *Archives of Physical Medicine & Rehabilitation*, 79(3), 298-305.
- Cowan, R., Britton, P.J., Logue, E., Smucker, W. & Milo, L. (1995). The relationship among the transtheoretical model of behavioral change, psychological distress, and diet attitudes in obesity: Implications for primary care intervention. *Journal of Clinical Psychology in Medical Settings*, 2(3), 249-267.
- Crispi, E.L., Schiaffino, K. & Berman, W. (1997). The contribution of attachment to burden in adult children of institutionalized parents with dementia. *Gerontologist*, 37(1), 52-60.
- Cromes, G. F., Holavanahalli, R., Kowalske, K. & Helm, P. (2002). Predictors of quality of life as measured by the burn specific health scale in persons with major burn injury. *Journal of Burn Care & Rehabilitation*, 23(3), 229-234.
- Davis, H., De Nour, A.K., Shouval, D. & Melmed, R.N. (1998). Psychological distress in patients with chronic, nonalcoholic, uncomplicated liver disease. *Journal of Psychosomatic Research*, 44(5), 547-554.
- Davis, R., McVey, G., Heinmaa, M., Rockert, W. & Kennedy, S. (1999). Sequencing of cognitive-behavioral treatments for bulimia nervosa. *International Journal of Eating Disorders*, 25(4), 361-374.
- Davis, S.E. & Hays, L.W. (1997). An examination of the clinical validity of the MCMI-III Depressive Personality scale. *Journal of Clinical Psychology*, 53(1), 15-23.

Brief Symptom Inventory (BSI®) Bibliography

- Davis-Berman, J. & Berman, D.S. (1989). The Wilderness Therapy Program: An empirical study of its effects with adolescents in an outpatient setting. *Journal of Contemporary Psychotherapy*, 19(4), 271-281.
- De Bona, M., Ponton, P., Ermani, M., et al. (2000). The impact of liver disease and medical complications on quality of life and psychological distress before and after liver transplantation. *Journal of Hepatology*, 33(4), 609-615.
- De Leo, D., Banon, D. & Pavan, L. (1991). "Usual minimal procedure" in the prevention of suicide behavior: Controlled trial of trazodone vs diazepam. *Giornale Italiano di Suicidologia*, 1(2), 119-123.
- De Leo, D., Frisoni, G.B., Rozzini, R. & Trabucchi, M. (1993). Italian community norms for the Brief Symptom Inventory in the elderly. *British Journal of Clinical Psychology*, 32(2), 209-213.
- DeKeyser, F.G., Wainstock, J.M., Rose, L., Converse, P.J. & Dooley, W. (1998). Distress, symptom distress, and immune function in women with suspected breast cancer. *Oncology Nursing Forum*, 25(8), 1415-1422.
- Derisley, J. & Reynolds, S. (2000). The transtheoretical stages of change as a predictor of premature termination, attendance and alliance in psychotherapy. *British Journal of Clinical Psychology*, 39(4), 371-382.
- Derisley, J. & Reynolds, S. (2002). Evaluation of the Stages of Change scales to measure client readiness for treatment in a mental health sample. *Behavioural & Cognitive Psychotherapy*, 30(2), 217-222.
- Derogatis, L.R. & Melisaratos, N. (1983). The Brief Symptom Inventory: an introductory report. *Psychological Medicine*, 13(3), 595-605.
- Derogatis, L.R., Schmidt, C.W., Fagan, P.J. & Wise, T.N. (1989). Subtypes of anorgasmia via mathematical taxonomy. *Psychosomatics*, 30(2), 166-173.
- Dilworth-Anderson, P., Williams, Sharon Wallace; Cooper, Theresa (1999). The contexts of experiencing emotional distress among family caregivers to elderly African Americans. *Family Relations: Interdisciplinary Journal of Applied Family Studies*, 48(4), 391-396.
- Dion, G. & Tessier, R. (1994). Validation of a French translation of the Maslach Burnout Inventory (MBI). *Canadian Journal of Behavioural Science*, 26(2), 210-227.
- Diskin, K.M. & Hodgins, D.C. (2001). Narrowed focus and dissociative experiences in a community sample of experienced video lottery gamblers. *Canadian Journal of Behavioural Science*, 33(1), 58-64.
- Donat, D.C. (1997). Personality traits and psychiatric rehospitalization: a two-year follow-up. *Journal of Personality Assessment*, 68(3), 703-711.
- Donat, D.C., Geczy, B., Helmrich, J. & LeMay, M. (1992). Empirically derived personality subtypes of public psychiatric patients: effect on self-reported symptoms, coping inclinations, and evaluation of expressed emotion in caregivers. *Journal of Personality Assessment*, 58(1), 36-50.
- Eid, J., Helge Johnsen, B. & Weisaeth, L. (2001). The effect of group psychological debriefing on acute stress reactions following a traffic accident: A quasi-experimental approach. *International Journal of Emergency Mental Health*, 3(3), 145-154.

Brief Symptom Inventory (BSI®)

Bibliography

- el Bassel, N., Schilling, R.F., Gilbert, L., Faruque, S., Irwin, K.L. & Edlin, B.R. (2000). Sex trading and psychological distress in a street-based sample of low- income urban men. *Journal of Psychoactive Drugs*, 32(3), 259-267.
- el Bassel, N., Schilling, R.F., Irwin, K.L., Faruque, S., Gilbert, L., Von Bargen, J., Serrano, Y. & Edlin, B.R. (1997). Sex trading and psychological distress among women recruited from the streets of Harlem. *American Journal of Public Health*, 87(1), 66-70.
- el Bassel, N., Simoni, J. M., Cooper, D. K., Gilbert, L. & Schilling, R. F. (2001). Sex trading and psychological distress among women on methadone. *Psychology of Addictive Behaviors*, 15(3), 177-184.
- Emerson, J., Bertoch, M.R. & Checketts, K.T. (1994). Transactional analysis ego state functioning, psychological distress, and client change. *Psychotherapy*, 31(1), 109-1113.
- Erickson, D.J., Wolfe, J., King, D.W., King, L.A. & Sharkansky, E.J. (2001). Posttraumatic stress disorder and depression symptomatology in a sample of Gulf War veterans: a prospective analysis. *Journal of Consulting & Clinical Psychology*, 69(1), 41-49.
- Estroff, T.W. (1984). Maternal psychopathology and perception of child behavior in psychiatrically referred and child maltreatment families. *Journal of the American Academy of Child Psychiatry*, 23(6), 649-652.
- Ettinger, A.B., Weisbrot, D.M., Krupp, L.B., Jandorf, L., Gaudino, E. & Cramer, J. (1998). Symptoms of psychiatric disturbance in epilepsy. *Journal of Epilepsy*, 11(1), 10.
- Factourovich, A., Ritsner, M., Maoz, B., Levin, K., Mirsky, J., Ginath, Y., Segal, A. & Natan, E.B. (1996). Psychological adjustment among Soviet immigrant physicians: distress and self-assessments of its sources. *Israel Journal of Psychiatry & Related Sciences*, 33(1), 32-39.
- Fagan, P.J., Wise, T.N., Derogatis, L.R. & Schmidt, C.W. (1988). Distressed transvestites. Psychometric characteristics. *Journal of Nervous & Mental Disease*, 176(10), 626-632.
- Fagan, P.J., Wise, T.N., Schmidt, C.W. & Dupkin, C.N. (1987). Inhibited sexual excitement in the aging male. *Journal of Geriatric Psychiatry*, 20(2), 153-164.
- Farberow, N.L., Gallagher-Thompson, D.E., Gilewski, M.J. & Thompson, L.W. (1992). Changes in grief and mental health of bereaved spouses of older suicides. *Journals of Gerontology*, 47(6), 357-366.
- Farnill, D. & Robertson, M.F. (1990). Sleep disturbance, tertiary-transition stress, and psychological symptoms among young first-year Australian college students. *Australian Psychologist*, 25(2), 178-188.
- Farrell, A.D. (1999). Development and evaluation of problem frequency scales from version 3 of the computerized assessment system for psychotherapy evaluation and research (CASPER). *Journal of Clinical Psychology*, 55(4), 447-464.
- Farrell, A.D. (1999). Evaluation of the Computerized Assessment System for Psychotherapy Evaluation and Research (CASPER) as a measure of treatment effectiveness in an outpatient training clinic. *Psychological Assessment*, 11(3), 345-358.
- Favaro, A. & Santonastaso, P. (1995). Effects of parents' psychological characteristics and eating behaviour on childhood obesity and dietary compliance. *Journal of Psychosomatic Research*, 39(2), 145-151.

Brief Symptom Inventory (BSI®) Bibliography

- Feldman Reichman, S. R., Miller, A.C., Gordon, R.M. & Hendricks-Munoz, K.D. (2000). Stress appraisal and coping in mothers of NICU infants. *Children's Health Care*, 29(4), 279-293.
- Fitzgerald, P.J. (1998). The effectiveness of a brief treatment model in a community mental health agency: Client characteristics associated with self-reported improvement. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(8), 4444.
- Fleischer, A.B., Jr., Clark, A.R., Rapp, S.R., Reboussin, D.M. & Feldman, S.R. (1997). Commercial tanning bed treatment is an effective psoriasis treatment: results from an uncontrolled clinical trial. *Journal of Investigative Dermatology*, 109(2), 170-174.
- Fontana, R.J., Hussain, K.B., Schwartz, S.M., Moyer, C.A., Su, G.L. & Lok, A.S. (2002). Emotional distress in chronic hepatitis C patients not receiving antiviral therapy. *Journal of Hepatology*, 36(3), 401-407.
- Francis, V.M., Rajan, P. & Turner, N. (1990). British community norms for the Brief Symptom Inventory. *British Journal of Clinical Psychology*, 29(1), 115-116.
- Franco, K., Belinson, J., Casey, G., Plummer, S., Tamburrino, M. & Tung, E. (2000). Adjustment to perceived ovarian cancer risk. *Psychooncology*, 9(5), 411-417.
- Franke, G.H., Esser, J., Stacker, K.H., Mahner, N. & Spangemacher, B. (1996). "Filtered normality": psychological causes and sequelae of specific retinal diseases. *Psychotherapie, Psychosomatik, Medizinische Psychologie*, 46(5), 159-168.
- Fraser, R.A., Hotz, S.B., Hurtig, J.B., Hodges, S.N. & Moher, D. (1989). The prevalence and impact of pain after day-care tubal ligation surgery. *Pain*, 39(2), 189-201.
- Frazier, P.A. & Schauben, L.J. (1994). Causal attributions and recovery from rape and other stressful life events. *Journal of Social & Clinical Psychology*, 13(1), 1-14.
- Frazier, P.A. & Schauben, L.J. (1994). Stressful life events and psychological adjustment among female college students. *Measurement & Evaluation in Counseling & Development*, 27(1), 280-292.
- Frazier, P.A., Davis-Ali, S.H. & Dahl, K.E. (1994). Correlates of noncompliance among renal transplant recipients. *Clinical Transplantation*, 8(6), 550-557.
- Freeman, T.W. & Moore, W.M. (2000). A comparison of chronic combat-related posttraumatic stress disorder (PTSD) patients with and without a history of suicide attempt. *Journal of Nervous & Mental Disease*, 188(7), 460-463.
- Friedman, A.S. & Glickman, N.W. (1987). Effects of psychiatric symptomatology on treatment outcome for adolescent male drug abusers. *Journal of Nervous & Mental Disease*, 175(7), 425-430.
- Friedman, A.S. (1987). Psychopathology as an antecedent to, and as a "consequence" of, substance use, in adolescence. *Journal of Drug Education*, 17(3), 233-244.
- Frisoni, G.B., De Leo, D., Rozzini, R., Trabucchi, M. (1996). Napping in the elderly and its association with night sleep and psychological status. *International Psychogeriatrics*, 8(3), 477-487.
- Frost, R.O., Krause, M.S. & Steketee, G. (1996). Hoarding and obsessive-compulsive symptoms. *Behavior Modification*, 20(1), 116-132.

Brief Symptom Inventory (BSI®) Bibliography

- Fullerton, C.S., Ursano, Robert J., Epstein, R.S., Crowley, B., Vance, K.L., Craig, K.J. & Baum, A. (2000). Measurement of posttraumatic stress disorder in community samples. *Nordic Journal of Psychiatry*, 54(1), 5-12.
- Gagnon, P., Massie, M.J. & Kash, K. (1996). Perception of breast cancer risk and psychological distress in women attending a surveillance program. *Psycho-Oncology*, 5(3), 259.
- Galer, B.S., Henderson, J., Perander, J., Jensen, M.P. (2000). Course symptoms and quality of life measurement in complex regional pain syndrome: A pilot survey. *Journal of Pain & Symptom Management*, 20(4), 286-292.
- Gallagher, D.E., Breckenridge, J.N., Thompson, L.W. & Peterson, J.A. (1983). Effects of bereavement on indicators of mental health in elderly widows and widowers. *Journal of Gerontology*, 38(5), 565-571.
- Gavazzi, S.M., Julian, T.W. & McKenry, P.C. (1996). Utilization of the Brief Symptom inventory to discriminate between violent and nonviolent male relationship partners. *Psychological Reports*, 79(3), 1047-1056.
- Gavazzi, S.M., McKenry, P.C., Jacobson, J.A., Julian, T.W. & Lohman, B. (2000). Modeling the effects of expressed emotion, psychiatric symptomology, and marital quality levels on male and female verbal aggression. *Journal of Marriage & the Family*, 62(3), 669-682.
- Geisheim, C., Hahlweg, K., Fiegenbaum, W., Frank, M., Schroeder, B., & von Witzleben, I. (2002). Das Brief Symptom Inventory (BSI) als Instrument zur Qualitaetsicherung in der Psychotherapie. /The German version of the Brief Symptom Inventory (BSI): Reliability and validity in a sample of outpatient psychotherapy patients. *Diagnostica*, 48(1), 28-36.
- Geisser, M.E. & Roth, R.S. (1998). Knowledge of and agreement with chronic pain diagnosis: Relation to affective distress, pain beliefs and coping, pain intensity, and disability. *Journal of Occupational Rehabilitation*, 8(1), 73-88.
- Geisser, M.E., Perna, R., Kirsch, N.L. & Bachman, J.E. (1998). Classification of chronic pain patients with the Brief Symptom Inventory: Patient characteristics of cluster profiles. *Rehabilitation Psychology*, 43(4), 313-326.
- Geisser, M.E., Roth, R.S., Theisen, M.E., Robinson, M.E. & Riley, J.L. (2000). Negative affect, self-report of depressive symptoms, and clinical depression: relation to the experience of chronic pain. *Clinical Journal of Pain*, 16(2), 110-120.
- Geist, R., Davis, R. & Heinmaa, M. (1998). Binge/purge symptoms and comorbidity in adolescents with eating disorders. *Canadian Journal of Psychiatry / Revue Canadienne de Psychiatrie*, 43(5), 507-512.
- Geist, R., Heinmaa, M., Katzman, D. & Stephens, D. (1999). A comparison of male and female adolescents referred to an eating disorder program. *Canadian Journal of Psychiatry / Revue Canadienne de Psychiatrie*, 44(4), 374-378.
- Gershuny, B.S. & Sher, K.J. (1998). The relation between personality and anxiety: findings from a 3-year prospective study. *Journal of Abnormal Psychology*, 107(2), 252-262.
- Gervasio, A.H. & Kreutzer, J. (1997). Kinship and family members' psychological distress after traumatic brain injury: A large sample study. *Journal of Head Trauma Rehabilitation*, 12(3), 14-26.

Brief Symptom Inventory (BSI®) Bibliography

- Gick, M., McLeod, C. & Hulihan, D. (1997). Absorption, social desirability, and symptoms in a behavioral medicine population. *Journal of Nervous & Mental Disease*, 185 (7), 454-458.
- Gift, A.G. & Cahill, C.A. (1990). Psychophysiological aspects of dyspnea in chronic obstructive pulmonary disease: a pilot study. *Heart & Lung*, 19(3), 252-257.
- Gift, A.G. & Shepard, C.E. (1999). Fatigue and other symptoms in patients with chronic obstructive pulmonary disease: do women and men differ? *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 28(2), 201-208.
- Gift, A.G., Wood, R.M. & Cahill, C.A. (1989). Depression, somatization and steroid use in chronic obstructive pulmonary disease. *International Journal of Nursing Studies*, 26(3), 281-286.
- Gilbar, O. & De Nour, A.K. (1989). Adjustment to illness and dropout of chemotherapy. *Journal of Psychosomatic Research*, 33(1), 1-5.
- Gilbar, O. & Florian, V. (1991). Do women with inoperable breast cancer have a psychological profile? *Omega - Journal of Death & Dying*, 23(3), 217
- Gilbar, O. & Refaeli, R. (2000). The relationship between adult cancer patients' adjustment to the illness and that of their parents. *Families, Systems & Health*, 18(1), 5-17.
- Gilbar, O. (1989). Who refuses chemotherapy? A profile. *Psychological Reports*, 64(3), 1297.
- Gilbar, O. (1991). The quality of life of cancer patients who refuse chemotherapy. *Social Science & Medicine*, 32(12), 1337-1340.
- Gilbar, O. (1995). Coping with loss: Differences between widows and widowers of deceased cancer patients. *Omega - Journal of Death & Dying*, 31(3), 207.
- Gilbar, O. (1997). Women with high risk for breast cancer: psychological symptoms. *Psychological Reports*, 80(3), 802.
- Gilbar, O. (1998). Coping with threat. Implications for women with a family history of breast cancer. *Psychosomatics*, 39(4), 329-339.
- Gilbar, O. (1998). Length of cancer patients' stay at a hospice: does it affect psychological adjustment to the loss of the spouse? *Journal of Palliative Care*, 14(4), 16-20.
- Gilbar, O. (2000). Adjustment to Parkinson's disease by patients and their spouses. *Illness, Crisis & Loss*, 8(1), 47-59.
- Gilbar, O. (2002). Adult Israeli community norms for the Brief Symptom Inventory (BSI). *International Journal of Stress Management*, 9(1), 1-10.
- Gilbar, O., Bazak, Y. & Harel, Y. (1998). Gender, primary headache, and psychological distress. *Headache*, 38(1), 31-34.
- Gilbar, O., Iron, G. & Goren, A. (2001). Adjustment to illness of cancer patients treated by complementary therapy along with conventional therapy. *Patient Education and Counseling*, 44(3), 243-249.

Brief Symptom Inventory (BSI®) Bibliography

- Gilewski, M.J., Farberow, N.L., Gallagher, D.E. & Thompson, L.W. (1991). Interaction of depression and bereavement on mental health in the elderly. *Psychology & Aging*, 6(1), 67-75.
- Gillaspy, S.R., Hoff, A.L., Mullins, L.L., Van Pelt, J.C. & Chaney, J.M. (2002). Psychological distress in high-risk youth with asthma. *Journal of Pediatric Psychology*, 27(4), 363-371.
- Gitlin, D. & McGuff, R. (1995). Eight-year trends in reported severity of student emotional distress. *Journal of College Student Psychotherapy*, 10(2), 3-9.
- Glajchen, M. (1995). Evaluating process, outcome, and satisfaction in community-based cancer support groups. *Social Work with Groups*, 18(1), 27-40.
- Glaser, R. (1986). Stress depresses interferon production by leukocytes concomitant with a decrease in natural killer cell activity. *Behavioral Neuroscience*, 100(5), 675-678.
- Glaser, R., Rice, J., Sheridan, J., Fertel, R., et al. (1987). Stress-related immune suppression: Health implications. *Brain, Behavior & Immunity*, 1(1), 20.
- Goin, M.K. & Rees, T.D. (1991). A prospective study of patients' psychological reactions to rhinoplasty. *Annals of Plastic Surgery*, 27(3), 210-215.
- Gordon, C.M. (1995). Penile tumescence monitoring during morning naps to assess male erectile functioning: An initial study of healthy men of varied ages. *Archives of Sexual Behavior*, 24(3), 291-307.
- Gotham, H.J. & Sher, K.J. (1995). Do codependent traits involve more than basic dimensions of personality and psychopathology? *Journal of Studies on Alcohol*, 57(1), 34-39.
- Gould, M.S., Shaffer, D., Kaplan, D. (1985). The characteristics of dropouts from a child psychiatry clinic. *Journal of the American Academy of Child Psychiatry*, 24(3), 316-328.
- Granello, D.H. & Granello, P. (1999). Measuring treatment outcomes and client satisfaction in a partial hospitalization program. *Journal of Behavioral Health Services & Research*, 26(1), 50-63.
- Granger, C.V., Cotter, A.C., Hamilton, B.B. & Fiedler, R.C. (1993). Functional assessment scales: a study of persons after stroke. *Archives of Physical Medicine & Rehabilitation*, 74(2), 133-138.
- Granger, C.V., Divan, N. & Fiedler, R.C. (1995). Functional assessment scales. A study of persons after traumatic brain injury. *American Journal of Physical Medicine & Rehabilitation*, 74(2), 107-113.
- Grassi, L., Mondardini, D., Pavanati, M., Sighinolfi, L., Serra, A. & Ghinelli, F. (2001). Suicide probability and psychological morbidity secondary to HIV infection: a control study of HIV-seropositive, hepatitis C virus (HCV)-seropositive and HIV/HCV-seronegative injecting drug users. *Journal of Affective Disorders*, 64(2-3), 195-202.
- Grassi, L., Rasconi, G., Pedriali, A., Corridoni, A. & Bevilacqua, M. (2000). Social support and psychological distress in primary care attenders. *Ferrara SIMG Group. Psychotherapy and Psychosomatics*, 69(2), 95-100.
- Grassi, L., Righi, R., Makoui, S., Sighinolfi, L., Ferri, S. & Ghinelli, F. (1999). Illness behavior, emotional stress and psychosocial factors among asymptomatic HIV-infected patients. *Psychotherapy & Psychosomatics*, 68(1), 31-38.

Brief Symptom Inventory (BSI®) Bibliography

- Greco-Vigorito, C., Drucker, P.M., Moore-Russell, M. & Avaltroni, J. (1996). Affective symptoms in young children of substance abusers correlate with parental distress. *Psychological Reports*, 79(2), 547-552.
- Green, B.L., Krupnick, J.L., Rowland, J.H., Epstein, S.A., Stockton, P., Spertus, I. & Stern, N. (2000). Trauma history as a predictor of psychological symptoms in women with breast cancer. *Journal of Clinical Oncology*, 18(5), 1084-1093.
- Green, L.W., Tryon, W.W., Marks, B. & Huryn, J. (1986). Periodontal disease as a function of life events stress. *Journal of Human Stress*, 12(1), 32-36.
- Greenberg, D.B., Kornblith, A.B., Herndon, J.E., Zuckerman, E., et al. (1997). Quality of life for adult leukemia survivors treated on clinical trials of Cancer and Leukemia Group B during the period 1971-1988: predictors for later psychological distress. *Cancer*, 80(10), 1936-1944.
- Greenwald, E., Leitenberg, H., Cado, S. & Tarran, M.J. (1990). Childhood sexual abuse: long-term effects on psychological and sexual functioning in a nonclinical and nonstudent sample of adult women. *Child Abuse & Neglect*, 14(4), 503-513.
- Greenway, A.P., Milne, L.C., & Clarke, V. (2003). Personality variables, self-esteem and depression and an individual's perception of God. *Mental Health, Religion & Culture*, 6(1), 45-58.
- Grimes, W.R. & Murdock, N.L. (1989). Social influence revisited: Effects of counselor influence on outcome variables. *Psychotherapy*, 26(4), 469-474.
- Guilmette, T.J., Snow, M.G., Grace, J. & Giuliano, A.J. (1992). Emotional dysfunction in a geriatric population: staff observations and patients' reports. *Archives of Physical Medicine & Rehabilitation*, 73(6), 587-593.
- Guldner, G.T. (1996). Long-distance romantic relationships: Prevalence and separation-related symptoms in college students. *Journal of College Student Development*, 37(3), 289.
- Gupta, M.A., Gupta, A.K. & Schork, N.J. (1996). Psychological factors affecting self-excoriative behavior in women with mild-to-moderate facial acne vulgaris. *Psychosomatics*, 37(2), 127.
- Gupta, M.A., Gupta, A.K. & Schork, N.J. (1994). Psychosomatic study of self-excoriative behavior among male acne patients: preliminary observations. *International Journal of Dermatology*, 33(12), 846-848.
- Gupta, M.A., Schork, N.J. & Ellis, C.N. (1994). Psychosocial correlates of the treatment of photodamaged skin with topical retinoic acid: a prospective controlled study. *Journal of the American Academy of Dermatology*, 30(6), 969-972.
- Hafner, R.J. & Holme, G. (1996). The influence of a therapeutic community on psychiatric disorder. *Journal of Clinical Psychology*, 52(4), 461-468.
- Hale, W. & Cochran, C.D. (1987). The relationship between locus of control and self-reported psychopathology. *Journal of Social Psychology*, 127(1), 31-37.
- Hale, W., Cochran, C. & Hedgepeth, B.E. (1984). Norms for the elderly on the Brief Symptom Inventory. *Journal of Consulting & Clinical Psychology*, 52(2), 321-322.
- Hale, W.D. & Cochran, C.D. (1983). Sex differences in patterns of self-reported psychopathology in the married elderly. *Journal of Clinical Psychology*, 39(5), 647-650.

Brief Symptom Inventory (BSI®) Bibliography

- Hale, W.D. & Cochran, C.D. (1992). Age differences in self-reported symptoms of psychological distress. *Journal of Clinical Psychology*, 48(5), 633-637.
- Hale, W.D., Hedgepeth, B.E. & Taylor, E.B. (1985). Locus of control and psychological distress among the aged. *International Journal of Aging & Human Development*, 21(1), 1-8.
- Hallis, D. & Slone, M. (1999). Coping strategies and locus of control as mediating variables in the relation between exposure to political life events and psychological adjustment in Israeli children. *International Journal of Stress Management*, 6(2), 105-123.
- Handal, P.J. Gist, D., Gilner, F.H. & Searight, H.R. (1993). Preliminary validity for the Langner Symptom Survey and the Brief Symptom Inventory as mass-screening instruments for adolescent adjustment. *Journal of Clinical Child Psychology*, 22(3), 382-386.
- Hanser, S.B. (1990). A music therapy strategy for depressed older adults in the community. *Journal of Applied Gerontology*, 9(3), 283-298.
- Hanson, F.M., Suman, V.J., Rummans, T.A., Dose, A.M., Taylor, M., Novotny, P., Johnson, R. & Evans, R.E. (2000). Physical, psychological and social well-being of women with breast cancer: the influence of disease phase. *Psychooncology*, 9(3), 221-231.
- Haraburda, E.M. (1999). The relationship of indecisiveness to the Five Factor Personality Model and psychological symptomology. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 59(8), 4464.
- Harper, R.G., Kotik-Harper, D. & Kirby, H. (1990). Psychometric assessment of depression in an elderly general medical population. Over- or underassessment? *Journal of Nervous & Mental Disease*, 178(2), 113-119.
- Hart, B.A. (1998). Perfectionism in the context of psychotherapy: An examination of expectations. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(8), 4449.
- Harvey, E.M., Rawson, R.A. & Obert, J.L. (1994). History of sexual assault and the treatment of substance abuse disorders. *Journal of Psychoactive Drugs*, 26(4), 361-367.
- Hawthorne, W.B., Green, E.E., Lohr, J.B., Hough, R. & Smith, P.G. (1999). Comparison of outcomes of acute care in short-term residential treatment and psychiatric hospital settings. *Psychiatric Services*, 50(3), 401-406.
- Hayes, J.A. & Mahalik, J.R. (2000). Gender role conflict and psychological distress in male counseling center clients. *Psychology of Men & Masculinity*, 1(2), 116-125.
- Hayes, J.A. (1997). What does the Brief Symptom Inventory measure in college and university counseling center clients? *Journal of Counseling Psychology*, 44(4), 360-367.
- He, Y., Zhang, M., Chou, J., Yu, W., Wu, W., Cui, X., Shao, H., Grant, I. & Patterson, T. (1995). The psychological and physical health of family members caring for an elderly person with dementia. *Chinese Journal of Clinical Psychology*, 3(4), 200-203.
- Heiby, E. M. & Mearig, A. (2002). Self-control skills and negative emotional state: a focus on hostility. *Psychological Reports*, 90(2), 627-633.

Brief Symptom Inventory (BSI®) Bibliography

- Heinrich, R.K. & Tate, D.G. (1996). Latent variable structure of the Brief Symptom Inventory in a sample of persons with spinal cord injuries. *Rehabilitation Psychology*, 41(2), 131-147.
- Heinrich, R.K., Tate, D.G. & Buckelew, S.P. (1994). Brief Symptom Inventory norms for spinal cord injury. *Rehabilitation Psychology*, 39(1), 49-56.
- Helene, B. & Ford, P. (2000). Mind-body innovations<\m>An integrative care approach. *Psychiatric Quarterly*, 71(1), 47-58.
- Helgeson, V.S. (1994). Long-distance romantic relationships: Sex differences in adjustment and breakup. *Personality & Social Psychology Bulletin*, 20(3), 254-265.
- Hemmings, M., Reimann, J.O., Madrigal, D. & Velasquez, R.J. (1998). Predictors of scores on the Brief Symptom Inventory for ethnically diverse female clients. *Psychological Reports*, 83(3), 800-802.
- Henning, K., Leitenberg, H., Coffey, P., Turner, T., et al. (1996). Long-term psychological and social impact of witnessing physical conflict between parents. *Journal of Interpersonal Violence*, 11(1), 35-51.
- Herbst, J.H., Goodman, M., Feldstein, S. & Reilly, J.M. (1999). Health-related quality-of-life assessment of patients with life-threatening ventricular arrhythmias. *Pacing & Clinical Electrophysiology*, 22(6), 915-926.
- Herman, S.M. (1994). The diagnostic utility of the multimodal Structural Profile Inventory. *Psychotherapy in Private Practice*, 13(3), 55-62.
- Herman, S.M. (1997). The relationship between therapist-client modality similarity and psychotherapy outcome. *Journal of Psychotherapy Practice & Research*, 7(1), 56-64.
- Hershberger, P.J., Zimmerman, G. L., Markert, R. J., Kirkham, K. E. & Bosworth, M. F. (2000). Explanatory style and the performance of residents. *Medical Education*, 34(8), 676-678.
- Hiebert-Murphy, D. (1998). Emotional distress among mothers whose children have been sexually abused: the role of a history of child sexual abuse, social support, and coping. *Child Abuse & Neglect*, 22(5), 423-435.
- Hight, C.T. (1998). The effects of the perceived therapeutic alliance on outcome in couples therapy. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(8), 4451.
- Hilsabeck, R.C., Gouvier, W.D. & Bolter, J.F. (1998). Reconstructive memory bias in recall of neuropsychological symptomatology. *Journal of Clinical & Experimental Neuropsychology*, 20(3), 328-338.
- Hingley, S. M. (2001). Psychodynamic theory and narcissistically related personality problems: Support from case study research. *British Journal of Medical Psychology*, 74(1), 57-72.
- Hinkeldey, N.S. & Corrigan, J.D. (1990). The structure of head-injured patients' neurobehavioural complaints: a preliminary study. *Brain Injury*, 4(2), 115-133.
- Hodgins, D.C. (1996). Correlates of dissociative symptoms in substance abusers. *Journal of Nervous & Mental Disease*, 184(10), 636-639.

Brief Symptom Inventory (BSI®) Bibliography

- Holden, R.R., Starzyk, K.B., McLeod, L.D. & Edwards, M.J. (2000). Comparisons among the Holden Psychological Screening Inventory (HPSI), the Brief Symptom Inventory (BSI), and the Balanced Inventory of Desirable Responding (BIDR). *Assessment*, 7(2), 163-175.
- Hollen, P.J., Gralla, R.J., Kris, M.G., Cox, C., Belani, C.P., Grunberg, S.M., Crawford, J. & Neidhart, J.A. (1994). Measurement of quality of life in patients with lung cancer in multicenter trials of new therapies. Psychometric assessment of the Lung Cancer Symptom Scale. *Cancer*, 73(8), 2087-2098.
- Horesh, N. (2000). Perception of spouses and relationships: A matched control study of patients with severe affective disorder in remission and their spouses. *Journal of Nervous & Mental Disease*, 188(7), 463-466.
- Horowitz, J.A. & Damato, E.G. (1999). Mother's perceptions of postpartum stress and satisfaction. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 28(6), 595-605.
- Horowitz, J.A., Damato, E., Solon, L. & von Metzsch, G. (1996). Identification of symptoms of postpartum depression: linking research to practice. *Journal of Perinatology*, 16(5), 360-365.
- Horton, T. V. & Wallander, J. (2001). Hope and social support as resilience factors against psychological distress of mothers who care for children with chronic physical conditions. *Rehabilitation Psychology*, 46(4), 382-399.
- Howlett, B.A. (1994). An investigation of the relationship between general belief patterns and well-being. *Journal of Rational-Emotive & Cognitive Behavior Therapy*, 12(4), 205.
- Huber, R. & Bryant, J. (1996). The 10-Mile Mourning Bridge and the Brief Symptom Inventory: close relatives? *Hospice Journal*, 11(2), 31-46.
- Hurwich, J. & Tori, C. D. (2000). Consequences of impending national change: symptoms of psychological distress among homosexual and heterosexual men living in Hong Kong. *Journal of Homosexuality*, 38(3), 85-96.
- Iwamasa, G.Y. & Kooreman, H. (1995). Brief symptom inventory scores of Asian, Asian-American, and European-American college students. *Cultural Diversity & Mental Health*, 1(2), 149-157.
- Jackson, R. (1995). Family environment and psychological distress in persons who are visually impaired. *Journal of Visual Impairment & Blindness*, 89(2), 157.
- Jellinek, H.M., Torkelson, R.M. & Harvey, R.F. (1982). Functional abilities and distress levels in brain injured patients at long-term follow-up. *Archives of Physical.Medicine & Rehabilitation*, 63(4), 160-162.
- Jenkins, S.R. (1997). Coping and social support among emergency dispatchers: Hurricane Andrew. *Journal of Social Behavior & Personality*, 12(1), 201-216.
- Jepson, C., Pickett, M., Keane, A., Tax, A. & McCorkle, R. (1996). Experiences of African American and Caucasian women who survive urban residential fires. *Health Care for Women International*, 17(6), 505-513.
- Johll, M.P. (1999). The parental experience of a neonatal intensive care unit. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 59(9), 5088.

Brief Symptom Inventory (BSI®) Bibliography

- Johnson, L.C., Murphy, S.A. & Dimond, M. (1996). Reliability, construct validity, and subscale norms of the Brief Symptom Inventory when administered to bereaved parents. *Journal of Nursing Measurement*, 4(2), 117-127.
- Johnson, M. E., Brems, C. & Burke, S. (2002). Recognizing comorbidity among drug users in treatment. *American Journal of Drug and Alcohol Abuse*, 28(2), 243-261.
- Johnson, P.R. & Thorn, B.E. (1989). Cognitive behavioral treatment of chronic headache: group versus individual treatment format. *Headache*, 29(6), 358-365.
- Jones, D. J. (2001). Family transmission of depressive symptoms: Replication across Caucasian and African American mother-child dyads. *Behavior Therapy*, 32(1), 123-138.
- Jones, W. & Markos, P.A. (1997). Client rating of counselor effectiveness: A call for caution. *Journal of Applied Rehabilitation Counseling*, 28(3), 23-28.
- Jordan, J.R. (1991). Cumulative loss, current stress, and the family: A pilot investigation of individual and systemic effects. *Omega - Journal of Death & Dying*, 24(4), 309.
- Jula, A., Salminen, J.K. & Saarijarvi, S. (1999). Alexithymia: a facet of essential hypertension. *Hypertension*, 33(4), 1057-1061.
- Kalichman, S.C. (1999). Psychological and social correlates of high-risk sexual behaviour among men and women living with HIV/AIDS. *AIDS Care*, 11(4), 415-427.
- Kane, F.J., Jr., Harper, R.G. & Wittels, E. (1988). Angina as a symptom of psychiatric illness. *Southern Medical Journal*, 81(11), 1412-1416.
- Kane, F.J., Jr., Strohle, J. & Harper, R.G. (1991). Noncardiac chest pain in patients with heart disease. *Southern Medical Journal*, 84(7), 847-852.
- Kane, F.J., Jr., Strohle, J. & Harper, R.G. (1993). Nonulcer dyspepsia associated with psychiatric disorder. *Southern Medical Journal*, 86(6), 641-646.
- Kane, M. & DiBartolo, M. (2002). Complex physical and mental health needs of rural incarcerated women. *Issues in Mental Health Nursing*, 23(3), 209-229.
- Kario, K., Schwartz, J.E., Davidson, K.W. & Pickering, T.G. (2001). Gender differences in associations of diurnal blood pressure variation, awake physical activity, and sleep quality with negative affect: the work site blood pressure study. *Hypertension*, 38(5), 997-1002.
- Karmilovich, S.E. (1994). Burden and stress associated with spousal caregiving for individuals with heart failure. *Progress in Cardiovascular Nursing*, 9(1), 33-38.
- Kaufman, D.I. (2000). Validation of the NPI-Q, a brief clinical form of the Neuropsychiatric Inventory. *Journal of Neuropsychiatry & Clinical Neurosciences*, 12(2), 233-239.
- Kaufman, E., Bauman, A., Lichtenstein, T., Garfunkel, A.A. & Hertz, D.G. (1991). Comparison between the psychopathological profile of dental anxiety patients and an average dental population. *International Journal of Psychosomatics*, 38(1), 52-57.

Brief Symptom Inventory (BSI®) Bibliography

- Keane, A., Jepson, C., Pickett, M., Robinson, L. & McCorkle, R. (1996). Demographic characteristics, fire experiences, and distress of residential fire survivors. *Issues in Mental Health Nursing*, 17(5), 487-501.
- Kelley, M.P. (1997). Therapeutic adventures outdoors: A demonstration of benefits for people with mental illness. *Psychiatric Rehabilitation Journal*, 20(4), 61-73.
- Kelley, S.J., Whitley, D., Sipe, T.A. & Yorker, B.C. (2000). Psychological distress in grandmother kinship care providers: the role of resources, social support, and physical health. *Child Abuse & Neglect*, 24(3), 311-321.
- Kendell, K., Saxby, B., Farrow, M. & Naisby, C. (2001). Psychological factors associated with short-term recovery from total knee replacement. *British Journal of Health Psychology*, 6(1), 41-52.
- Kennedy, C.A. (1993). Psychological distress, drug and alcohol use as correlates on condom use in HIV-serodiscordant heterosexual couples. *AIDS*, 7(11), 1493-1499.
- Kennedy, C.A., Skurnick, J.H., Foley, M. & Louria, D.B. (1995). Gender differences in HIV-related psychological distress in heterosexual couples. *AIDS Care*, 7(1), S33-S38
- Kiecolt-Glaser, J.K., Glaser, R., Strain, E.C., Stout, J.C., Tarr, K.L., Holliday, J.E. & Speicher, C.E. (1986). Modulation of cellular immunity in medical students. *Journal of Behavioral Medicine*, 9(1), 5-21.
- Kim, E.L. & Alan. (1997). Relationship of alcohol use to other health behaviors among college students. *Psychology of Addictive Behaviors*, 11(3), 166-173.
- Kim, K. A., Moser, D. K., Garvin, B. J., Riegel, B. J., Doering, L. V., Jadack, R. A., McKinley, S., Schueler, A. L., Underman, L. & McErlean, E. (2000). Differences between men and women in anxiety early after acute myocardial infarction. *American Journal of Critical Care*, 9(4), 245-253.
- Kingsep, P., Nathan, P., & Castle, D. (2003). Cognitive behavioural group treatment for social anxiety in schizophrenia. *Schizophrenia Research*, 63(1-2), 121-129.
- Kirwin, M.J. (1999). The influence of mental self-government thinking style on divorce counseling outcome. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 60(3), 1324.
- Kissane, D.W., McKenzie, D.P. & Bloch, S. (1997). Family coping and bereavement outcome. *Palliative Medicine*, 11(3), 191-201.
- Kitson, G.C. (1987). Grief in widowhood and divorce. *Psychiatric Clinics of North America*, 10(3), 369-386.
- Kleinknecht, R.A. (1992). Treatment of posttraumatic stress disorder with eye movement desensitization. *Journal of Behavior Therapy & Experimental Psychiatry*, 23(1), 43-49.
- Klinkenberg, W. & Calsyn, R.J. (1998). The helping alliance in case management for homeless persons with severe mental illness. *Community Mental Health Journal*, 34(6), 569-578.
- Klock, S.C., Jacob, M.C. & Maier, D. (1994). A prospective study of donor insemination recipients: secrecy, privacy, and disclosure. *Fertility & Sterility*, 62(3), 477-484.
- Knight, B. (1992). Emotional distress and diagnosis among helpseekers: A comparison of dementia caregivers and older adults. *Journal of Applied Gerontology*, 11(3), 361-373.

Brief Symptom Inventory (BSI®) Bibliography

- Knisely, J.E. & Northouse, L. (1994). The relationship between social support, help-seeking behavior, and psychological distress in psychiatric clients. *Archives of Psychiatric Nursing*, 8(6), 357-365.
- Kornblith, A.B., Anderson, J., Cella, D.F., Tross, S., Zuckerman, E., Cherin, E., Henderson, E.S., Weiss, R.B., Cooper, M.R. & Silver, R.T. (1990). Quality of life assessment of Hodgkin's disease survivors: a model for cooperative clinical trials. *Oncology*, 4(5), 93-101.
- Kornblith, A.B., Herndon, J.E., Zuckerman, E., Cella, D.F., et al. (1998). Comparison of psychosocial adaptation of advanced stage Hodgkin's disease and acute leukemia survivors. *Cancer and Leukemia Group B. Annals of Oncology*, 9(3), 297-306.
- Kozaric-Kovacic, D. (1999). Combat experienced soldiers and tortured prisoners of war differ in the clinical presentation of post-traumatic stress disorder. *Nordic Journal of Psychiatry*, 53(1), 11-15.
- Krasnoff, A.G. (1985). Evaluation of an intervention program with work release patients. *Journal of Offender Counseling, Services & Rehabilitation*, 9(3), 42.
- Kreutzer, J.S. & Camplair, P.S. (1994). Primary caregivers' psychological status and family functioning after traumatic brain injury. *Brain Injury*, 8(3), 197-210.
- Kreutzer, J.S., Gervasio, A.H. & Camplair, P.S. (1994). Patient correlates of caregivers' distress and family functioning after traumatic brain injury. *Brain Injury*, 8(3), 211-230.
- Krikorian, R., Kay, J. & Liang, W. (1995). Emotional distress, coping, and adjustment in human immunodeficiency virus infection and acquired immune deficiency syndrome. *Journal of Nervous & Mental Disease*, 183(5), 293-298.
- Kuck, J., Zisook, S., Moranville, J.T., Heaton, R.K. & Braff, D.L. (1992). Negative symptomatology in schizophrenic outpatients. *Journal of Nervous & Mental Disease*, 180(8), 510-515.
- Kuhn, W.F. (1988). The tip of the iceberg: Psychiatric consultations on an orthopedic service. *International Journal of Psychiatry in Medicine*, 18(4), 375-382.
- Kuhn, W.F. (1989). Psychiatric assessment of leg fracture patients: A pilot study. *International Journal of Psychiatry in Medicine*, 19(2), 145-154.
- Kupst, M.J., Natta, M.B., Richardson, C.C., Schulman, J.L., Lavigne, J.V. & Das, L. (1995). Family coping with pediatric leukemia: ten years after treatment. *Journal of Pediatric Psychology*, 20(5), 601-617.
- Lakey, B. (1985). Response biases and the relation between negative life events and psychological symptoms. *Journal of Personality & Social Psychology*, 49(6), 1662-1668.
- Lamb, S. (1994). Aspects of disclosure: Mediators of outcome of childhood sexual abuse. *Journal of Interpersonal Violence*, 9(3), 307-326.
- Lambert, M.C., Samms-Vaughan, M.E., Lyubansky, M., et al. (1999). Emotions and psychopathology. *West Indian Medical Journal*, 48(4), 203-207.
- Land, H. & Hudson, S. (2002). HIV serostatus and factors related to physical and mental well-being in Latina family AIDS caregivers. *Social Science & Medicine*, 54(1), 147-159.

Brief Symptom Inventory (BSI®) Bibliography

- Landsman, I.S. (1990). The psychosocial consequences of traumatic injury. *Journal of Behavioral Medicine*, 13(6), 561-581.
- Lang, R.J., Gilpin, J.L. & Gilpin, A.R. (1990). Stress-related symptoms among dental hygienists. *Psychological Reports*, 66(3 Pt 1), 715-722.
- Lasky, G.L. & Srebalus, D.J. (1986). Occupational stressors among federal correctional officers working in different security levels. *Criminal Justice & Behavior*, 13(3), 317-327.
- Lawlor, D.A. (2001). The effectiveness of exercise as an intervention in the management of depression: Systematic review and meta-regression analysis of randomised controlled trials. *BMJ: British Medical Journal*, 322(7289), 763-766.
- Lehman, A.M., Lehman, D.R., Hemphill, K.J., Mandel, D.R. & Cooper, L.M. (2002). Illness experience, depression, and anxiety in chronic fatigue syndrome. *Journal of Psychosomatic Research*, 52(6), 461-465.
- Leitenberg, H., Greenwald, E. & Cado, S. (1992). A retrospective study of long-term methods of coping with having been sexually abused during childhood. *Child Abuse & Neglect*, 16(3), 399-407.
- Lemmons, D.K. (1998). Social support and stress as predictors of relapse in early recovery from alcohol and substance abuse. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 59(5), 2423.
- Leonard, B.J. (1991). Home care reimbursement for technology-dependent children: Its impact on parental distress. *Lifestyles*, 12(1), 63-76.
- Leonard, B.J., Scott, S.A. & Erpestad, N. (1992). Maternal perception of first-born infants: a controlled comparative study of mothers of premature and full-term infants. *Journal of Pediatric Nursing*, 7(2), 90-96.
- Levesque, L., Cossette, S. & Ducharme, F. (1993). The mental health of elderly spouses in Quebec: A comparison of caregivers and noncaregivers. *Canadian Journal of Community Mental Health*, 12(1), 111-125.
- Levesque, L., Cossette, S. & Lachance, L. (1998). Predictors of the psychological well-being of primary caregivers living with a demented relative: A 1-year follow-up study. *Journal of Applied Gerontology*, 17(2), 240-258.
- Levin, M., Mermelstein, H. & Rigberg, C. (1999). Factors associated with acceptance or rejection of recommendation for chemotherapy in a community cancer center. *Cancer Nursing*, 22(3), 246-250.
- Levy, N.B. (1996). Fluoxetine in depressed patients with renal failure and in depressed patients with normal kidney function. *General Hospital Psychiatry*, 18(1), 8-13.
- Liem, R. (1988). Psychological effects of unemployment on workers and their families. *Journal of Social Issues*, 44(4), 87-105.
- Lippincott, J.A. & Mierzwa, J.A. (1995). Propensity for seeking counseling services: a comparison of Asian and American undergraduates. *Journal of American College Health*, 43(5), 201-204.

Brief Symptom Inventory (BSI®) Bibliography

- Long, C.G. (1995). Assessment and management of eating disordered patients who over-exercise: A four-year follow-up of six single case studies. *Journal of Mental Health (UK)*, 4(3), 309-316.
- Luborsky, L. (1996). The revised Helping Alliance questionnaire (HAQ-II): Psychometric properties. *Journal of Psychotherapy Practice & Research*, 5(3), 260-271.
- Magen, R.H. & Glajchen, M. (1999). Cancer support groups: Client outcome and the context of group process. *Research on Social Work Practice*, 9(5), 541-554.
- Magni, E. (1996). Depression and somatic symptoms in the elderly: The role of cognitive function. *International Journal of Geriatric Psychiatry*, 11(6), 517-522.
- Magura, S., Rosenblum, A. & Rodriguez, E. (1998). Changes in HIV risk behaviors among cocaine-using methadone patients. *Journal of Addictive Diseases*, 17(4), 71-90.
- Mallinckrodt, B. (1992). Social support and the impact of job loss in dislocated blue-collar workers. *Journal of Counseling Psychology*, 39(4), 482-489.
- Marcenko, M.O. (1995). Psychosocial correlates of child out-of-home living arrangements among at-risk pregnant women. *Families in Society*, 76(6), 369-375.
- Marcenko, M.O. (1995). Social and psychological correlates of substance abuse among pregnant women. *Social Work Research*, 19(2), 103-109.
- Marsden, J., Gossop, M., Stewart, D., Rolfe, A. & Farrell, M. (2000). Psychiatric symptoms among clients seeking treatment for drug dependence. Intake data from the National Treatment Outcome Research Study. *British Journal of Psychiatry*, 176, 285-289.
- Martin, M.B. (1998). Toward an understanding of the relationship between dissociation and stress in a nonclinical population. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(9), 5128.
- Matsuoka, J.K. (1996). Economic change, family cohesion, and mental health in a rural Hawaii community. *Families in Society*, 77(2), 108-116.
- Mayou, R. A., Ehlers, A. & Hobbs, M. (2000). Psychological debriefing for road traffic accident victims. Three-year follow-up of a randomised controlled trial. *British Journal of Psychiatry*, 176, 589-593.
- McCarroll, J.E., Fullerton, C.S., Ursano, R.J. & Hermesen, J.M. (1996). Posttraumatic stress symptoms following forensic dental identification: Mt. Carmel, Waco, Texas. *American Journal of Psychiatry*, 153(6), 778-782.
- McCaskill, P.A., Toro, P.A. & Wolfe, S.M. (1998). Homeless and matched housed adolescents: a comparative study of psychopathology. *Journal of Clinical Child Psychology*, 27(3), 306-319.
- McCloskey, L.A., Figueredo, A.J. & Koss, M. (1995). The effects of systemic family violence on children's mental health. *Child Development*, 66(5), 1239-1261.
- Mcdevitt, P.J. (1999). Priests as victims of childhood sexual abuse: The effects of disclosing a history of childhood sexual abuse on the capacity for empathy. *Dissertation Abstracts International: Section A: Humanities and Social Sciences*, 60(8), 6052

Brief Symptom Inventory (BSI®) Bibliography

- McElroy, E., Steinschneider, A. & Weinstein, S. (1986). Emotional and health impact of home monitoring on mothers: a controlled prospective study. *Pediatrics*, 78(5), 780-786.
- McKeeman, J.L. & Erickson, M.T. (1997). Self and informant ratings of SCID-II Personality Disorder items for nonreferred college women: effects of item and participant characteristics. *Journal of Clinical Psychology*, 53(6), 523-533.
- McKegney, F. & O'Dowd, M.A. (1990). A prospective comparison of neuropsychologic function in HIV-seropositive and seronegative methadone-maintained patients. *AIDS*, 4(6), 565-569.
- McKelvie, M. & Gold, S. (1994). Hyperfemininity: Further definition of the construct. *Journal of Sex Research*, 31(3), 219-228.
- Mckenna, M.H. (1998). Symptom as storyteller: Migraine headache and journal writing. Dissertation Abstracts International: Section B: the Sciences & Engineering, 59(6-B), 3112.
- McLaughlin, M. & Cormier, W.H. (1988). Relation between coping strategies and distress, stress, and marital adjustment of multiple-role women. *Journal of Counseling Psychology*, 35(2), 187-193.
- McNaughton, M.E. (1990). Stress, social support, coping resources, and immune status in elderly women. *Journal of Nervous & Mental Disease*, 178(7), 460-461.
- McShane, R.E. (1994). Psychological distress in family members living with human immunodeficiency virus/acquired immune deficiency syndrome. *Archives of Psychiatric Nursing*, 8(1), 53-61.
- Meana, M., Binik, I., Khalife, S. & Cohen, D. (1998). Affect and marital adjustment in women's rating of dyspareunic pain. *Canadian Journal of Psychiatry / Revue Canadienne de Psychiatrie*, 43(4), 381-385.
- Meana, M., Binik, Y.M., Khalife, S. & Cohen, D.R. (1997). Biopsychosocial profile of women with dyspareunia. *Obstetrics & Gynecology*, 90(4), 583-589.
- Medrano, M.A., Hatch, J.P., Zule, W.A. & Desmond, D.P. (2002). Psychological distress in childhood trauma survivors who abuse drugs. *American Journal of Drug and Alcohol Abuse*, 28(1), 1-13.
- Meeske, K.A., Ruccione, K., Globe, D.R. & Stuber, M.L. (2001). Posttraumatic stress, quality of life, and psychological distress in young adult survivors of childhood cancer. *Oncology Nursing Forum*, 28(3), 481-489.
- Mehlman, R.I. (1999). A clinical validation study of George Kelly's Personal Construct Theory in men with erectile dysfunction. Dissertation Abstracts International: Section B: the Sciences & Engineering, 60(3), 1308.
- Meijer, A. (1988). Post-influenzal psychiatric disorder in adolescents. *Acta Psychiatrica Scandinavica*, 78(2), 176-181.
- Meijer, A. (1989). The association of physical illness and environmental factors with mood disorder in adolescents. *Israel Journal of Psychiatry & Related Sciences*, 26(1-2), 69-74.
- Michaels, A. J., Michaels, C. E., Smith, J. S., Moon, C. H., Peterson, C. & Long, W. B. (2000). Outcome from injury: general health, work status, and satisfaction 12 months after trauma. *Journal of Trauma*, 48(5), 841-848.

Brief Symptom Inventory (BSI®) Bibliography

- Miller, H.A. (1997). Prison segregation: Administrative detention remedy or mental health problem? *Criminal Behaviour & Mental Health*, 7(1), 85-94.
- Mireault, G.C. & Compas, B.E. (1996). A prospective study of coping and adjustment before and after a parent's death from cancer. *Journal of Psychosocial Oncology*, 14(4), 1-18.
- Mireault, G.C. (1992). Parental death in childhood: Perceived vulnerability, and adult depression and anxiety. *American Journal of Orthopsychiatry*, 62(4), 517-524.
- Mirsky, J. (1997). Psychological distress among immigrant adolescents: Culture-specific factors in the case of immigrants from the former Soviet Union. *International Journal of Psychology*, 32(4), 221-230.
- Mirsky, J., Ginath, Y., Perl, E. & Ritsner, M. (1992). The psychological profile of Jewish late adolescents in the USSR: A pre-immigration study. *Israel Journal of Psychiatry & Related Sciences*, 29(3), 150-158.
- Mohide, E.A., Whelan, T.J., Rath, D., Gafni, A., Willan, A.R., Czucar, D., Campbell, I.B., Okawara, G.S., Neimanis, M. & Levine, M.N. (1996). A randomised trial of two information packages distributed to new cancer patients before their initial appointment at a regional cancer centre. *British Journal of Cancer*, 73(12), 1588-1593.
- Mohr, D.C., Beutler, L.E., Engle, D., Shoham-Salomon, V., Bergan, J., Kaszniak, A.W. & Yost, E.B. (1990). Identification of patients at risk for nonresponse and negative outcome in psychotherapy. *Journal of Consulting & Clinical Psychology*, 58(5), 622-628.
- Moneyham, L., Sowell, R., Seals, B. & Demi, A. (2000). Depressive symptoms among African American women with HIV disease. *Scholarly Inquiry for Nursing Practice*, 14(1), 9-39.
- Moriarty, H.J. (1996). Differences in bereavement reactions within couples following death of a child. *Research in Nursing & Health*, 19(6), 461-469.
- Morlan, K.K. & Tan, S.Y. (1998). Comparison of the Brief Psychiatric Rating Scale and the Brief Symptom Inventory. *Journal of Clinical Psychology*, 54(7), 885-894.
- Morse, G. (1985). Mentally disturbed homeless people in St. Louis: Needy, willing, but underserved. *International Journal of Mental Health*, 14(4), 74-94.
- Moser, D.K. & Dracup, K. (1996). Is anxiety early after myocardial infarction associated with subsequent ischemic and arrhythmic events? *Psychosomatic Medicine*, 58(5), 395-401.
- Moss, M.E., Beck, J.D., Kaplan, B.H., Offenbacher, S., Weintraub, J.A., Koch, G.G., Genco, R.J., Machtei, E.E. & Tedesco, L.A. (1996). Exploratory case-control analysis of psychosocial factors and adult periodontitis. *Journal of Periodontology*, 67(10), 1060-1069.
- Mughal, S., Walsh, J. & Wilding, J. (1996). Stress and work performance: The role of trait anxiety. *Personality & Individual Differences*, 20(6), 685-691.
- Mullins, L. L. (2002). The influence of respite care on psychological distress in parents of children with developmental disabilities: A longitudinal study. *Children's Services: Social Policy, Research, and Practice*, 5(2), 123-138.
- Mullins, L.L. (1995). Child and maternal adaptation to cystic fibrosis and insulin-dependent diabetes mellitus: Differential patterns across disease states. *Journal of Pediatric Psychology*, 20(2), 173-186.

Brief Symptom Inventory (BSI®) Bibliography

- Murphy, S. A. (2002). Bereaved parents' use of individual, family, and community resources 4 to 60 months after a child's violent death. *Family & Community Health*, 25(1), 71-82.
- Nehls, N. (1991). Borderline personality disorder and group therapy. *Archives of Psychiatric Nursing*, 5(3), 137-146.
- Neville, H. A. (2000). The relationship between racial identity cluster profiles and psychological distress among African American college students. *Journal of Multicultural Counseling & Development*, 28(4), 194-207.
- Neville, K. (1996). Psychological distress in adolescents with cancer. *Journal of Pediatric Nursing*, 11(4), 243-251.
- Newberger, C.M. (1993). Mothers of sexually abused children: Trauma and repair in longitudinal perspective. *American Journal of Orthopsychiatry*, 63(1), 92-102.
- Nezu, C.M. (1991). Assertiveness and problem-solving training for mildly mentally retarded persons with dual diagnoses. *Research in Developmental Disabilities*, 12(4), 371-386.
- Nicholl, C.R., Lincoln, N.B., Francis, V.M. & Stephan, T.F. (2001). Assessment of emotional problems in people with multiple sclerosis. *Clinical Rehabilitation*, 15(6), 657-668.
- Nichols, D.S. & Glenn, T.M. (1994). Effects of aerobic exercise on pain perception, affect, and level of disability in individuals with fibromyalgia. *Physical Therapy*, 74(4), 327-332.
- Niedermeier, C.L., Searight, H.R., Handal, P.J., Manley, C.M. & Brown, N.Y. (1995). Perceived family functioning among adolescent psychiatric inpatients: validity of the family-of-origin scale. *Child Psychiatry & Human Development*, 25(4), 253-265.
- Noll, R.B. (1995). Comparing parental distress for families with children who have cancer and matched comparison families without children with cancer. *Family Systems Medicine*, 13(1), 11-27.
- Northouse, L.L. (1995). Emotional distress reported by women and husbands prior to a breast biopsy. *Nursing Research*, 44(4), 196.
- Northouse, L. (1989). A longitudinal study of the adjustment of patients and husbands to breast cancer. *Oncology Nursing Forum*, 16(4), 511-516.
- Northouse, L.L., Mood, D., Templin, T., Mellon, S. & George, T. (2000). Couples' patterns of adjustment to colon cancer. *Social Science & Medicine*, 50(2), 271-284.
- Northouse, L.L. & Swain, M.A. (1987). Adjustment of patients and husbands to the initial impact of breast cancer. *Nursing Research*, 36(4), 221-225.
- Northouse, L.L. (1988). Social support in patients' and husbands' adjustment to breast cancer. *Nursing Research*, 37(2), 91.
- Northouse, L.L., Dorris, G. & Charron-Moore, C. (1995). Factors affecting couples' adjustment to recurrent breast cancer. *Social Science & Medicine*, 41(1), 69-76.
- Northouse, L.L., Templin, T., Mood, D. & Oberst, M. (1998). Couples' adjustment to breast cancer and benign breast disease: a longitudinal analysis. *Psycho-Oncology*, 7(1), 37-48.

Brief Symptom Inventory (BSI®) Bibliography

- Nyamathi, A. (1999). A comparison of homeless women and their intimate partners. *Journal of Community Psychology, 27*(4), 489-502.
- Oberst, M.T. & Scott, D.W. (1988). Postdischarge distress in surgically treated cancer patients and their spouses. *Research in Nursing & Health, 11*(4), 223-233.
- O'Connor, L.E. (1999). Interpersonal guilt, shame, and psychological problems. *Journal of Social & Clinical Psychology, 18*(2), 181-203.
- O'Connor, L.E., Berry, J.W., Morrison, A. & Brown, S. (1995). The drug-of-choice phenomenon psychological differences among drug users who preferred different drugs. *International Journal of the Addictions, 30*(5), 541-555.
- O'Farrell, P., Murray, J. & Hotz, S.B. (2000). Psychologic distress among spouses of patients undergoing cardiac rehabilitation. *Heart & Lung: The Journal of Critical Care, 29*(2), 97-104.
- O'Hara, M.W., Ghoneim, M.M., Hinrichs, J.V., Mehta, M.P. & Wright, E.J. (1989). Psychological consequences of surgery. *Psychosomatic Medicine, 51*(3), 356-370.
- O'Malia, L., McFarland, B.H., Barker, S. & Barron, N.M. (2002). A level-of-functioning self-report measure for consumers with severe mental illness. *Psychiatric Services, 53*(3), 326-331.
- Onder, M., Cosar, B., Oztas, M. O. & Candansayar, S. (2000). Stress and skin diseases in musicians: evaluation of the beck depression scale, general psychologic profile (the brief symptom inventory [BSI]), beck anxiety scale and stressful life events in musicians. *Biomedicine & Pharmacotherapy, 54*(5), 258-262.
- Oppenheim, D. (1996). Couples' co-construction of the story of their child's birth: Associations with marital adaptation. *Journal of Narrative & Life History, 6*(1), 1-21.
- Orsillo, S.M. (1993). Siblings of head-injured individuals: A population at risk. *Journal of Head Trauma Rehabilitation, 8*(1), 102-115.
- Orsillo, S.M., Roemer, L., Litz, B.T., Ehlich, P. & Friedman, M.J. (1998). Psychiatric symptomatology associated with contemporary peacekeeping: an examination of post-mission functioning among peacekeepers in Somalia. *Journal of Traumatic Stress, 11*(4), 611-625.
- Osman, A. (1993). The Beck Anxiety Inventory: Psychometric properties in a community population. *Journal of Psychopathology & Behavioral Assessment, 15*(4), 287-297.
- Osman, A. (1993). The Multi-Attitude Suicide Tendency Scale: Psychometric characteristics in an American sample. *Journal of Clinical Psychology, 49*(5), 701-708.
- Osman, A. (1994). Validation of the Inventory of College Students' Recent Life Experiences in an American college sample. *Journal of Clinical Psychology, 50*(6), 856-863.
- Osman, A. (1994). Validation of the Multi-Attitude Suicide Tendency Scale in adolescent samples. *Journal of Clinical Psychology, 50*(6), 847-855.
- Osman, A. (1995). Systematic evaluation of psychometric properties of the cognition checklist with college students. *Psychological Reports, 76*(2), 523-528.

Brief Symptom Inventory (BSI®) Bibliography

- Osman, A. (1997). The Beck Anxiety Inventory: Reexamination of factor structure and psychometric properties. *Journal of Clinical Psychology*, 53(1), 7-14.
- Osman, A., Barrios, F.X., Osman, J.R. & Markway, K. (1993). Further psychometric evaluation of the Fear Questionnaire: responses of college students. *Psychological Reports*, 73(3), 1259-1266.
- Otchet, F., Carey, M.S. & Adam, L. (1999). General health and psychological symptom status in pregnancy and the puerperium: what is normal? *Obstetrics & Gynecology*, 94(6), 935-941.
- Owens, S.J. (2002). Family involvement during a geropsychiatric hospitalization. *Journal of Clinical Geropsychology*, 8(2), 87-99.
- Pang, K.Y.C. (2000). Symptom expression and somatization among elderly Korean immigrants. *Journal of Clinical Geropsychology*, 6(3), 199-212.
- Parker, P.A. (1999). Attributions, counterfactual thinking, and adjustment of women with breast implants. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 59(9), 5104.
- Parker, W.D. (1996). Psychological adjustment in mathematically gifted students. *Gifted Child Quarterly*, 40(3), 154-157.
- Parker, W.D. (1997). An empirical typology of perfectionism in academically talented children. *American Educational Research Journal*, 34(3), 545-562.
- Parker, W.D. (1998). Birth-order effects in the academically talented. *Gifted Child Quarterly*, 42(1), 29-38.
- Paterson, R., Douglas, C., Hallmayer, J., Hagan, M. & Krupenia, Z. (1999). A randomised, double-blind, placebo-controlled trial of dexamphetamine in adults with attention deficit hyperactivity disorder. *Australian & New Zealand Journal of Psychiatry*, 33(4), 494-502.
- Patterson, D.R., Ptacek, J.T., Cromes, F., Fauerbach, J.A. & Engrav, L. (2000). The 2000 Clinical Research Award. Describing and predicting distress and satisfaction with life for burn survivors. *Journal of Burn Care Rehabilitation*, 21(6), 490-498.
- Patterson, T.L., Semple, S.J., Shaw, W.S., Halpain, M., Moscona, S., Grant, I. & Jeste, D.V. (1997). Self-reported social functioning among older patients with schizophrenia. *Schizophrenia Research*, 27(2), 199-210.
- Pawlowski, M., Holme, G., Hafner & Julian. (1993). Wilderness therapy for psychiatric disorder. *Mental Health in Australia*, 5(1), 8-14.
- Payne, D.K., Hoffman, R.G., Theodoulou, M., Dosik, M. & Massie, M.J. (1999). Screening for anxiety and depression in women with breast cancer. *Psychiatry and medical oncology gear up for managed care. Psychosomatics*, 40(1), 64-69.
- Pekarik, G. (1983a). Improvement in clients who have given different reasons for dropping out of treatment. *Journal of Clinical Psychology*, 39(6), 909-913.
- Pekarik, G. (1983b). Follow-up adjustment of outpatient dropouts. *American Journal of Orthopsychiatry*, 53(3), 501-511.
- Pekarik, G. (1992). Relationship of clients' reasons for dropping out of treatment to outcome and satisfaction. *Journal of Clinical Psychology*, 48(1), 91-98.

Brief Symptom Inventory (BSI®) Bibliography

- Pekarik, G. (1996). Relationship of satisfaction to symptom change, follow-up adjustment, and clinical significance. *Professional Psychology - Research & Practice*, 27(2), 202.
- Peleg-Oren, N. & Sherer, M. (2001). Cancer patients and their spouses: Gender and its effect on psychological and social adjustment. *Journal of Health Psychology*, 6(3), 329-338.
- Perconte, S. & Wilson, A. (1994). Self-report versus observer ratings of distress and pathology in Vietnam veterans with PTSD. *Journal of Traumatic Stress*, 7(1), 129-134.
- Peretz, T., Baider, L., Ever-Hadani, P. & De Nour, A.K. (1994). Psychological distress in female cancer patients with Holocaust experience. *General Hospital Psychiatry*, 16(6), 413-418.
- Perrudet-Badoux, A. (1987). Evaluation of psychological disorders in an asthmatic population with the Brief Symptom Inventory (BSI). [French]. *Psychologie Medicale*, 19(13), 2457-2460.
- Perry, S., Jacobsberg, L., Card, C.A., Ashman, T., Frances, A. & Fishman, B. (1993). Severity of psychiatric symptoms after HIV testing. *American Journal of Psychiatry*, 150(5), 775-779.
- Perry, S.W., Jacobsberg, L.B., Fishman, B., Weiler, P.H., Gold, J.W. & Frances, A.J. (1990). Psychological responses to serological testing for HIV. *AIDS*, 4(2), 145-152.
- Piedmont, R. L., Sherman, M. F. & Barrickman, L. (2000). Brief psychosocial assessment of a clinical sample: an evaluation of the Personal Problems Checklist for Adults. *Assessment*, 7(2), 177-187.
- Piersma, H.L. & Boes, J.L. (1995). Agreement between patient self-report and clinician rating: concurrence between the BSI and the GAF among psychiatric inpatients. *Journal of Clinical Psychology*, 51(2), 153-157.
- Piersma, H.L. (1994). The Brief Symptom Inventory as an outcome measure for adolescent psychiatric inpatients. *Assessment*, 1(2), 151-157.
- Piersma, H.L. (1994). Unidimensionality of the Brief Symptom Inventory (BSI) in adult and adolescent inpatients. *Journal of Personality Assessment*, 63(2), 338-344.
- Piersma, H.L., Reaume, W.M. & Boes, J.L. (1994). The Brief Symptom Inventory (BSI) as an outcome measure for adult psychiatric inpatients. *Journal of Clinical Psychology*, 50(4), 555-563.
- Pincus, A.L. (1995). Social-emotional adjustment and interpersonal problems: A circumplex analysis of the Weinberger adjustment typology. *Assessment*, 2(1), 65-80.
- Pithers, W.D. (1998). Caregivers of children with sexual behavior problems: Psychological and familial functioning. *Child Abuse & Neglect*, 22(2), 129-141.
- Plass, A. & Koch, U. (2001). Participation of oncological outpatients in psychosocial support. *Psychooncology*, 10(6), 511-520.
- Ponizovsky, A. (1996). The impact of professional adjustment on the psychological distress of immigrant physicians. *Stress Medicine*, 12(4), 247-251.
- Ponizovsky, A., Ritsner, M. & Modai, I. (2000). Changes in psychological symptoms during the adjustment of recent immigrants. *Comprehensive Psychiatry*, 41(4), 289-294.

Brief Symptom Inventory (BSI®) Bibliography

- Popma, R.M. (1999). Identifying an efficient psychotherapy outcome scale to use with outpatient mental health populations. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 59(9), 5106.
- Prescott, A., Bank, L., Reid, J. B., Knutson, J. F., Burraston, B. O. & Eddy, J. M. (2000). The veridicality of punitive childhood experiences reported by adolescents and young adults. *Child Abuse & Neglect*, 24(3), 411-423.
- Preston, N.J. & Harrison, T.J. (2003). The Brief Symptom Inventory and the Positive and Negative Syndrome Scale: Discriminate validity between a self-reported and observational measure of psychopathology. *Comprehensive Psychiatry*, 44(3), 220-226.
- Prigerson, H.G., Frank, E., Kasl, S.V., et al. (1995). Complicated grief and bereavement-related depression as distinct disorders: preliminary empirical validation in elderly bereaved spouses. *American Journal of Psychiatry*, 152(1), 22-30.
- Primm, A. B., Gomez, M. P., Tzolova-Iontchev, I., Perry, W. & Crum, R. M. (2000). Chronically mentally ill patients with and without substance use disorders: a pilot study. *Psychiatry Research*, 95(3), 261-270.
- Ptacek, J.T. (1995). Pain, coping, and adjustment in patients with burns: Preliminary findings from a prospective study. *Journal of Pain & Symptom Management*, 10(6), 446-455.
- Quester, K.A. (1999). Predictors of good outcome in very brief versus longer therapy. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 60(1), 0372.
- Rabkin, J.G. (1991). Depression, distress, lymphocyte subsets, and human immunodeficiency virus symptoms on two occasions in HIV-positive homosexual men. *Archives of General Psychiatry*, 48(2), 111-119.
- Rabkin, J.G. (1996). Treatment of depression in HIV+ men: Literature review and report of an ongoing study of testosterone replacement therapy. *Annals of Behavioral Medicine*, 18(1), 24-29.
- Rabkin, J.G., Goetz, R.R., Remien, R.H., Williams, J.B., Todak, G. & Gorman, J.M. (1997). Stability of mood despite HIV illness progression in a group of homosexual men. *American Journal of Psychiatry*, 154(2), 231-238.
- Rabkin, J.G., Rabkin, R., Harrison, W. & Wagner, G. (1994). Effect of imipramine on mood and enumerative measures of immune status in depressed patients with HIV illness. *American Journal of Psychiatry*, 151(4), 516-523.
- Radbruch, L., Sabatowski, R., Loick, G., Jonen-Thielemann, I., Kasper, M., Gordek, B., Lehmann, K.A. & Thielemann I. (2000). Cognitive impairment and its influence on pain and symptom assessment in a palliative care unit: Development of a minimal documentation system. *Palliative Medicine*, 14(4), 266-276.
- Rahe, R. H. (2002). The Brief Stress and Coping Inventory: A useful stress management instrument. *International Journal of Stress Management*, 9(2), 61-70.
- Raich, R. & Mora, M. (1994). A review about assessment and intervention in the Body Image Disturbance and its adaptation in a student sample. [Spanish]. *Psicologemas*, 8(15), 81-99.
- Raich, R.M. (1995). A cognitive-behavioral approach to the treatment of body image disorder: A pilot study. *Eating Disorders: the Journal of Treatment & Prevention*, 3(2), 175-182.

Brief Symptom Inventory (BSI®) Bibliography

- Rainer, M. K. (2001). Effect of risperidone on behavioral and psychological symptoms and cognitive function in dementia. *Journal of Clinical Psychiatry*, 62(11), 894-900.
- Rand, B.E. (1998). Perceived attachment style and stressful life events as predictors of psychological distress in college freshmen. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(8), 4467.
- Reich, J. (1994). Paranoid personality traits in a panic disorder population: A pilot study. *Comprehensive Psychiatry*, 35(4), 260.
- Remick, S.C., McSharry, J.J., Wolf, B.C., Blanchard, C.G., et al. (1993). Novel oral combination chemotherapy in the treatment of intermediate-grade and high-grade AIDS-related non-Hodgkin's lymphoma. *Journal of Clinical Oncology*, 11(9), 1691-1702.
- Remick, S.C., Sedransk, N., Haase, R.F., Blanchard, C.G., et al. (2001). Oral combination chemotherapy in conjunction with filgrastim (G-CSF) in the treatment of AIDS-related non-Hodgkin's lymphoma: evaluation of the role of G-CSF; quality-of-life analysis and long-term follow-up. *American Journal of Hematology*, 66(3), 178-188.
- Rielly, R.L. (1998). Evaluating the clinical utility of the Brief Symptom Inventory, the Symptom Checklist-90-R, and the Minnesota Multiphasic Personality Inventory-2 in a crisis unit. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(12-B), 6864.
- Ritsner, M. (2001). Gender differences in psychosocial risk factors for psychological distress among immigrants. *Comprehensive Psychiatry*, 42(2), 151-160.
- Ritsner, M., Mirsky, J., Factourovich, A., Segal, A., et al. (1993). Psychological adjustment and distress among Soviet immigrant physicians: Demographic and background variables. *Israel Journal of Psychiatry & Related Sciences*, 30(4), 244-254.
- Ritsner, M., Modai, I. & Ponizovsky, A. (2000). The stress-support patterns and psychological distress of immigrants. *Stress Medicine*, 16(3), 139-147.
- Ritsner, M., Modai, I. & Ponizovsky, A. (2002). Assessing psychological distress in psychiatric patients: Validation of the Talbieh Brief Distress Inventory. *Comprehensive Psychiatry*, 43(3), 229-234.
- Ritsner, M., Ponizovsky, A., Chemelevsky, M., Zetser, F., Durst, R. & Ginath, Y. (1996). Effects of immigration on the mentally ill—does it produce psychological distress? *Comprehensive Psychiatry*, 37(1), 17-22.
- Ritsner, M., Ponizovsky, A., Kurs, R. & Modai, I. (2000). Somatization in an immigrant population in Israel: a community survey of prevalence, risk factors, and help-seeking behavior. *American Journal of Psychiatry*, 157(3), 385-392.
- Ritsner, M., Rabinowitz, J. & Slyuzberg, M. (1995). The Talbieh Brief Distress Inventory: A brief instrument to measure psychological distress among immigrants. *Comprehensive Psychiatry*, 36(6), 448.
- Rivest, C., Katz, J.N., Ferrante, F.M. & Jamison, R.N. (1998). Effects of epidural steroid injection on pain due to lumbar spinal stenosis or herniated disks: a prospective study. *Arthritis Care & Research*, 11(4), 291-297.
- Roberts, C., Wells, K.E. & Daniels, S. (1997). Outcome study of the psychological changes after silicone breast implant removal. *Plastic & Reconstructive Surgery*, 100(3), 595-599.

Brief Symptom Inventory (BSI®) Bibliography

- Roberts, C.S., Severinsen, C., Carraway, C., Clark, D., Freeman, M. & Daniel, P. (1997). Life changes and problems experienced by young adults with cancer. *Journal of Psychosocial Oncology*, 15(1), 15-25.
- Robertson, K.R. (1993). Psychoimmunology and AIDS: Psychological distress and herpes simplex virus in human immunodeficiency virus infected individuals. *Psychology & Health*, 8(5), 317-327.
- Robinson, E.A., Brower, K.J. & Gomberg, E.S. (2001). Explaining unexpected gender differences in hostility among persons seeking treatment for substance use disorders. *Journal of Studies on Alcohol*, 62(5), 667-674.
- Robinson, L.A., Nuamah, I.F., Lev, E. & McCorkle, R. (1995). A prospective longitudinal investigation of spousal bereavement examining Parkes and Weiss' Bereavement Risk Index. *Journal of Palliative Care*, 11(4), 5-13.
- Roca, V. (2001). Complaints of impaired memory in veterans with PTSD. *American Journal of Psychiatry*, 158(10), 1738-1739.
- Rodgers, A.Y. (1998). Multiple sources of stress and parenting behavior. *Children & Youth Services Review*, 20(6), 525-546.
- Rosen, C. S. (2000a). Six- and ten-item indexes of psychological distress based on the Symptom Checklist-90. *Assessment*, 7(2), 103-111.
- Rosen, J.C. (1990). Life stress, psychological symptoms and weight reducing behavior in adolescent girls: A prospective analysis. *International Journal of Eating Disorders*, 9(1), 17-26.
- Rosen, J.C. (1993). The relation among stress, psychological symptoms, and eating disorder symptoms: A prospective analysis. *International Journal of Eating Disorders*, 14(2), 153-162.
- Rosen, L. N. (2000b). Gender-related personal attributes and psychological adjustment among U.S. Army soldiers. *Military Medicine*, 165(1), 54-59.
- Rosen, L.N. & Martin, L. (1996). Impact of childhood abuse history on psychological symptoms among male and female soldiers in the U.S. Army. *Child Abuse & Neglect*, 20(12), 1149-1160.
- Rosen, L.N. (1996). The measurement of childhood trauma among male and female soldiers in the U.S. Army. *Military Medicine*, 161(6), 342-345.
- Rosen, L.N. (1999). Gender differences in subjective distress attributable to anticipation of combat among U.S. Army soldiers deployed to the Persian Gulf during Operation Desert Storm. *Military Medicine*, 164(11), 753-757.
- Rosenfeld, B., Breitbart, W., McDonald, M.V., Passik, S.D., Thaler, H. & Portenoy, R.K. (1996). Pain in ambulatory AIDS patients. II: Impact of pain on psychological functioning and quality of life. *Pain*, 68(2-3), 323-328.
- Rosenfeld, B., Breitbart, W., Stein, K., Funesti-Esch, J., Kaim, M., Krivo, S. & Galietta, M. (1999). Measuring desire for death among patients with HIV/AIDS: the schedule of attitudes toward hastened death. *American Journal of Psychiatry*, 156(1), 94-100.
- Rotheram-Borus, M.J. (1999). Amphetamine use and its correlates among youths living with HIV. *AIDS Education & Prevention*, 11(3), 232-242.

Brief Symptom Inventory (BSI®) Bibliography

- Rotherham-Borus, M.J. (1996). Enhancing treatment adherence with a specialized emergency room program for adolescent suicide attempters. *Journal of the American Academy of Child & Adolescent Psychiatry*, 35(5), 654-663.
- Royse, D. & Drude, K. (1984). Screening drug abuse clients with the brief symptom inventory. *International Journal of the Addictions*, 19(8), 849-857.
- Ruiperez, M. A. (2001). Psychometric properties of the Spanish version of the BSI: Contributions to the relationship between personality and psychopathology. *European Journal of Psychological Assessment*, 17(3), 241-250.
- Rummans, T.A., Frost, M., Suman, V.J., Taylor, M., Novotny, P., Gendron, T., et al. (1998). Quality of life and pain in patients with recurrent breast and gynecologic cancer. *Psychosomatics*, 39(5), 437.
- Rupolo, G. (1993). Changes in coping as a function of prognosis evolution: the situation in patients awaiting liver transplantation. *Psychologie Medicale*, 25(3), 252-264.
- Saarijaervi, S. & Lehtinen, V. (1990). Chronic low back pain patient and spouse. *Journal of Psychosomatic Research*, 34(1), 117-122.
- Saarijaervi, S., Taiminen, T., Syvaelahti, E., Niemi, H., Ahola, V., Lehto, H. & Salokangas, R. (1998). Relatives' participation in a clinical drug trial of schizophrenic outpatients improves their psychological well-being. *Nordic Journal of Psychiatry*, 52(5), 389-393.
- Saarijarvi, S., Salminen, J. K. & Toikka, T. B. (2001). Alexithymia and depression: a 1-year follow-up study in outpatients with major depression. *Journal of Psychosomatic Research*, 51(6), 729-733.
- Sahin, N. & Durak, A. (1994). A study of the Brief Symptom Inventory in Turkish Youth. [Turkish]. *Teurk Psikoloji Dergisi*, 9(31), 44-56.
- Sahin, N.H., Batiguen, A.D., & Ugurtas, S. (2002). Kiotasa Semptom Envanteri (KSE): Ergenler Icin Kullaniotamiotaniotan Gecerlik, Guevenilirlik ve Faktoer Yapiotasiota. /The validity, reliability and factor structure of the Brief Symptom Inventory (BSI). *Turk Psikiyatri Dergisi*, 13(2), 125-135.
- Salminen, J.K. (1994). Alexithymia: State or trait? One-year follow-up study of general hospital psychiatric consultation out-patients. *Journal of Psychosomatic Research*, 38(7), 681-685.
- Sannibale, C. & Hall, W. (1998). An evaluation of Cloninger's typology of alcohol abuse. *Addiction*, 93(8), 1241-1249.
- Santello, M.D. & Leitenberg, H. (1993). Sexual aggression by an acquaintance: methods of coping and later psychological adjustment. *Violence & Victims*, 8(2), 91-104.
- Sassine, M.P., Mergler, D., Bowler, R. & Hudnell, H.K. (2002). Manganese accentuates adverse mental health effects associated with alcohol use disorders. *Biological Psychiatry*, 51(11), 909-921.
- Saunders, J.C. (1998). Family functioning in families providing care for a family member with schizophrenia. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(10), 5331.
- Sayar, K., Ebrinc, S. & Ak, I. (2001). Alexithymia in patients with antisocial personality disorder in a military hospital setting. *The Israel Journal of Psychiatry Related Sciences*, 38(2), 81-87.

Brief Symptom Inventory (BSI®) Bibliography

- Scherer, M.J. & Cushman, L.A. (2000). Predicting satisfaction with assistive technology for a sample of adults with new spinal cord injuries. *Psychological Reports*, 87(3), 981-987.
- Scherer, M.J. & Cushman, L.A. (2001). Measuring subjective quality of life following spinal cord injury: a validation study of the assistive technology device predisposition assessment. *Disability Rehabilitation*, 23(9), 387-393.
- Schopp, L.H. (2001). Gender differences in cognitive and emotional adjustment to traumatic brain injury. *Journal of Clinical Psychology in Medical Settings*, 8(3), 181-188.
- Schover, L.R., Collins, R.L. & Richards, S. (1992). Psychological aspects of donor insemination: evaluation and follow-up of recipient couples. *Fertility & Sterility*, 57(3), 583-590.
- Schover, L.R., Greenhalgh, L.F., Richards, S.I. & Collins, R.L. (1994). Psychological screening and the success of donor insemination. *Human Reproduction*, 9(1), 176-178.
- Schroder, M.A.K. (1998). Time in treatment, cognitive appraisal, dispositional optimism, and age as predictors of distress in women experiencing infertility. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(9-B), 5140.
- Schwartz, A.J., Black, E.R., Goldstein, M.G., Jozefowicz, R.F. & Emmings, F.G. (1987). Levels and causes of stress among residents. *Journal of Medical Education*, 62(9), 744-753.
- Scocco, P., Meneghel, G., Dello, B.M. & De Leo, D. (2001). Hostility as a feature of elderly suicidal ideators. *Psychological Reports*, 88(3), 863-868.
- Scroppo, J.C., Drob, S.L., Weinberger, J.L. & Eagle, P. (1998). Identifying dissociative identity disorder: a self-report and projective study. *Journal of Abnormal Psychology*, 107(2), 272-284.
- Segal, D. L. (2001). Personality dysfunction, coping styles, and clinical symptoms in younger and older adults. *Journal of Clinical Geropsychology*, 7(3), 201-212.
- Segal, D.L. (1999). Effects of emotional expression on adjustment to spousal loss among older adults. *Journal of Mental Health & Aging*, 5(4), 297-310.
- Selnes, O., Galai, N. & Cohn, S. (1997). HIV infection and cognition in intravenous drug users: Long-term follow-up. *Neurology*, 48(1), 223-230.
- Selva, M. (1998). A group treatment protocol for patients with irritable bowel syndrome. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 59(5), 2435.
- Semenchuk, M.R. (2000). Effectiveness of tizanidine in neuropathic pain: An open-label study. *Journal of Pain*, 1(4), 285-292.
- Shanfield, S.B., Benjamin, A.H. & Swain, B.J. (1984). Parents' reactions to the death of an adult child from cancer. *American Journal of Psychiatry*, 141(9), 1092-1094.
- Shefler, G. (1998). Interjudge reliability and agreement about the patient's central issue in time-limited psychotherapy (TLP) and its relation to TLP outcome. *Psychotherapy Research*, 8(4), 426-438.
- Shefler, G., Canetti, L. & Wiseman, H. (2001). Psychometric properties of goal-attainment scaling in the assessment of Mann's time-limited psychotherapy. *Journal of Clinical Psychology*, 57(7), 971-979.

Brief Symptom Inventory (BSI®) Bibliography

- Sheldon, K.M. (1994). Emotionality differences between artists and scientists. *Journal of Research in Personality*, 28(4), 481-491.
- Sher, K.J. (1996). The course of psychological distress in college: A prospective high-risk study. *Journal of College Student Development*, 37(1), 42.
- Sherman, B.R. (1995). Impact of home-based respite care on families of children with chronic illnesses. *Children's Health Care*, 24(1), 33-45.
- Shipman, K.L., B & West, J.C. (1999). Co-occurrence of spousal violence and child abuse: Conceptual implications. *Child Maltreatment: Journal of the American Professional Society on the Abuse of Children*, 4(2), 93-102.
- Siegel, K., Karus, D.G., Raveis, V.H., Christ, G.H. & Mesagno, F.P. (1996). Depressive distress among the spouses of terminally ill cancer patients. *Cancer Practice*, 4(1), 25-30.
- Silverman, S.H. (1997). On our own: Preliminary findings from a consumer-run service model. *Psychiatric Rehabilitation Journal*, 21(2), 151-159.
- Simpson, S., Corney, R., Fitzgerald, P. & Beecham, J. (2000). A randomised controlled trial to evaluate the effectiveness and cost-effectiveness of counselling patients with chronic depression. *Health Technology Assessment*, 4(36), 1-83.
- Singer, E.J., Zorilla, C., Fahy-Chandon, B., Chi, S., Syndulko, K. & Tourtellotte, W.W. (1993). Painful symptoms reported by ambulatory HIV-infected men in a longitudinal study. *Pain*, 54(1), 15-19.
- Singer, L., Arendt, R., Farkas, K., Minnes, S., Huang, J. & Yamashita, T. (1997). Relationship of prenatal cocaine exposure and maternal postpartum psychological distress to child developmental outcome. *Development & Psychopathology*, 9(3), 473-489.
- Singer, M.I., Bussey, J., Song, L.Y. & Lunghofer, L. (1995). The psychosocial issues of women serving time in jail. *Social Work*, 40(1), 103-113.
- Skell, R.L. (2000). Neuropsychological predictors of distress following traumatic brain injury. *Brain Injury*, 14(8), 705-712.
- Slaughter, J., Johnstone, G., Petroski, G. & Flax, J. (1999). The usefulness of the Brief Symptom Inventory in the neuropsychological evaluation of traumatic brain injury. *Brain Injury*, 13(2), 125-130.
- Slone, M., Adiri, M. & Arian, A. (1998). Adverse political events and psychological adjustment: two cross-cultural studies. *Journal of the American Academy of Child & Adolescent Psychiatry*, 37(10), 1058-1069.
- Slone, M., Kaminer, D. & Durrheim, K. (2002). Appraisal of sociopolitical change among South African youth: The relation to psychological maladjustment. *Journal of Applied Social Psychology*, 32(2), 318-341.
- Slone, M., Lobel, T. & Gilat, I. (1999). Dimensions of the political environment affecting children's mental health: An Israeli study. *Journal of Conflict Resolution*, 43(1), 78-91.
- Smith, E.D., Stefanek, M.E., Joseph, M.V., Verdick, M.J., et al. (1993). Spiritual awareness, personal perspective on death, and psychosocial distress among cancer patients: An initial investigation. *Journal of Psychosocial Oncology*, 11(3), 89-103.

Brief Symptom Inventory (BSI®) Bibliography

- Sneed, N.V., Edlund, B. & Dias, J.K. (1992). Adjustment of gynecological and breast cancer patients to the cancer diagnosis: comparisons with males and females having other cancer sites. *Health Care for Women International*, 13(1), 11-22.
- Soskolne, V. (1989). The psychosocial adjustment of patients and spouses to dialysis treatment. *Social Science & Medicine*, 29(4), 497-502.
- Southwick, S.M., Morgan, C.A. & Rosenberg, R. (2000). Social sharing of Gulf War experiences: association with trauma-related psychological symptoms. *Journal of Nervous and Mental Disease*, 188(10), 695-700.
- Stamenkivoc, M. (2001). Fluoxetine treatment in patients with recurrent brief depression. *International Clinical Psychopharmacology*, 16(4), 221-226.
- Stebbins, P. (2001). Irrational schematic beliefs and psychological distress in caregivers of people with traumatic brain injury. *Rehabilitation Psychology*, 46(2), 178-194.
- Stefanek, M.E. (1987). Psychological distress among oncology outpatients. *Psychosomatics*, 28(10), 530-539.
- Stefanek, M.E., Derogatis, L.P. & Shaw, A. (1988). Psychological distress among oncology outpatients. Prevalence and severity as measured with the Brief Symptom Inventory. *Psychosomatics*, 28(10), 530-532.
- Steffen, A.M. (1997). Distress levels and coping in female caregivers and non-caregivers with major depressive disorder. *Journal of Clinical Geropsychology*, 3(2), 101-110.
- Steinmuller, L. (1999). Psychological predictors of attrition in geriatric weight loss. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 60(2), 0815.
- Stessman, J. (1998). Disease and sleep satisfaction at age 70. *Journal of the American Geriatrics Society*, 46(6), 796-797.
- Stewart, D.E. (1993). Psychologic distress during menopause: Associations across the reproductive life cycle. *International Journal of Psychiatry in Medicine*, 23(2), 157-162.
- Stewart, D.E., Boydell, K., Derzko, C. & Marshall, V. (1992). Psychologic distress during the menopausal years in women attending a menopause clinic. *International Journal of Psychiatry in Medicine*, 22(3), 213-220.
- Stewart, D.E., Boydell, K.M., McCarthy, K., Swerdlyk, S., Redmond, C. & Cohrs, W. (1992). A prospective study of the effectiveness of brief professionally-led support groups for infertility patients. *International Journal of Psychiatry in Medicine*, 22(2), 173-182.
- Stewart, D.E., Lickrish, G.M., Sierra, S. & Parkin, H. (1993). The effect of educational brochures on knowledge and emotional distress in women with abnormal Papanicolaou smears. *Obstetrics & Gynecology*, 81(2), 280-282.
- Stewart, D.E., Reicher, A.E., Gerulath, A.H. & Boydell, K.M. (1994). Vulvodynia and psychological distress. *Obstetrics & Gynecology*, 84(4), 587-590.
- Stewart, D.E., Whelan, C.I., Fong, I.W. & Tessler, K.M. (1990). Psychosocial aspects of chronic, clinically unconfirmed vulvovaginitis. *Obstetrics & Gynecology*, 76(5), 852-856.

Brief Symptom Inventory (BSI®) Bibliography

- Stokes, S.B. & Wampler, R.S. (2002). Remarried clients seeking marital therapy as compared to those seeking family therapy: Differences in levels of psychological and marital distress. *Journal of Divorce & Remarriage*, 38(1-2), 91-108.
- Strand, J., Wise, T.N., Fagan, P.J. & Schmidt, C.W., Jr. (2002). Erectile dysfunction and depression: category or dimension? *Journal of Sex & Marital Therapy*, 28(2), 175-181.
- Strantz, I.H. & Welch, S.P. (1995). Postpartum women in outpatient drug abuse treatment: correlates of retention/completion. *Journal of Psychoactive Drugs*, 27(4), 357-373.
- Stretch, R.H. (1996). Psychological health of Gulf War-era military personnel. *Military Medicine*, 161(5), 257-261.
- Stretch, R.H., Knudson, K.H. & Durand, D. (1998). Psychological health and trauma in male and female soldiers. *Military Medicine*, 163(6), 363-367.
- Stretch, R.H., Marlowe, D.H., Wright, K.M., Bliese, P.D., Knudson, K.H. & Hoover, C.H. (1996). Post-traumatic stress disorder symptoms among Gulf War veterans. *Military Medicine*, 161(7), 407-410.
- Striegel-Moore, R.H., Dohm, F.A., Solomon, E.E., Fairburn, C.G., Pike, K.M. & Wilfley, D.E. (2000). Subthreshold binge eating disorder. *International Journal of Eating Disorders*, 27(3), 270-278.
- Strober, S.B. (1994). Social work interventions to alleviate Cambodian refugee psychological distress. *International Social Work*, 37(1), 23-35.
- Strougo, Z., Badoux, A. & Duchanel, D. (1997). Psycho-affective problems associated with retinitis pigmentosa. [French]. *Journal Francais d'Ophthalmologie.*, 20(2), 111-116.
- Stuart, J.A. & Halverson, R.R. (1997). The psychological status of U.S. Army soldiers during recent military operations. *Military Medicine*, 162(11), 737-743.
- Stukenberg, K.W. (1990). Depression screening scale validation in an elderly, community-dwelling population. *Psychological Assessment*, 2(2), 134-138.
- Stumpf, H. (2000). A hierarchical structural analysis of perfectionism and its relation to other personality characteristics. *Personality & Individual Differences*, 28(5), 837-852.
- Syrjala, K.L., Cummings, C. & Donaldson, G.W. (1992). Hypnosis or cognitive behavioral training for the reduction of pain and nausea during cancer treatment: a controlled clinical trial. *Pain*, 48(2), 137-146.
- Szlyk, J. P. (2000). Psychological profiles of patients with central vision loss. *Journal of Visual Impairment & Blindness*, 94(12), 781-786.
- Talley, N.J., Weaver, A.L. & Zinsmeister, A.R. (1995). Impact of functional dyspepsia on quality of life. *Digestive Diseases & Sciences*, 40(3), 584-589.
- Tarbell, S.E. & Kosmach, B. (1998). Parental psychosocial outcomes in pediatric liver and/or intestinal transplantation: pretransplantation and the early postoperative period. *Liver Transplantation & Surgery*, 4(5), 378-387.
- Targum, S.D. (1982). The post-hospital adjustment of psychiatric patients: A six-month follow-up survey. *Psychiatric Hospital*, 13(2), 35-39.

Brief Symptom Inventory (BSI®) Bibliography

- Tariot, P. N. (2001). Safety and tolerability of divalproex sodium in the treatment of signs and symptoms of mania in elderly patients with dementia: Results of a double-blind, placebo-controlled trial. *Current Therapeutic Research*, 62(1), 51-67.
- Tate, D., Forchheimer, M., Maynard, F. & Dijkers, M. (1994). Predicting depression and psychological distress in persons with spinal cord injury based on indicators of handicap. *American Journal of Physical Medicine & Rehabilitation*, 73(3), 175-183.
- Tate, D., Kirsch, N., Maynard, F., Peterson, C., Forchheimer, M., Roller, A. & Hansen, N. (1994). Coping with the late effects: differences between depressed and nondepressed polio survivors. *American Journal of Physical Medicine & Rehabilitation*, 73(1), 27-35.
- Tate, D.G. (1990). The Brief Symptom Inventory: Measuring psychological distress in spinal cord injury. *Rehabilitation Psychology*, 35(4), 211-216.
- Tate, D.G. (1993). Comparing two measures of depression in spinal cord injury. *Rehabilitation Psychology*, 38(1), 53-61.
- Tate, D.G., Forchheimer, M., Kirsch, N., Maynard, F. & Roller, A. (1993). Prevalence and associated features of depression and psychological distress in polio survivors. *Archives of Physical Medicine & Rehabilitation*, 74(10), 1056-1060.
- Tate, D.G., Heinrich, R.K., Maynard, F. & Buckelew, S.P. (1994). Moderator-variable effect on the Brief Symptom Inventory test-item endorsements of spinal cord injury patients. *Paraplegia*, 32(7), 473-479.
- Tate, D.G., Maynard, F. & Forchheimer, M. (1993). Predictors of psychologic distress one year after spinal cord injury. *American Journal of Physical Medicine & Rehabilitation*, 72(5), 272-275.
- Tescher, B. (1999). Behavior, attitudes, and cognitions of anger-prone individuals. *Journal of Psychopathology & Behavioral Assessment*, 21(2), 117-139.
- Thienhaus, O.J., Kay, J. & Larson, E. (1989). Attribution of control in psychiatric residents. *Academic Medicine*, 64(1), 47-48.
- Thomasgard, M. (1998). Parental perceptions of child vulnerability, overprotection, and parental psychological characteristics. *Child Psychiatry & Human Development*, 28(4), 223-240.
- Tishler, C.L. (1983). Intrapsychic symptom dimensions of adolescent suicide attempters. *Journal of Family Practice*, 16(4), 731-734.
- Toh, Y.M. (1994). The evaluation of a church-based lay counseling program: Some preliminary data. *Journal of Psychology & Christianity*, 13(3), 270-275.
- Toh, Y.M. (1997). The effectiveness of church-based lay counselors: A controlled outcome study. *Journal of Psychology & Christianity*, 16(3), 260-267.
- Trask, P. C., Iezzi, T. & Kreeft, J. (2001). Comparison of headache parameters using headache type and emotional status. *Journal of Psychosomatic Research*, 51(3), 529-536.
- Tremayne, K.J. (1998). The relationship between self-esteem, psychological adjustment and ethnic identity among biracial japanese american/caucasian adults. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(8), 4475.

Brief Symptom Inventory (BSI®)

Bibliography

- Troumbley, P.F. (1990). A comparison of the health risk, health status, self-motivation, psychological symptomatic distress, and physical fitness of overweight and normal-weight soldiers. *Military Medicine*, 155(9), 424-429.
- Tyehimba, K.A. (1998). The relationship between an Afrocentric world view and perceived psychological distress among African-Americans. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 58(8), 4476.
- Vahle, V. J., Andresen, E. M. & Hagglund, K. J. (2000). Depression measures in outcomes research. *Archives of Physical Medicine and Rehabilitation*, 81(12), S53-S62
- Valls, G. (1999). Object relations of women sexually abused in childhood: A TAT investigation. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 60(1), 0378.
- Velasquez, M.M., Carbonari, J.P. & DiClemente, C.C. (1999). Psychiatric severity and behavior change in alcoholism: the relation of the transtheoretical model variables to psychiatric distress in dually diagnosed patients. *Addictive Behaviors*, 24(4), 481-496.
- Verinis, J.S., Wetzel, L., Vanderporten, A. & Lewis, D. (1986). Improvement in men inpatients in an alcoholism rehabilitation unit: a week-by-week comparison. *Journal of Studies on Alcohol*, 47(1), 85-88.
- Vollhardt, B.R., Ackerman, S.H., Grayzel, A.I. & Barland, P. (1982). Psychologically distinguishable groups of rheumatoid arthritis patients: a controlled, single blind study. *Psychosomatic Medicine*, 44(4), 353-362.
- Voyer, M. (1995). Contribution of hassles, appraisal, and coping to psychological distress among elderly widows. *Canadian Journal on Aging*, 14(3), 498-510.
- Wade, S., Weil, C., Holden, G., Mitchell, H., et al. (1997). Psychosocial characteristics of inner-city children with asthma: a description of the NCICAS psychosocial protocol. *National Cooperative Inner-City Asthma Study. Pediatric Pulmonology*, 24(4), 263-276.
- Wade, S.L., Gerry, Drotar, D., Stancin, T., et al. (1996). Childhood traumatic brain injury: Initial impact on the family. *Journal of Learning Disabilities*, 29(6), 652-661.
- Wade, S.L., Taylor, H.G., Drotar, D., Stancin, T. & Yeates, K.O. (1998). Family burden and adaptation during the initial year after traumatic brain injury in children. *Pediatrics*, 102(1), 110-116.
- Waggener, N.M. (1993). The relation of frequency, satisfaction, and type of socially supportive behaviors to psychological adjustment in marital separation. *Journal of Divorce & Remarriage*, 21(1-2), 139-159.
- Wagner, G., Rabkin, J. & Rabkin, R. (1998). Exercise as a mediator of psychological and nutritional effects of testosterone therapy in HIV+ men. *Medicine & Science in Sports & Exercise*, 30(6), 811-817.
- Wagner, G.J. & Rabkin, J.G. (1998). Testosterone therapy for clinical symptoms of hypogonadism in eugonadal men with AIDS. *International Journal of STD & AIDS*, 9(1), 41-44.
- Watson, D.C. (1999). A cross-cultural comparison of the Brief Symptom Inventory. *International Journal of Stress Management*, 6(4), 255-264.
- Weinrich, S., Hardin, S. & Valois, R. (1996). Psychological correlates of adolescent smoking in response to stress. *American Journal of Health Behavior*, 20(1), 52.

Brief Symptom Inventory (BSI®) Bibliography

- Weinrich, S., Weinrich, M., Hardin, S., Gleaton, J., Pesut, D. J. & Garrison, C. (2000). Effects of psychological distress on blood pressure in adolescents. *Holistic Nursing Practice*, 15(1), 57-65.
- Welburn, K.R. (2000). Schematic change as a result of an intensive group-therapy day-treatment programs. *Psychotherapy: Theory, Research, Practice, Training*, 37(2), 189-195.
- Wellisch, D.K., Gritz, E.R., Schain, W., Wang, H., et al. (1992). Psychological functioning of daughters of breast cancer patients: II. Characterizing the distressed daughter of the breast cancer patient. *Psychosomatics*, 33(2), 171-179.
- Wellisch, D.K., Schain, W.S., Noone, R.B. & Little, J.W. (1987). The psychological contribution of nipple addition in breast reconstruction. *Plastic & Reconstructive Surgery*, 80(5), 699-704.
- Wells, A.M., Garvin, V., Dohm, F.A. & Striegel-Moore, R.H. (1997). Telephone-based guided self-help for binge eating disorder: a feasibility study. *International Journal of Eating Disorders*, 21(4), 341-346.
- Wells, K.E., Roberts, C., Daniels, S.M., Hann, D., Clement, V., Reintgen, D. & Cox, C.E. (1997). Comparison of psychological symptoms of women requesting removal of breast implants with those of breast cancer patients and healthy controls. *Plastic & Reconstructive Surgery*, 99(3), 680-685.
- Whitlatch, C.J., Zarit, S.H. & von Eye, A. (1991). Efficacy of interventions with caregivers: a reanalysis. *Gerontologist*, 31(1), 9-14.
- Wiegner, S. & Donders, J. (2000). Predictors of parental distress after congenital disabilities. *Journal of Developmental and Behavioral Pediatrics*, 21(4), 271-277.
- Wierzbicki, M. (1987). The efficacy of group and individual cognitive therapy for mild depression. *Cognitive Therapy & Research*, 11(3), 337-342.
- Williams, L.L., Kiecolt-Glaser, J.K., Horrocks, L.A., Hillhouse, J.T. & Glaser, R. (1992). Quantitative association between altered plasma esterified omega-6 fatty acid proportions and psychological stress. *Prostaglandins Leukotrienes & Essential Fatty Acids*, 47(2), 165-170.
- Willke, R.J., Glick, H.A., McCarron, T.J., Erder, M.H., Althof, S.E. & Linet, O.I. (1997). Quality of life effects of alprostadil therapy for erectile dysfunction. *Journal of Urology*, 157(6), 2124-2128.
- Wishart, H. (1993). Cognitive correlates of interictal affective and behavioral disturbances in people with epilepsy. *Journal of Epilepsy*, 6(2), 98-104.
- Witztum, E. (1987). Psychological distress in medical patients referred for psychiatric consultation. *Psychosomatics*, 28(8), 425-428.
- Wood, W.D. (1982). An attempt to validate the psychoticism scale of the Brief Symptom Inventory. *British Journal of Medical Psychology*, 55(4), 367-373.
- Wood, W.D. (1985). Use of outpatient treatment during civil commitment: Law and practice in Nebraska. *Journal of Clinical Psychology*, 41(5), 723-728.
- Wood, W.D. (1986). Patterns of symptom report on the Brief Symptom Inventory. *Psychological Reports*, 58(2), 427-431.

Brief Symptom Inventory (BSI®) Bibliography

- Woodman, C.L. & Noyes, R., Jr. (1994). Panic disorder: treatment with valproate. *Journal of Clinical Psychiatry*, 55(4), 134-136.
- Woodruff, D.L. (1999). General family functioning, parental bonding, and attachment style: Familial factors influencing the severity and type of symptomatology in adult women who report childhood sexual abuse and nonabused psychiatric outpatients. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, 59(7), 3720.
- Worby, C.M. (1991). Early identification of symptomatic post-MI families. *Family Systems Medicine*, 9(2), 127-135.
- Yayli, G., Yaman, H. & Yaman, A. (2003). Stress and work-life in a university hospital in Turkey: Evaluation of the Brief Symptom Inventory and Brief Coping Styles Inventory in hospital staff. *Social Behavior & Personality*, 31(1), 91-100.
- Young, M.Y. (1997). The well-being of Salvadoran refugees. *International Journal of Psychology*, 32(5), 289-300.
- Young, T.J. (1992). Locus of control and self-reported psychopathology among Native Americans. *Social Behavior & Personality*, 20(4), 235-236.
- Zabora, J. (1997). Prevalence of psychological distress among cancer patients across the disease continuum. *Journal of Psychosocial Oncology*, 15(2), 73-87.
- Zabora, J., BrintzenhofeSzoc, K., Curbow, B., Hooker, C. & Piantadosi, S. (2001). The prevalence of psychological distress by cancer site. *Psychooncology*, 10(1), 19-28.
- Zabora, J., BrintzenhofeSzoc, K., Jacobsen, P., Curbow, B., Piantadosi, S., Hooker, C., Owens, A. & Derogatis, L. (2001). A new psychosocial screening instrument for use with cancer patients. *Psychosomatics*, 42(3), 241-246.
- Zabora, J.R., Smith-Wilson, R., Fetting, J.H. & Enterline, J.P. (1990). An efficient method for psychosocial screening of cancer patients. *Psychosomatics*, 31(2), 192-196.
- Zachariae, R. (2000). Autonomic and psychological responses to an acute psychological stressor and relaxation: The influence of hypnotizability and absorption. *International Journal of Clinical & Experimental Hypnosis*, 48(4), 388-403.
- Zimmerman, L., Story, K.T., Gaston-Johansson, F. & Rowles, J.R. (1996). Psychological variables and cancer pain. *Cancer Nursing*, 19(1), 44-53.
- Zuckerman, L.A., Oliver, J.M., Hollingsworth, H.H. & Austrin, H.R. (1986). A comparison of life events scoring methods as predictors of psychological symptomatology. *Journal of Human Stress*, 12(2), 64-70.