



Minnesota Multiphasic
Personality Inventory-2
Restructured Form™

Score Report

MMPI-2-RF®

Minnesota Multiphasic Personality Inventory-2-Restructured Form™

Yossef S. Ben-Porath, PhD, & Auke Tellegen, PhD

ID Number: 11
Age: 48
Gender: Female
Marital Status: Not reported
Years of Education: Not reported
Date Assessed: 08/10/2008

PEARSON

PsychCorp


Copyright © 2008 by the Regents of the University of Minnesota. All rights reserved.
Distributed exclusively under license from the University of Minnesota by NCS Pearson, Inc. Portions reproduced from the MMPI-2-RF test booklet. Copyright © 2008 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the *MMPI-2-RF Manual for Administration, Scoring, and Interpretation*. Copyright © 2008 by the Regents of the University of Minnesota. All rights reserved.

MMPI-2-RF and the **MMPI-2-RF logo** are registered trademarks and **Minnesota Multiphasic Personality Inventory-2-Restructured Form** is a trademark of the University of Minnesota. **Pearson**, the **PSI logo**, and **PsychCorp** are trademarks in the U.S. and/or other countries of Pearson Education, Inc., or its affiliate(s).

TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

MMPI-2-RF Validity Scales




| | | | | | | | | |
|-------------------|-----|------|-----|-----------------------------------|-----|-----|-----|-----|
| Raw Score: | 3 | 10 | 1 | 0 | 0 | 12 | 3 | 9 |
| T Score: | 48 | 57 F | 47 | 42 | 42 | 64 | 52 | 55 |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| Cannot Say (Raw): | 0 | | | | | | | |
| | | | | Percent True (of items answered): | | | | 28% |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

| | | | |
|--------|--------------------------------------|-------|------------------------------|
| VRIN-r | Variable Response Inconsistency | Fs | Infrequent Somatic Responses |
| TRIN-r | True Response Inconsistency | FBS-r | Symptom Validity |
| F-r | Infrequent Responses | L-r | Uncommon Virtues |
| Fp-r | Infrequent Psychopathology Responses | K-r | Adjustment Validity |

MMPI-2-RF Higher-Order (H-O) and Restructured Clinical (RC) Scales




| | | | | | | | | | | | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Raw Score: | 15 | 0 | 1 | 5 | 5 | 7 | 2 | 4 | 0 | 5 | 0 | 2 |
| T Score: | 57 | 39 | 36 | 53 | 56 | 61 | 41 | 49 | 43 | 48 | 39 | 31 |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

| | | | | | |
|-----|--------------------------------------|-----|-----------------------|-----|---------------------------------|
| EID | Emotional/Internalizing Dysfunction | RCd | Demoralization | RC6 | Ideas of Persecution |
| THD | Thought Dysfunction | RC1 | Somatic Complaints | RC7 | Dysfunctional Negative Emotions |
| BXD | Behavioral/Externalizing Dysfunction | RC2 | Low Positive Emotions | RC8 | Aberrant Experiences |
| | | RC3 | Cynicism | RC9 | Hypomanic Activation |
| | | RC4 | Antisocial Behavior | | |

MMPI-2-RF Somatic/Cognitive and Internalizing Scales




| | | | | | | | | | | | | | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Raw Score: | 5 | 1 | 2 | 0 | 0 | 0 | 2 | 2 | 1 | 5 | 1 | 0 | 0 | 1 |
| T Score: | 69 | 64 | 59 | 41 | 40 | 45 | 60 | 56 | 43 | 65 | 59 | 39 | 43 | 42 |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

| | | | | | |
|-----|-----------------------------|-----|---------------------------|-----|----------------------------|
| MLS | Malaise | SUI | Suicidal/Death Ideation | AXY | Anxiety |
| GIC | Gastrointestinal Complaints | HLP | Helplessness/Hopelessness | ANP | Anger Proneness |
| HPC | Head Pain Complaints | SFD | Self-Doubt | BRF | Behavior-Restricting Fears |
| NUC | Neurological Complaints | NFC | Inefficacy | MSF | Multiple Specific Fears |
| COG | Cognitive Complaints | STW | Stress/Worry | | |

MMPI-2-RF Externalizing, Interpersonal, and Interest Scales




| | | | | | | | | | | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Raw Score: | 0 | 1 | 0 | 2 | 1 | 10 | 4 | 6 | 0 | 3 | 1 |
| T Score: | 40 | 50 | 37 | 44 | 44 | 81 | 52 | 66 | 44 | 50 | 43 |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

| | | | | | |
|-----|---------------------------|-----|-------------------------|-----|-------------------------------|
| JCP | Juvenile Conduct Problems | FML | Family Problems | AES | Aesthetic-Literary Interests |
| SUB | Substance Abuse | IPP | Interpersonal Passivity | MEC | Mechanical-Physical Interests |
| AGG | Aggression | SAV | Social Avoidance | | |
| ACT | Activation | SHY | Shyness | | |
| | | DSF | Disaffiliativeness | | |

MMPI-2-RF PSY-5 Scales



| | | | | | |
|-------------|-----|-----|-----|-----|-----|
| Raw Score: | 0 | 0 | 2 | 5 | 8 |
| T Score: | 28 | 38 | 38 | 47 | 54 |
| Response %: | 100 | 100 | 100 | 100 | 100 |

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

AGGR-r Aggressiveness-Revised
 PSYC-r Psychoticism-Revised
 DISC-r Disconstraint-Revised
 NEGE-r Negative Emotionality/Neuroticism-Revised
 INTR-r Introversion/Low Positive Emotionality-Revised

ITEM-LEVEL INFORMATION

Unscorable Responses

The test taker produced scorable responses to all the MMPI-2-RF items.

Critical Responses

Seven MMPI-2-RF scales--Suicidal/Death Ideation (SUI), Helplessness/Hopelessness (HLP), Anxiety (AXY), Ideas of Persecution (RC6), Aberrant Experiences (RC8), Substance Abuse (SUB), and Aggression (AGG)--have been designated by the test authors as having critical item content that may require immediate attention and follow-up. Items answered by the individual in the keyed direction (True or False) on a critical scale are listed below if her T score on that scale is 65 or higher.

The test taker has not produced an elevated T score (≥ 65) on any of these scales.

End of Report

This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.
