



Minnesota Multiphasic
Personality Inventory-2
Restructured Form™

MMPI-2-RF™ References by Topic Bibliography January 2009

It is the publisher's intention to provide test users a current and comprehensive list of references to publications on the MMPI-2-RF. Therefore, this list will be updated as new publications appear. Please note that publications on the RC Scales, introduced in 2003, relate to the MMPI-2 as well as to the MMPI-2-RF.

Basic Sources on the MMPI-2-RF

- Ben-Porath, Y. S., & Tellegen, A. (2008). *MMPI-2-RF (Minnesota Multiphasic Personality Inventory-2): Manual for administration, scoring, and interpretation*. Minneapolis: University of Minnesota Press.
- Tellegen, A., & Ben-Porath, Y. S. (2008). *MMPI-2-RF (Minnesota Multiphasic Personality Inventory-2): Technical manual*. Minneapolis: University of Minnesota Press.
- Ben-Porath, Y. S., & Tellegen, A. (2008). *MMPI-2-RF (Minnesota Multiphasic Personality Inventory-2): User's guide for reports*. Minneapolis: University of Minnesota Press.

General:

- Abraham, P. P. (2005). What's in a name? Bridges to new understanding: MMPI-2 Restructured Clinical (RC) Scales and Personality Psychopathology Five (PSY-5) Scales. *SPA Exchange*, 17, 3-5.
- Archer, R.P. (2006). A perspective on the Restructured Clinical (RC) Scale project. *Journal of Personality Assessment*, 87, 179-185.
- Ben-Porath, Y. S. (2006). Differentiating normal and abnormal personality with the MMPI-2. In S. Strack (Ed.), *Differentiating normal and abnormal personality* (2nd Edition, pp. 337-381). NY: Springer.
- Ben-Porath, Y. S. (2003). Introducing the MMPI-2 Restructured Clinical (RC) Scales. *SPA Exchange*, 15, 16-17, 23.
- Ben-Porath, Y. S., & Tellegen, A. (2008). Empirical correlates of the MMPI-2 Restructured Clinical (RC) Scales in mental health, forensic, and non-clinical settings: An introduction. *Journal of Personality Assessment*, 90, 119-121.
- Caldwell, A. B. (2006). Maximal measurement or meaningful measurement: The interpretive challenges of the MMPI-2 Restructured Clinical (RC) Scales. *Journal of Personality Assessment*, 87, 193-201.
- Finn, S. E., & Kamphuis, J. H. (2006). The MMPI-2 RC Scales and restraints to innovation, or "What have they done to my song?" *Journal of Personality Assessment* 87, 202-210.
- Forbey, J. D., & Ben-Porath, Y. S. (2007). Computerized adaptive personality testing: A review and illustration with the MMPI-2 Computerized Adaptive Version (MMPI-2- CA). *Psychological Assessment*, 19, 14-24.

MMPI-2-RF™ References by Topic

Bibliography

- Graham, J. R. (2006). *MMPI-2: Assessing Personality and Psychopathology* (4th edition). New York: Oxford University Press.
- Hoelzle, J. B., & Meyer, G. J. (2008). The factor structure of the MMPI-2 Restructured Clinical (RC) Scales. *Journal of Personality Assessment*, 90, 443-455.
- Nichols, D. S. (2006a). The trials of separating bath water from baby: A review and critique of the MMPI-2 Restructured Clinical Scales. *Journal of Personality Assessment*, 87, 121-138.
- Nichols, D. S. (2006b). Comment on Rogers, Sewell, Harrison, & Jordan (2006). *Journal of Personality Assessment*, 87, 172-174.
- Rogers, R., & Sewell, K.W. (2006). MMPI-2 at the crossroads: Aging technology or retrofitting. *Journal of Personality Assessment*, 87, 175-178.
- Rogers, R., Sewell, K. W., Harrison, K. S., & Jordan, M. J. (2006). The MMPI-2 Restructured Clinical Scales: A paradigmatic shift in scale development. *Journal of Personality Assessment*, 87, 139-147.
- Rouse, S. V., Greene, R. L., Butcher, J. N., Nichols, D. S., & Williams, C. L. (2008). What do the MMPI-2 Restructured Clinical Scales reliably measure? Answers from multiple research settings. *Journal of Personality Assessment*, 90, 435-442.
- Sellbom, M., Ben-Porath, Y. S. & Bagby, R. M. (2008). On the hierarchical structure of mood and anxiety disorders: Confirmatory evidence and elaboration of a model of temperament markers. *Journal of Abnormal Psychology*, 117, 576-590.
- Sellbom, M., Ben-Porath, Y. S., Graham, J. R., Arbisi, P. A., & Bagby, R. M. (2005). Susceptibility of the MMPI-2 Clinical, Restructured Clinical (RC), and Content Scales to overreporting and underreporting. *Assessment*, 12, 79-85.
- Simms, L. J. (2006). Bridging the divide: Comments on the Restructured Clinical Scales of the MMPI-2. *Journal of Personality Assessment* 87, 211-216.
- Tellegen, A., Ben-Porath, Y. S., McNulty, J. L., Arbisi, P. A., Graham, J. R., & Kaemmer, B. (2003). *MMPI-2 Restructured Clinical (RC) Scales: Development, validation, and interpretation*. Minneapolis: University of Minnesota Press.
- Tellegen, A., Ben-Porath, Y. S., & Sellbom, M. (in press). Construct validity of the MMPI-2- Restructured Clinical (RC) Scales: Reply to Rouse, Greene, Butcher, Nichols, & Williams. *Journal of Personality Assessment*.
- Tellegen, A., Ben-Porath, Y. S., Sellbom, M., Arbisi, P. A., McNulty, J. L., & Graham, J. R. (2006). Further evidence on the validity of the MMPI-2 Restructured Clinical (RC) Scales: Addressing questions raised by Rogers et al. and Nichols. *Journal of Personality Assessment*, 87, 148-171.
- van der Heijden, P. T., Egger, J. I. M., & Derkson, J. J. L. (2008). Psychometric evaluation of the MMPI-2 Restructured Clinical Scales in two Dutch Samples. *Journal of Personality Assessment*, 90, 456-464.

MMPI-2-RF™ References by Topic

Bibliography

- Viken, R. J., & Rose, R. J. (2007). Genetic variation and covariation in the original and Restructured Clinical Scales of the MMPI. *Journal of Abnormal Psychology*, 116, 842-847.
- Weed, N. C. (2006). Syndromal complexity, paradigm shifts, and the future of validation research: A comment on Nichols and Rogers, Sewell, Harrison, & Jordan. *Journal of Personality Assessment*, 87, 217-222.

Correctional Settings:

- Megargee, Edwin I. (2006). *Using the MMPI-2 in criminal justice and correctional settings*. Minneapolis: University of Minnesota Press.

Forensic Settings:

- Downing, S. K., Denney, R. L., Spray, B. J., Houston, C. M., & Halfaker, D. H. (2008). Examining the relationship between the Restructured Scales and the Fake Bad Scale of the MMPI-2. *The Clinical Neuropsychologist*, 22, 680-688.
- Henry, G. K., Heilbronner, R. L., Mittenberg, W., Enders, C., & Stanczal, S. R. (2008). Comparison of the Lees-Haley Fake Bad Scale, Henry-Heilbronner Index, and Restructured Clinical Scale 1 in identifying noncredible symptom reporting. *The Clinical Neuropsychologist*, 22, 919-929.
- Gervais, R. O. Ben-Porath, Y. S., & Wygant, D. B. (In Press). Empirical correlates and interpretation of the MMPI-2-RF Cognitive Complaints Scale. *The Clinical Neuropsychologist*.
- Sellbom, M., & Bagby, R.M. (2008). Validity of the MMPI-2-RF (Restructured Form) L-r and K-r scales in detecting underreporting in clinical and nonclinical samples. *Psychological Assessment*, 20, 370-376.
- Sellbom, M., & Ben-Porath, Y. S. (2006). Forensic applications of the MMPI. In R. P. Archer (Ed.), *Forensic uses of clinical assessment instruments*. (pp. 19-55) NJ: Lawrence Erlbaum Associates.
- Sellbom, M., Ben-Porath, Y. S., Baum, L. J., Erez, E., & Gregory, C. (2008). Predictive validity of the MMPI-2 Restructured Clinical (RC) Scales in a batterers' intervention program. *Journal of Personality Assessment*, 90, 129-135.
- Sellbom, M., Ben-Porath, Y. S., Lilienfeld, S. O., Patrick, C. J., & Graham, J. R. (2005). Assessing psychopathic personality traits with the MMPI-2. *Journal of Personality Assessment*, 85, 334-343.
- Sellbom, M., Ben-Porath, Y. S., & Stafford, K. P. (2007). A comparison of measures of psychopathic deviance in a forensic setting. *Psychological Assessment*, 19, 430-436.
- Stredny, R. V., Archer, R. P., & Mason, J. A. (2006). MMPI-2 and MCMI-III characteristics of parental competency examinees. *Journal of Personality Assessment*, 87, 113-115.
- Wygant, D. B., Sellbom, M., Ben-Porath, Y. S., Stafford, K. P., Freeman, D. B., & Heilbronner, R. I. (2007). The relation between symptom validity testing and MMPI-2 scores as a function of forensic evaluation context. *Archives of Clinical Neuropsychology*, 22, 488-499.

MMPI-2-RF™ References by Topic

Bibliography

Medical Settings:

- Butcher, J. N., Hamilton, C. K., Rouse, S. V., & Cumella, E. J. (2006). The deconstruction of the Hy Scale of MMPI-2: Failure of RC3 in measuring somatic symptom expression. *Journal of Personality Assessment*, 87, 186-192.
- Wygant, D. B., Boutacoff, L. A., Arbisi, P. A., Ben-Porath, Y. S., Kelly, P. H., & Rupp, W. M. (2007). Examination of the MMPI-2 Restructured Clinical (RC) Scales in a sample of bariatric surgery candidates. *Journal of Clinical Psychology in Medical Settings*, 14, 197-205.

Mental Health Settings:

- Arbisi, P. A., Sellbom, M., & Ben-Porath, Y. S. (2008). Empirical correlates of the MMPI-2 Restructured Clinical (RC) Scales in psychiatric inpatients. *Journal of Personality Assessment*, 90, 122-128.
- Binford, A. & Liljequist, L. (2008). Behavioral correlates of selected MMPI-2 Clinical, Content, and Restructured Clinical scales. *Journal of Personality Assessment*, 60, 608-614.
- Castro, Y., Gordon, K. H., Brown, J. S., Cox, J. C., & Joiner, T. E. (2008). Examination of racial differences on the MMPI-2 Clinical and Restructured Clinical Scales in an outpatient sample. *Assessment*, 15, 277-286.
- Forbey, J. D., & Ben-Porath, Y. S. (2007). A comparison of the MMPI-2 Restructured Clinical (RC) and Clinical Scales in a substance abuse treatment sample. *Psychological Services*, 4, 46-58.
- Handel, R. W., & Archer, R. P. (2008). An investigation of the psychometric properties of the MMPI-2 Restructured Clinical (RC) Scales with mental health inpatients. *Journal of Personality Assessment*, 90, 239-249.
- Kamphuis, J. H., Arbisi, P. A., Ben-Porath, Y. S., & McNulty, J. L. (2008). Detecting comorbid Axis-II status among inpatients using the MMPI-2 Restructured Clinical Scales. *European Journal of Psychological Assessment*, 24, 157-164.
- McDevitt-Murphy, M. E., Weathers, F. W., Flood, A. M., Eakin, D. E., & Benson, T. A. (2007). The utility of the PAI and the MMPI-2 for discriminating PTSD, depression, and social phobia in trauma-exposed college students. *Assessment*, 14, 181-195.
- Ozonoff, S., Garcia, N., Clark, E., & Lainhart, J. E. (2005). MMPI-2 personality profiles of high-functioning adults with Autism Spectrum Disorders. *Assessment*, 12, 86-95.
- Quilty, L. C., Sellbom, M., Tackett, J. L., & Bagby, R. M. (in press). Personality trait predictors of bipolar disorder: A replication and extension in a psychiatric sample. *Psychiatry Research*.
- Sellbom, M., Ben-Porath, Y. S., & Bagby, R. M. (2008). Personality and psychopathology: Mapping the MMPI-2 Restructured Clinical (RC) Scales onto the Five Factor Model of Personality. *Journal of Personality Disorders*, 22, 291-312.

MMPI-2-RF™ References by Topic

Bibliography

- Sellbom, M., Ben-Porath, Y. S., & Graham, J. R. (2006). Correlates of the MMPI-2 Restructured Clinical (RC) Scales in a college counseling setting. *Journal of Personality Assessment*, 86, 89-99.
- Sellbom, M., Ben-Porath, Y. S., McNulty, J. L., Arbisi, P. A., & Graham, J. R. (2006). Elevation differences between MMPI-2 Clinical and Restructured Clinical (RC) Scales: Frequency, origins, and interpretative implications. *Assessment*, 13, 430-441.
- Sellbom, M., Graham, J. R., & Schenk, P. (2006). Incremental validity of the MMPI-2 Restructured Clinical (RC) Scales in a private practice sample. *Journal of Personality Assessment*, 86, 196-205.
- Simms, L. J., Casillas, A., Clark, L. A., Watson, D., & Doebbeling, B. I. (2005). Psychometric evaluation of the Restructured Clinical Scales of the MMPI-2. *Psychological Assessment*, 17, 345-358.
- Vachon, D. D., Sellbom, M., Ryder, A. G., Miller, J. D., & Bagby, R. M. (in press). A Five-Factor Model description of depressive personality disorder. *Journal of Personality Disorders*.
- Wallace, A., & Liljequist, L. (2005). A comparison of the correlational structures and elevation patterns of the MMPI-2 Restructured Clinical (RC) and Clinical Scales. *Assessment*, 12, 290-294.
- Wolf, E. J., Miller, M. W., Orazem, R. J., Weierich, M. R., Castillo, D. T., Milford, J., Kaloupek, D. G., & Keane, T. M. (2008). The MMPI-2 Restructured Clinical Scales in the assessment of posttraumatic stress disorder and comorbid disorders. *Psychological Assessment*, 20, 327-340.
- Wygant, D. B., & Fleming, K. P. (2008). Clinical utility of the MMPI-2 Restructured Clinical (RC) Scales in therapeutic assessment: A case study. *Journal of Personality Assessment*, 90, 110-118.
- Non-Clinical Settings:
- Forbey, J. D., & Ben-Porath, Y. S. (2008). Empirical correlates of the MMPI-2 Restructured Clinical (RC) Scales in a non-clinical setting. *Journal of Personality Assessment*, 90, 136-141.
- Osberg, T. M., Haseley, E. N., & Kamas, M. M. (2008). The MMPI-2 Clinical Scales and Restructured Clinical (RC) Scales: Comparative psychometric properties and relative diagnostic efficiency in young adults. *Journal of Personality Assessment*, 90, 81-92.
- Sellbom, M., & Ben-Porath, Y. S. (2005). Mapping the MMPI-2 Restructured Clinical (RC) Scales onto normal personality traits: Evidence of construct validity. *Journal of Personality Assessment*, 85, 179-187.
- Sellbom, M., Fischler, G. L., & Ben-Porath, Y. S. (2007). Identifying MMPI-2 predictors of police officer integrity and misconduct. *Criminal Justice and Behavior*, 34, 985-1004.

"MMPI-2" and "Minnesota Multiphasic Personality Inventory-2" are trademarks of the University of Minnesota, Minneapolis, MN.