

Minnesota Multiphasic Personality Inventory-2 Restructured Form®

SAMPLE REPORT

Case Description: Mr. I Score Report

Mr. I is a 46-year-old, married man admitted for inpatient treatment after presenting with psychotic thinking and assaultive behavior. At intake, he described a recent pattern of decreased sleep and presented with bizarre delusional thinking, religious preoccupation, visual hallucinations, and tangential and circumstantial thinking. He had previously been diagnosed with Schizophrenia and Schizoaffective Disorder.

Case descriptions do not accompany MMPI-2-RF reports, but are provided here as background information. The following report was generated from Q-global[™], Pearson's web-based scoring and reporting application, using Mr. I.'s responses to the MMPI-2-RF. Additional MMPI-2-RF sample reports, product offerings, training opportunities, and resources can be found at <u>PearsonClinical.com/mmpi2rf</u>.

Copyright © 2014 Pearson Education, Inc. or its affiliate(s). All rights reserved. Q-global, Always Learning, Pearson, design for Psi, and PsychCorp are atrademarks, in the U.S. and/or other countries, of Pearson Education, Inc. or its affiliate(s). Minnesota Multiphasic Personality Inventory-2 Restructured Form and MMPI-2-RF are registered trademarks of the University of Minnesota, Minneapolis, MN. 8795-A 01/14

ALWAYS LEARNING PEARSON



Minnesota Multiphasic Personality Inventory-2 Restructured Form®

Score Report

MMPI-2-RF®

Minnesota Multiphasic Personality Inventory-2-Restructured Form® *Yossef S. Ben-Porath, PhD, & Auke Tellegen, PhD*

ID Number: Mr. I
Age: 36
Gender: Male
Marital Status: Married
Years of Education: Not reported
Date Assessed: 1/13/14



Copyright © 2008, 2011, 2012 by the Regents of the University of Minnesota. All rights reserved.

Distributed exclusively under license from the University of Minnesota by NCS Pearson, Inc. Portions reproduced from the MMPI-2-RF test booklet. Copyright © 2008 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the MMPI-2-RF Manual for Administration, Scoring, and Interpretation. Copyright © 2008, 2011 by the Regents of the University of Minnesota. All rights reserved. Used by permission of the University of Minnesota Press.


MMPI-2-RF, the MMPI-2-RF logo, and Minnesota Multiphasic Personality Inventory-2-Restructured Form are registered trademarks of the University of Minnesota. Pearson, the PSI logo, and PsychCorp are trademarks in the U.S. and/or other countries of Pearson Education, Inc., or its affiliate(s).

TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

[2.2/56/0.0.0]

MMPI-2-RF Validity Scales




The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

VRIN-r Variable Response Inconsistency
TRIN-r True Response Inconsistency
F-r Infrequent Responses
Fp-r Infrequent Psychopathology Responses

Fs Infrequent Somatic Responses FBS-r Symptom Validity RBS Response Bias Scale L-r Uncommon Virtues K-r Adjustment Validity

MMPI-2-RF Higher-Order (H-O) and Restructured Clinical (RC) Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

EID Emotional/Internalizing Dysfunction

THD Thought Dysfunction

BXD Behavioral/Externalizing Dysfunction

RCd Demoralization

RC1 Somatic Complaints

RC2 Low Positive Emotions

RC3 Cynicism

RC4 Antisocial Behavior

RC6 Ideas of Persecution


RC7 Dysfunctional Negative Emotions

RC8 Aberrant Experiences

RC9 Hypomanic Activation

T Score:


MMPI-2-RF Somatic/Cognitive and Internalizing Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

MLS	Malaise	SUI	Suicidal/Death Ideation	AXY	Anxiety
GIC	Gastrointestinal Complaints	HLP	Helplessness/Hopelessness	ANP	Anger Proneness
HPC	Head Pain Complaints	SFD	Self-Doubt	BRF	Behavior-Restricting Fears
NUC	Neurological Complaints	NFC	Inefficacy	MSF	Multiple Specific Fears
COG	Cognitive Complaints	STW	Stress/Worry		

MMPI-2-RF Externalizing, Interpersonal, and Interest Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.


JCP Juvenile Conduct Problems SUB Substance Abuse AGG Aggression ACT Activation FML Family Problems
IPP Interpersonal Passivity
SAV Social Avoidance
SHY Shyness

Disaffiliativeness

DSF

AES Aesthetic-Literary Interests
MEC Mechanical-Physical Interests

MMPI-2-RF PSY-5 Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

AGGR-r Aggressiveness-Revised PSYC-r Psychoticism-Revised DISC-r Disconstraint-Revised

NEGE-r Negative Emotionality/Neuroticism-Revised INTR-r Introversion/Low Positive Emotionality-Revised

MMPI-2-RF T SCORES (BY DOMAIN)

PROTOCOL VALIDITY

Content Non-Responsiveness	S	17	48	57 T				
		CNS	VRIN-r	TRIN-r				
Over-Reporting		74	42		66	32*	46	
1 0		F-r	Fp-r	=	Fs	FBS-r	RBS	-
Under-Reporting		47	45*					
, ,		L-r	K-r					
SUBSTANTIVE SCALES								
Somatic/Cognitive Dysfuncti	on	42	52	46	42	53	69	_
		RC1	MLS	GIC	HPC	NUC	COG	
	Г	_						
Emotional Dysfunction	43	49	79	52	42	51		
	EID	RCd	SUI	HLP	SFD	NFC		
		34	32					
		RC2	INTR-r					
		55	47	44	54	43	46	49
		RC7	STW	AXY	ANP	BRF	MSF	NEGE-r
Thought Dysfunction	60	70						
	THD	RC6						
		66						
		RC8						
		63						
		PSYC-r						
Behavioral Dysfunction	68	62	50	55				
•	BXD	RC4	JCP	SUB				
		80	67	67	74	63		
		RC9	AGG	ACT	AGGR-r	DISC-r		
		40						
Interpersonal Functioning		49	47*	34 IPP	36	47	58 DSE	-
		FML	RC3	IPP	SAV	SHY	DSF	
Interests		33*	74					
111010303			, T					

^{*}The test taker provided scorable responses to less than 90% of the items scored on this scale. See the relevant profile page for the specific percentage.

MEC

AES

ITEM-LEVEL INFORMATION

Unscorable Responses

Following is a list of items to which the test taker did not provide scorable responses. Unanswered or double answered (both True and False) items are unscorable. The scales on which the items appear are in parentheses following the item content.

- 9. Item Content Omitted. (RC7, NEGE-r)
- 15. Item Content Omitted. (Fs, FBS-r, RC1)
- 36. Item Content Omitted. (FBS-r, K-r, RC3)
- 55. Item Content Omitted. (VRIN-r, FBS-r, RC3)
- 99. Item Content Omitted. (VRIN-r, FBS-r, K-r, RC3)
- 107. Item Content Omitted. (BXD, RC9, DISC-r)
- 121. Item Content Omitted. (RC3)
- 185. Item Content Omitted. (RC3)
- 191. Item Content Omitted. (Fp-r)
- 194. Item Content Omitted. (VRIN-r, RC6)
- 203. Item Content Omitted. (F-r, THD, RC8, PSYC-r)
- 209. Item Content Omitted. (NEGE-r)
- 238. Item Content Omitted. (RC3)
- 296. Item Content Omitted. (AES)
- 304. Item Content Omitted. (RC3)
- 313. Item Content Omitted. (RC1, NUC)
- 326. Item Content Omitted. (RC3)

Special Note:

The content of the test items is included in the actual reports. To protect the integrity of the test, the item content does not appear in this sample report.

Critical Responses

Seven MMPI-2-RF scales--Suicidal/Death Ideation (SUI), Helplessness/Hopelessness (HLP), Anxiety (AXY), Ideas of Persecution (RC6), Aberrant Experiences (RC8), Substance Abuse (SUB), and Aggression (AGG)--have been designated by the test authors as having critical item content that may require immediate attention and follow-up. Items answered by the individual in the keyed direction (True or False) on a critical scale are listed below if his T score on that scale is 65 or higher. The percentage of the MMPI-2-RF normative sample that answered each item in the keyed direction is provided in parentheses following the item content.

Suicidal/Death Ideation (SUI, T Score = 79)

- 251. Item Content Omitted. (True, 3.0%)
- 334. Item Content Omitted. (True, 13.5%)

Ideas of Persecution (RC6, T Score = 70)

- 14. Item Content Omitted. (True, 2.9%)
- 34. Item Content Omitted. (True, 10.6%)
- 71. Item Content Omitted. (True, 2.0%)
- 110. Item Content Omitted. (True, 9.9%)

Aberrant Experiences (RC8, T Score = 66)

- 32. Item Content Omitted. (True, 21.1%)
- 85. Item Content Omitted. (False, 17.1%)
- 106. Item Content Omitted. (True, 8.7%)
- 159. Item Content Omitted. (True, 6.0%)
- 240. Item Content Omitted. (True, 8.8%)
- 257. Item Content Omitted. (True, 12.4%)



- 23. Item Content Omitted. (True, 39.0%)
- 312. Item Content Omitted. (True, 5.5%)
- 316. Item Content Omitted. (True, 45.1%)
- 329. Item Content Omitted. (True, 12.7%)
- 337. Item Content Omitted. (True, 50.2%)



Special Note:

The content of the test items is included in the actual reports. To protect the integrity of the test, the item content does not appear in this sample report.

User-Designated Item-Level Information

The following item-level information is based on the report user's selection of additional scales, and/or of lower cutoffs for the critical scales from the previous section. Items answered by the test taker in the keyed direction (True or False) on a selected scale are listed below if his T score on that scale is at the user-designated cutoff score or higher. The percentage of the MMPI-2-RF normative sample that answered each item in the keyed direction is provided in parentheses following the item content.

Hypomanic Activation (RC9, T Score = 80)

- 13. Item Content Omitted. (True, 40.9%)
- 39. Item Content Omitted. (True, 51.0%)
- 47. Item Content Omitted. (True, 42.7%)
- 61. Item Content Omitted. (False, 61.6%)
- 72. Item Content Omitted. (True, 81.5%)
- 97. Item Content Omitted. (True, 50.5%)
- 118. Item Content Omitted. (True, 57.4%)
- 131. Item Content Omitted. (True, 43.3%)
- 143. Item Content Omitted. (True, 27.5%)
- 155. Item Content Omitted. (True, 41.6%)
- 166. Item Content Omitted. (True, 38.9%)
- 181. Item Content Omitted. (True, 35.3%)
- 193. Item Content Omitted. (True, 32.8%)
- 207. Item Content Omitted. (True, 66.9%)

- 219. Item Content Omitted. (True, 51.5%)
- 244. Item Content Omitted. (True, 56.9%)
- 248. Item Content Omitted. (True, 16.1%)
- 256. Item Content Omitted. (True, 65.7%)
- 267. Item Content Omitted. (True, 12.9%)
- 292. Item Content Omitted. (True, 26.1%)
- 305. Item Content Omitted. (True, 37.6%)
- 316. Item Content Omitted. (True, 45.1%)
- 327. Item Content Omitted. (True, 41.7%)
- 337. Item Content Omitted. (True, 50.2%)

Activation (ACT, T Score = 67)

- 72. Item Content Omitted. (True, 81.5%)
- 166. Item Content Omitted. (True, 38.9%)
- 181. Item Content Omitted. (True, 35.3%)
- 207. Item Content Omitted. (True, 66.9%)
- 219. Item Content Omitted. (True, 51.5%)
- 267. Item Content Omitted. (True, 12.9%)



Special Note:

The content of the test items is included in the actual reports. To protect the integrity of the test, the item content does not appear in this sample report.

End of Report

This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.