

## Telepractice and the Beery VMI

The telepractice information in this document is intended to support professionals in making informed, well-reasoned decisions around remote assessment. This information is not intended to be comprehensive regarding all considerations for assessment via telepractice. It should not be interpreted as a requirement or recommendation to conduct assessment via telepractice.

Professionals should remain mindful to:

- Follow professional best practice recommendations and respective ethical codes
- Follow telepractice regulations and legal requirements from federal, state and local authorities, licensing boards, professional liability insurance providers, and payors
- Develop competence with assessment via telepractice through activities such as practicing, studying, consulting with other professionals, and engaging in professional development.

Professionals should use their clinical judgment to determine if assessment via telepractice is appropriate for a particular examinee, referral question, and situation. There are circumstances where assessment via telepractice is not feasible and/or is contraindicated. Documentation of all considerations, procedures, and conclusions remains a professional responsibility.

Several professional organizations and experts have provided guidance on telepractice assessment (American Occupational Therapy Association [AOTA], 2020; American Psychological Association Services [APA Services], 2020; Association of State and Provincial Psychology Boards [ASPPB], 2013; Cason et al., 2018; Grosch et al., 2011; Inter Organizational Practice Committee [IOPC], 2020; Stolwyk et al., 2020) to assist professionals in decision making and ethical and legal practice issues.

The Beery™–Buktenica Developmental Test of Visual–Motor Integration (6th ed.; Beery VMI; Beery & Beery, 2010) can be administered in a telepractice context by using digital tools from Q-global®, Pearson’s secure online testing and scoring platform. Details regarding Q-global and how it is used are provided on the [Q-global product page](#).

A spectrum of options is available for administering this assessment via telepractice; however, it is important to consider the fact that the normative data were collected via an in-person assessment. Telepractice is a deviation from the standardized administration, and the methods and approaches to administering it via telepractice should be supported by research and practice guidelines when appropriate.

The Beery VMI consists of four administration forms: Short Form, Full Form, Visual Perception Form, and Motor Coordination Form. Please refer to the Beery VMI manual to help with decisions regarding which forms are appropriate for each client/referral question. Various options are available for administering these forms of the Beery VMI via telepractice. They vary based on the role of the on-site facilitator. If the on-site facilitator is a well-trained professional, telepractice can involve all forms. If using an on-site facilitator who is not in a professional role (e.g., parent/guardian), the examiner should use their professional judgment about the capacity of the facilitator to perform the required functions correctly and without interfering in the testing session. [This document](#) provides information about the role of the trained facilitator in telepractice assessment.

The Short Form and Full Form of the Beery VMI can be administered in person as a group screening test or as an individual administration. When administering via telepractice, use the manual to determine whether the group administration directions or individual administration directions are the most appropriate for your scenario. As stated in the Beery VMI manual, for administration of the Visual Perception or Motor Coordination forms, and for administration with preschool children or those at an earlier developmental stage than age 5, the individual administration directions should be followed. The Beery VMI manual provides additional guidelines for individual administration and details considerations for developing rapport and potential observations during administration (Beery & Beery, 2010, p. 21).

Professionals engaging in telepractice assessment may train facilitators to work with them on a regular basis in order to provide greater coverage to underserved populations (e.g., only two professionals within a 500-mile radius, shortage of school psychologists within a school district). If the on-site facilitator is a well-trained professional, then telepractice administration can involve all aspects of individual administration of the Beery VMI assessment.

In times when using a professional facilitator may not be feasible (such as the COVID-19 pandemic), it may be possible that the examinee participates with the help of a nonprofessional on-site facilitator (e.g., a parent, guardian, or caretaker) in the examinee's home. If the on-site facilitator is not in a professional role (i.e., nonprofessional facilitator), they can assist with technological and administrative tasks during testing and should be oriented to these responsibilities during an initial virtual meeting and again at the beginning of the session. The initial virtual meeting should occur in advance of the testing session to address numerous issues specific to testing via telepractice. This initial virtual meeting is described in the administrative and technological tasks portion of the Examiner Considerations section and referred to in various sections of this document. The examiner should consider best practice guidelines, the referral question, and the examinee's condition, as well as telepractice equivalence study conditions, to determine if this is possible and appropriate.

Professional and nonprofessional facilitators typically do not remain in the room with the examinee throughout the testing session. The examiner should plan to minimize (as much as possible) the need for the facilitator to remain in the room. In rare cases when the facilitator must remain in the room, they should do so passively and unobtrusively; they should merely monitor and address the examinee's practical needs, as well as any technological or administrative issues as necessary. The facilitator's role should be defined clearly by the examiner. The facilitator should only perform those

functions the examiner approves and deems necessary. In any case, if a facilitator is necessary it is preferred that the facilitator remain accessible.

## Conducting Telepractice Assessment

Conducting a valid assessment in a telepractice service delivery model requires an understanding of the interplay of a number of complex issues. In addition to the general information on Pearson's telepractice page, examiners should address five factors (Eichstadt et al., 2013) when planning to administer and score assessments via telepractice:

1. [Telepractice Environment & Equipment](#)
2. [Assessment Materials & Procedures](#)
3. [Examinee Considerations](#)
4. [Examiner Considerations](#)
5. [Other Considerations](#)

### 1. Telepractice Environment & Equipment

#### Computers and Connectivity

Two computers with audio and video capability and stable internet connectivity—one for the examiner and one for the examinee—are required. A web camera, microphone, and speakers or headphones are required for both the examiner and the examinee. A second computer screen or split-screen format on a large computer monitor for the examiner is helpful to allow a view of a Pearson-delivered digital manual or administration directions, but the examiner can also use the paper format manual or administration directions. The second computer screen or large screen also tends to make sharing test content more straightforward for the examiner.

#### Image/Screen Size

When items with visual stimuli are presented, the digital image of the visual stimuli on the examinee's screen should be at least 9.7" measured diagonally, similar to an iPad® or iPad Air®. Some teleconferencing software shrink the size of images; the image size should be verified in the initial virtual meeting. It is recommended that computer screens used for teleconference assessment be at least 15" measured diagonally. Smaller screens, such as those of iPad minis, small tablet PCs, and smartphones, are not allowed for examinee-facing content, as these have not been examined empirically and may affect stimulus presentation, examinee response, and validity of the test results. Similarly, presenting stimuli on extremely large screens has not been examined, so the same precaution applies. At the beginning of the testing session, the examiner may ask for a peripheral camera or device (as described later in this section) to be aimed at the examinee's screen to ensure that the examinee's screen is displaying images in the correct aspect ratio and not stretching or obscuring the stimuli image.

## **Audio Considerations**

High-quality audio capabilities are required during the administration. An over the head, two-ear, stereo headset with attached boom microphone is recommended for both the examiner and examinee. Headphones with a microphone may be used if a headset is not available.

The examiner should test the audio for both the examiner and examinee in the initial virtual meeting and at the beginning of the testing session to ensure a high-quality audio environment is present. Testing the audio should include an informal conversation prior to the administration where the examiner is listening for any clicks, pops, or breaks in the audio signal that distorts or interrupts the voice of the examinee. The examiner should also ask if there are any interruptions or distortions in the audio signal on the examinee's end. Any connectivity lapses, distractions, or intrusions that occurred during testing should be reported.

## **Audiovisual Distractions**

As with any testing session, the examiner should do everything possible to make sure the examinee's environment is free from audio and visual distractions. If the examiner is unfamiliar with the examinee's planned physical location, a visual tour of the intended testing room should be given during the initial virtual meeting. The examiner can then provide a list of issues to address to transform the environment into one suitable for testing. For example, remove distracting items, silence all electronics, and close doors. The examiner should confirm that these issues have been addressed at the time of testing. If possible, the examinee should be positioned facing away from the door to ensure the examiner can verify through the examinee's camera that the door remains shut and can monitor any interruptions. The examiner should confirm that all other applications on the computer, laptop, or peripheral device are closed, the keyboard is moved aside or covered after the session is connected, and alerts and notifications are silenced on the peripheral device. Radios, televisions, other cellular phones, fax machines, smart speakers, printers, and equipment that emit noise must be silenced and/or removed from the room.

## **Lighting**

Good overhead and facial lighting should be established for the examiner and examinee. Blinds or shades should be closed to reduce sun glare on faces and the computer screens.

## **Seating**

The examiner must ensure the examinee has appropriate seating with a table and chair, and that the response form is positioned so that it is centered with the examinee's body and squared on the desk; a facilitator can support this if necessary.

## **Teleconferencing Software**

Teleconferencing software is required. Screen-sharing capability is required if anything other than items with verbal stimuli and responses are administered.

## Video

High-quality video (HD preferred) is required during the administration. Make sure the full faces of the examiner and the examinee are seen using each respective web camera. The teleconferencing software should allow all relevant visual stimuli to be fully visible to the examinee when providing instruction or completing items; the view of the examiner should not impede the examinee's view of visual test stimuli.

## Peripheral Camera or Device

A standalone peripheral camera can be used to provide a view of the session from another angle or a live view of the examinee's progress. Alternately, a separate device (e.g., a smartphone with a camera or another peripheral device) can be connected to the teleconference and set in a stable position to show the examinee's pointing or written responses. The device's audio should be silenced and microphone should be muted to prevent feedback. The examiner should guide positioning of the peripheral camera/device before administering written response tasks and items that elicit pointing or gestured responses (refer to [Table 1](#)) so that the examiner can see the examinee's real-time responses are captured.

In a typical telepractice session, it is more feasible to make a document or moveable camera available in the examinee's location. However, the only camera available may be a stationary camera integrated into the examinee's laptop or computer screen. It is unrealistic to expect examinees to have document cameras within their homes. It may be necessary for examiners to think creatively about how to use a smartphone or other device in the examinee's location to gain a view of the examinee's progress in a response form or when pointing at a screen. Prior to attempting this with an examinee, the examiner should work to become fluid and competent at directing examinees in these methods, which can require extensive practice with varied individuals and types of devices. In addition, this requires planning and practice in the initial virtual meeting to prevent technical difficulties, and so the examinee and facilitator feel confident doing this when it is time.

Online instructional videos (e.g., [here](#)) demonstrate how a smartphone may be used with common household objects (e.g., a tower or stack of books, paper weight, ruler, and rubber band or tape) to create an improvised document camera for use during tasks involving response forms. While using additional cameras or devices/objects may not be an optimal solution for telepractice, it can be functional if executed well.

## 2. Assessment Materials & Procedures

### Test Item Security

The examiner is responsible for ensuring test item security is maintained, as outlined in the Terms and Conditions for test use. The examiner should address test security requirements with the examinee (and facilitator, if applicable) during the informed consent process. The examiner should make it clear to the examinee/caregivers that the video should not be captured, photos should not be taken, and stimuli should not be copied or recorded, as this is a copyright violation. The examinee must agree that they will not record (audio or visual) or take photos or screenshots of any

portion of the test materials or testing session, and not permit anyone to observe the testing session or be in the testing room (except for a facilitator, when necessary). Any test-related materials used in the testing session must be returned to the examiner.

## **Disruptions**

The examiner should record any and all atypical events that occur during the testing session. This may include delayed audio or video, disruptions to connectivity, the examinee being distracted by external stimuli, and any other anomalies. These should be considered during interpretation and described in the written report. Refer to [Other Considerations](#) for guidance on report writing.

If there is a problem with the video-conferencing quality, the examiner must make sure all other nonessential applications on their computer are closed. Likewise, the facilitator should close all other applications on the examinee's computer, laptop, or other device for faster administration performance.

## **Response Forms**

For telepractice, the response form must be completed with the examinee via video-conferencing, with the examiner using the Beery VMI manual to follow the administration directions in Chapter III.

Note: It is important to continue to use the original response forms for telepractice administration because these materials were carefully constructed to prevent glare, translucency, and other problems during administration.

The response forms should be provided in advance of the testing session, and the plan for securing and forwarding/returning materials, real-time and after testing, should be communicated. The examiner may ask for the completed response form to be shown on camera immediately at the conclusion of a task so that the examiner can score it immediately and so responses are not lost or modified.

One successful approach to protecting test security uses sealed envelopes (i.e., the sealed envelope method) and is described as follows. The examiner gathers response forms and a self-addressed stamped envelope. The examiner places these materials in an envelope and signs it on the seal, then mails or delivers it to the testing location. The examiner emphasizes that the sealed envelope containing the response forms must not be opened until the examiner asks. After completion of each subtest, the response forms are then placed in the provided self-addressed stamped envelope, sealed at the conclusion and signed on the seal on camera, and then mailed or delivered to the examiner immediately following the testing session.

## **Digital Assets**

The examiner should practice using the digital assets until the use of the materials is as smooth as an in-person administration. It is not recommended that the examiner display items from paper assets on a camera. Refer to *Using Your Digital Assets on Q-global* in the Q-global Resource Library for complete directions.

## Gesturing

When gesturing to the stimulus image is necessary, the examiner should display them as digital assets on-screen and point using the mouse cursor. It may on occasion be necessary for the examiner to gesture to areas of a paper copy of a response form or to show how to respond to demonstration items on the examiner's camera.

## Content Considerations

Review [Table 1](#) for the specific telepractice considerations for each subtest to be administered.

**Table 1. Specific Telepractice Considerations**

Form(s)	Considerations
Beery VMI (Full Form or Short Form)	<ul style="list-style-type: none"><li>• A facilitator is recommended. If administered to examinee under functional age 5 years, requires a well-trained facilitator in a professional role to assist in administering tasks 1–6.</li><li>• Requires original standardized response form in the examinee's location.</li><li>• Requires a sharpened No. 2 pencil or a ballpoint pen in the examinee's location.</li><li>• Requires an extra response form in the examiner's location to show briefly on camera to orient the facilitator and examinee to the next item, if needed.</li><li>• Requires a table and chair appropriate for the examinee's size (i.e., can sit comfortably to work at the table while resting feet on the floor).</li><li>• Place the peripheral camera/device in a stable position to show examinee's performance on tasks.</li><li>• Follow the instructions described for administration and scoring in Chapter III of the manual.</li><li>• Do not stop administration unless you are confident the examinee has missed three consecutive items to meet the ceiling criteria to discontinue administration. You may not be able to determine immediately if the examinee has not passed an item on the assessment. When in doubt, assume that they drew the figure correctly and continue testing to ensure they have surpassed their ability level. Scoring is completed after administration and the response form has been returned to the examiner.</li></ul>

Form(s)	Considerations
Visual Perception Supplemental Test Form	<ul style="list-style-type: none"> <li>• Requires a well-trained facilitator in a professional role.</li> <li>• Requires original standardized response form in the examinee's location.</li> <li>• For examinees under functional age 5 years, the Outline Pictures and Doll's Body Parts card is required and should be in the examinee's location.</li> <li>• Have an extra response form in the examiner's location to show briefly on camera to orient the facilitator and examinee to the next item, if needed.</li> <li>• Requires a table and chair appropriate for the examinee's size (i.e., can sit comfortably to work at the table while resting feet on the floor).</li> <li>• Place the peripheral camera/device in a stable position to show examinee's performance on tasks.</li> <li>• Follow the instructions described for administration and scoring in Chapter III of the manual.</li> <li>• Timing for the subtest of exactly 3 minutes starts on item 7.</li> <li>• Examinee should only point to indicate their response. The professional facilitator marks the examinee's responses on the response form during the administration to follow standardized administration procedures more closely.</li> <li>• Do not stop administration unless you are confident the examinee is unable to complete any more items correctly or the time limit has expired. When in doubt, assume that they have not met the ceiling rule and continue until the time limit has expired to ensure they have surpassed their ability level. Scoring is completed after administration and the response form has been returned to the examiner.</li> </ul>

Form(s)	Considerations
Motor Coordination Supplemental Test Form	<ul style="list-style-type: none"> <li>• Requires a well-trained facilitator in a professional role.</li> <li>• Requires original standardized response form in the examinee's location.</li> <li>• Requires a sharpened No. 2 pencil or a ballpoint pen in the examinee's location.</li> <li>• Have an extra response form in the examiner's location to show briefly on camera to orient the facilitator and examinee to the next item, if needed.</li> <li>• Requires a table and chair appropriate for the examinee's size (i.e., can sit comfortably to work at the table while resting feet on the floor).</li> <li>• Place the peripheral camera/device in a stable position to show examinee's performance on tasks.</li> <li>• Follow the instructions described for administration and scoring in Chapter III of the manual.</li> <li>• Timing for the subtest of exactly 5 minutes starts on item 7.</li> <li>• The professional facilitator at the examinee's location should provide the demonstrations for tasks 4–6 on the response form to follow standardized administration procedures more closely.</li> <li>• Do not stop administration unless you are confident the examinee is unable to complete any more items correctly or the time limit has expired. Scoring is completed after administration and the response form has been returned to the examiner.</li> </ul>

## Evaluating Equivalence Evidence

Examiners should review the current research available on equivalence between different modes of administration before proceeding to use remote administration of a standardized assessment with normative data collected via in-person assessment. When reviewing the literature, the examiner should consider the input and output requirements for each task, and the evidence available for telepractice equivalence for the specific task type. Direct evidence of equivalence for a specific task may be available because the task was researched in a study with results indicating no significant difference between telepractice and in-person assessment. Indirect evidence may also be reported in the literature for a task that is similar in construct and input/output demands to the standardized assessment being considered for remote administration and may help determine the examiner's level of confidence in applying the norms. For instance, a study demonstrating direct evidence for the Repeatable Battery for the Assessment of Neuropsychological Status (RBANS) Picture Naming subtest also demonstrates valuable indirect evidence for the WISC-V Vocabulary and CLQT+ Confrontation Naming subtests because Picture Naming, Vocabulary, and Confrontation Naming all require brief spoken directions with pictorial stimuli inputs with open-ended spoken response outputs. Examiners can have more confidence that the normative scores are valid when tasks have direct evidence showing equivalency between modes.

In reviewing the literature of telepractice–in-person and digital–traditional investigations, professionals should also be mindful of the age range and population (e.g., clinical group) of the research study to consider relevancy for the examinee. Greater caution is recommended when only indirect evidence of equivalency is available for a task, or when equivalence has not been established for a particular examinee’s age range and clinical condition. However, it can be informative to consider any such available evidence when considering impact of remote administration on results and interpretation. Pearson Clinical Assessment is tracking and aggregating the relevant equivalence evidence for its assessments, including the age range, population, direct evidence, and indirect evidence (see [Evidence for Remote Assessment](#)).

[Table 2](#) lists the input and output requirements of each task. The abbreviations in the Input and Output column correspond to the various input and output requirements of each task, and a key appears at the bottom of the table. For example, brief spoken directions as an input requirement is abbreviated as BSD.

**Table 2. Input and Output Requirements**

Task	Input <sup>a</sup>	Output <sup>b</sup>
Beery VMI (Full Form or Short Form)	BSD, GD, MD, PM, RF, SS	WFMR
Visual Perception Supplemental Test Form	BSD, GD, PS, RF, SS	PR, TT
Motor Coordination Supplemental Test Form	BSD, GD, MD, PM, PS, RF, SS	GMR, TT, WFMR

Note. <sup>a</sup>Input abbreviations are: BSD = Brief spoken directions, GD = Gestured directions, MD = Motor demonstration, PM = Physical manipulatives, PS = Pictorial stimuli, RB = Paper response form, SS = Spoken stimuli

<sup>b</sup>Output abbreviations are: GMR = Gross motor response, PR = Pointing response, TT = Task-level time limit, WFMR = Written or fine motor response

### 3. Examinee Considerations

#### Appropriateness

The examiner should first ensure that a telepractice administration is appropriate for the examinee and for the purpose of the assessment. Clinical judgment, best practice guidance for telepractice (e.g., AOTA, 2020; APA Services, 2020; ASPPB, 2013; IOPC, 2020), information from professional organizations and other professional entities (e.g., licensing boards, legal resources, professional liability insurance providers, payors), consultation with other knowledgeable professionals, existing research, and any available federal or state regulations should be considered in the decision-making process. Consideration should be given to whether the necessary administrative and technological tasks involved in a telepractice session can be accomplished without influencing results.

## **Preparedness**

Before initiating test administration, the examiner should ensure that the examinee is well-rested, able, prepared, and ready to appropriately and fully participate in the testing session. Ensure the examinee has a sharp No. 2 pencil without an eraser, a primary pencil, or a ballpoint pen. Ensure the examinee has received the response form in the mail.

## **Facilitator Role**

If using a facilitator, the role of the facilitator must be explained to the examinee so participation and actions are understood.

## **Headset**

It may not be appropriate or feasible for some examinees to use a headset due to behavior, positioning, physical needs, or tactile sensitivities, or if a headset is not available. Clinical judgment on the appropriate use of a headset in these situations should be used. If a headset is not utilized, the examiner's and examinee's microphones and speakers should be turned up to a comfortable volume.

## **Mouse**

On some teleconferencing software, the examiner can pass control of the mouse to allow the examinee to point to indicate responses; this is an option if it is within the capabilities of the examinee. However, best practice guidelines provide cautions about this. For example, the IOPC guidelines suggest examiners be alert throughout administration, resume control of the screen once the task is finished, and never leave the computer unattended while the examinee has control over the examiner's computer (IOPC, 2020).

# **4. Examiner Considerations**

## **Practice**

During the telepractice setup, and before administering to any actual examinee, the examiner should rehearse the mechanics and workflow of every item in the entire test using the selected teleconferencing software so that the examiner is familiar with the administration procedures. For example, a colleague could be used as a practice examinee.

## **Standardized Procedures**

The examiner must follow the administration procedures of in-person administration as much as possible. For example, if a spoken stimulus cannot be said more than once in in-person administration, the examiner must not say it more than once in a telepractice administration unless a technical difficulty precluded the examinee from hearing the stimulus.

## Real-Time Troubleshooting

In order to conduct a smooth telepractice session, audiovisual needs and materials must be managed appropriately. The initial virtual meeting involves the examiner, examinee, and/or the facilitator (if used), and is the opportunity for the examiner to provide information about the audiovisual needs and materials. During the initial virtual meeting, the examiner should provide training in troubleshooting audiovisual needs that arise during the testing session, including camera angle, lighting, and audio checks. The examiner should provide verbal feedback to guide camera adjustment, checking the on-screen video shown by the peripheral camera/device to provide information about how to reposition it until the proper view is shown. The examiner should emphasize that no materials should be opened until the examiner provides instructions to do so, if applicable. The examiner should also expect to provide verbal guidance about these issues during the testing session.

## Collaborating With Facilitators

If used, the facilitator is to assist with administrative and technological tasks and not to manage rapport, engagement, or attention during the testing session. The examiner should direct them not to interfere with the examinee's performance or responses. Any other roles and responsibilities for which an examiner needs support, such as behavior management, should be outlined and trained prior to the beginning of the testing session. The examiner is responsible for documenting all behaviors of the facilitator during test administration and taking these into consideration when reporting scores and performance. Refer to the [Telepractice Environment & Equipment](#) section and to [Table 1](#) for specific subtest telepractice considerations.

## 5. Other Considerations

There are special considerations for written reports describing testing that takes place via telepractice. The professional completing the written report should state in the report that the test was administered via telepractice and briefly describe the method of telepractice used. The professional should also make a clinical judgment, similar to an in-person session, about whether or not the examiner was able to obtain the examinee's best performance. Clinical decisions should be explained in the report, including comments on the factors that led to the decision to conduct testing via telepractice and to report all (or not to report suspect) scores. In addition, it is recommended that the report include a record of any and all atypical events during the testing session (e.g., delayed video or audio, disruptions to connectivity, extraneous noises such as phone ringing or loud dog barking, person or animal unexpectedly walking into room, the examinee responding to other external stimuli). List and describe these anomalies as is typical for reporting behavioral observations in the written report, as well as any observed or perceived impact on the testing sessions and/or results, and consider these in the interpretation of results.

An example of a written report might include:

*"The Beery VMI was administered via remote telepractice and a facilitator monitored the administration on-site using an original response form during the live video connection using the [name of telepractice system, e.g., Zoom] platform. The remote testing*

*environment appeared free of distractions, adequate rapport was established with the examinee via video/audio, and the examinee appeared appropriately engaged in the task throughout the session. No significant technological problems or distractions were noted during administration. Modifications to the standardization procedure included: [list]. The Beery VMI tasks have received initial validation in several samples for remote telepractice administration, and the results are considered a valid description of the examinee's skills and abilities."*

## Conclusion

This test was not standardized in a telepractice mode, and this should be taken into consideration when utilizing this test via telepractice and interpreting results. For example, the examiner should consider relying on convergence of multiple data sources and/or being tentative about conclusions. Provided that the examiner has thoroughly considered and addressed the factors and the specific considerations as listed above, the examiner should be prepared to observe and comment about the reliable and valid delivery of the test via telepractice. Materials may be used via telepractice without additional permission from Pearson in the following published contexts:

- Beery VMI manual via Q-global
- Beery VMI via a Pearson-licensed telepractice provider/platform

*Any* other use of this test via telepractice is not currently recommended. This includes, but is not limited to, scanning the paper response forms, digitizing the paper record forms, holding the stimulus books physically up in the camera's viewing area, or uploading a manual onto a shared drive or site.

## References

- American Occupational Therapy Association (AOTA). (2020). Telehealth resources. <https://www.aota.org/Practice/Manage/telehealth.aspx>
- American Psychological Association Services (APA Services). (2020). *Guidance on psychological tele-assessment during the COVID-19 crisis*. (2020). [https://www.apaservices.org/practice/reimbursement/health-codes/testing/tele-assessment-covid-19?fbclid=IwAR1d\\_YNXYS2Yc5mdlz\\_ZIYSkrj\\_6A9BQeKulHxEEjjRh1XDR6fOYncM3b4](https://www.apaservices.org/practice/reimbursement/health-codes/testing/tele-assessment-covid-19?fbclid=IwAR1d_YNXYS2Yc5mdlz_ZIYSkrj_6A9BQeKulHxEEjjRh1XDR6fOYncM3b4)
- Association of State and Provincial Psychology Boards (ASPPB). (2013). *ASPPB telepsychology task force principles and standards*. [http://houstonneuropsych.com/wp-content/uploads/2020/04/ASPPB\\_TELEPSYCH\\_PRINCIPLES.pdf](http://houstonneuropsych.com/wp-content/uploads/2020/04/ASPPB_TELEPSYCH_PRINCIPLES.pdf)
- Beery, K. E., & Beery, N. A. (2010). *Beery-Buktenica Developmental Test of Visual-Motor Integration*. NCS Pearson.
- Cason, J., Hartmann, K., & Richmond, T. (2018). Telehealth in occupational therapy. *The American Journal of Occupational Therapy*, 72, 1–18. <https://doi.org/10.5014/ajot.2018.72S219>
- Eichstadt, T. J., Castilleja, N., Jakubowitz, M., & Wallace, A. (2013, November). Standardized assessment via telepractice: Qualitative review and survey data [Paper presentation]. Annual meeting of the American Speech-Language-Hearing Association, Chicago, IL, United States.

Grosch, M. C., Gottlieb, M. C., & Cullum, C. M. (2011). Initial practice recommendations for teleneuropsychology. *The Clinical Neuropsychologist*, 25, 1119–1133.

Inter Organizational Practice Committee (IOPC). (2020). *Recommendations/guidance for teleneuropsychology (TeleNP) in response to the COVID-19 pandemic*. <https://static1.squarespace.com/static/50a3e393e4b07025e1a4f0d0/t/5e8260be9a64587cfd3a9832/1585602750557/Recommendations-Guidance+for+Teleneuropsychology-COVID-19-4.pdf>

Stolwyk, R., Hammers, D. B., Harder, L., & Cullum, C. M. (2020). *Teleneuropsychology (TeleNP) in response to COVID-19*. <https://event.webinarjam.com/replay/13/pyl2nayhvspsp09>